House officers' specialist career choices and motivators for their choice– a sequential mixed-methods study from Malaysia

Anuradha Nadarajah

International Medical University

Pathiyil Ravi Shankar

International Medical University Centre for Education

Sivakumaran Jayaraman

Kementerian Kesihatan Malaysia

Chandrashekhar Sreeramareddy (✉ chandrashekharats@yahoo.com)

International Medical University School of Medical Sciences: International Medical University School of Medicine

<https://orcid.org/0000-0002-5693-7631>

Research Article

Keywords: career choice, specialization, motivation, medicine, delivery of healthcare, perception

Posted Date: June 3rd, 2022

DOI: <https://doi.org/10.21203/rs.3.rs-1064108/v2>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License. [Read Full License](#)

Abstract

Background

Shortage and maldistribution of medical specialists hamper healthcare quality. The specialist career choices of house officers determine the composition healthcare system. We studied house officers' specialist career choices and motivators for their choice.

Methods

An exploratory sequential mixed-methods study was done. We conducted online in-depth interviews among seven house officers using an interview guide developed based on a literature review. The transcripts were analyzed thematically. A 33-item questionnaire was developed, and the main and sub-themes were identified as motivators for specialist career choice. An online survey was done among a random sample of 185 house officers. Content validation of motivators for specialist choice was done using exploratory factor analysis. First, the second and third choices for a specialist career were identified. Multinomial logistic regression analyses were done to determine the socio-demographic factors and motivators associated with the first choice.

Results

Two major themes were identified from the in-depth interviews with house officers. Perceptions about specialist training opportunities were positive as they gain a wide range of clinical competencies through well-structured, comprehensive training programs under existing specialist training pathways. However, the limited availability of Malaysian local university training opportunities and challenges of 'on-contract' to pursue specialist training were the main challenges. The motivational factors for first-choice specialty were related to 'work schedule', 'patient care characteristics', 'specialty characteristics', 'personal factors', 'past work experience', 'training factors', and 'career prospects.' Overall Cronbach's alpha for the questionnaire on motivators was 0.85. Exploratory factor analyses retained 26 out of 33 items in seven constructs with a 64.9% variance. House officers' first choices were specialties related to medicine (40.5%), surgery (31.5%), primary care (14.6%), and acute care (13.5%). On multivariate analysis, "younger age", "health professional in the family", "work schedule and personal factors", "career prospects" and "specialty characteristics" were associated with the first choice.

Conclusions

Specialties related to medical and surgical disciplines were the most preferred disciplines. Motivators for the first choice varied by discipline. The information motivational factors are helpful to develop policies to encourage more doctors to choose specialties with a shortage of doctors and to provide career specialty guidance.

Background

Human resources for health (HRH) are a critical component of any healthcare system. The number and type of medical specialists must be aligned to the local disease burden. [1] and the availability of specialists is determined by training pathways and 'brain drain'. [2] Shortage and maldistribution of specialists persist in Malaysia like in other developing countries. [3–5]. In Malaysia, house officers (HOs) undergo training in different specialties after graduation. The recent increase of enrollment into postgraduate training programs under the existing pathways [6] has led to the graduation of about 1000 new specialists in 30 disciplines annually. [5] Nevertheless, the maldistribution of specialists by private versus public sector, geographic distribution, and relative shortage of specialist doctors adversely affects the quality of care and hampers the training of junior doctors. [3, 7]

Specialty choice of medical students, interns, and medical graduates is well researched globally.[8, 9] A complex decision-making process of specialty career choice [10] is influenced by personal, and professional circumstances, training opportunities, and prospects upon graduation.[11–14] The choice and factors driving the choice vary among student, intern, or house officers and by country. [8, 9] Survey research using ad hoc questionnaires often fails to obtain a deeper perspective about reasons/motivators for respondents' preferred specialty choice.[8, 9] For a complex decision-making process of specialist career choice, it is important to study why and how the decisions are made.[10] Qualitative studies provide deeper insights into the motivators for career specialty choices.[15–17] Better understanding of motivators from both personal and professional domains can help provide career guidance to young graduates and inform policy decisions about specialist training needs. Existing Malaysian studies only used questionnaire surveys among medical students[11–14] and did not qualitatively explore what are the motivators for their specialist career choice. Perspectives HOs who are at a transitional phase of their career are critical for health manpower policy decisions. We studied the HOs' medical specialty career choices and explored the motivators related to personal, professional and career prospects.

Methods

Ethical approval and consent to participate

Ethical approval was obtained from International Medical University Joint Committee for Research and Ethics (Project ID No MSPH I/2020(03)) and from Medical Research Ethics Committee, Ministry of Health, Malaysia (NMRR ID: 20-1547-55138 IIR). Informed consent was obtained from all participants.

Design

An exploratory sequential mixed-methods (qualitative followed by quantitative) study was done among the HOs working in Selangor state, Malaysia from July to December 2020.

Qualitative component

In-depth interviews were used to explore HO perceptions about specialist training opportunities and motivational factors for their choice of specialist training. Interviews were conducted in English using online platforms till data saturation. A semi-structured interview guide was developed based on literature review and informal discussions among the researchers, and with medical graduates, and postgraduate students (appendix A). A pilot IDI was conducted with a participant from another tertiary hospital in Malaysia, who had just completed housemanship. The interviews were audio-recorded with consent. The interview sessions were conducted online after obtaining written informed consent. Each interview lasted for 25–35 minutes. By the seventh participant, data saturation occurred.

The recorded interviews were transcribed verbatim by the first researcher (AN) using Microsoft Office 365 dictation-transcription tool and manual corrections were done. Each participants' transcript was coded before proceeding to the next participant. To ensure rigor, member checking was done whereby the transcript was shared with the respective interviewee. Themes and subthemes/codes addressing their perceptions on specialist training opportunities and reasons for their choice for specialist training were identified (Appendix B). NVIVO version 1.0 (2020) was used to aid the coding process and for data management. The thematic analyses approach was used after anonymizing the transcripts. Initial reading and repeated readings of the transcript were done to obtain a general understanding, comprehension, and familiarization before coding. Constant comparison of themes and refinement were done along with the ongoing analysis.

Cross-sectional study design, setting, and participants

A cross-sectional online questionnaire survey was done among HO undergoing mandatory 2-years of clinical training for full registration as a medical officer. After one year of service as a medical officer, they are eligible for specialist training available in Malaysian public universities.

Sample size and sampling

The sample size was calculated for a 95% confidence limit, 5% margin of error, and an anticipated proportion of 26%. [12] was 163 but a size 200 was arrived at anticipating a non-response of 20%. From the list of 364 HO with their contact details, 12 HO who had participated in the IDI were excluded. Every second house officer was selected from an ordered frame of every Kth participant. N/n i.e., 352/200 ~ 2

Survey Instrument

The questionnaire consisted of 3 parts: 1) sociodemographic, 2) intention to undergo specialist training and if intended then top three specialty choices, and 3) Motivators for Medical Specialist Career Choice. The motivators had 33 items derived from the raw data on major themes and sub-themes identified from IDI (appendix C). The motivators were measured on a five-point Likert Scale as the level of importance where 1 is 'not important at all' and 5 is 'very important.' The questionnaire on motivators was reliable. Cronbach's alpha value was 0.83 for the pre-test and 0.85 for the main survey. Exploratory factor analysis retained 26 out of 33 items and resulted in 7 constructs with 64.9% variance. Each construct demonstrated acceptable internal consistency. The seven constructs were labeled as "work schedule and personal factors", "training factors", "past work experiences", "specialty characteristics", "career prospects", "patient care characteristics" and "social factors".

Variables

Independent variables were sociodemographics and scores on motivators for the first-choice specialty (sum of all items under each domain (appendix C)). Dependent variable was the first-choice specialty was grouped into four broad categories namely 1) medical, 2) surgical, 3) acute care and 3) primary care from the list of 23 specialties.

Data collection procedure

An online questionnaire (via google forms) was sent to consenting participants via e-mail or WhatsApp messenger. To improve the response rate, GrabFood vouchers worth Ringgit Malaysia RM 5 (about 1.25 USD) were offered as a token of appreciation for each completed survey, and friendly reminders were sent on the third, and the fifth day during the first week, and then weekly four weeks. A total 185 completed questionnaires were received out of 262 participants without any incomplete items in the questionnaire.

Data analyses

Data analyses were done on Statistical Package for Social Sciences (SPSS-IBM version 26). Normality of distribution for continuous data was tested. Continuous data for each item and domain scores of the motivators were computed. Cronbach's alpha was estimated as a measure of internal consistency and a value greater than 0.7 indicates adequate internal consistency. To examine the test-retest reliability Pearson's correlation coefficients and intraclass correlation coefficients (ICC) were estimated and a value greater than 0.75 indicated the stability or acceptable test-retest reliability. Exploratory factor analysis was done before inferential analyses. Items with factor loading 0.5 and above, items that form stable constructs (at least three items in one construct), and no cross-loading above 0.5 value were the criteria used to retain the items during the factor analysis. [18]

Descriptive statistics were used for demographics and specialist career choices. Multivariate analyses were done to assess the association of HO's first choice of specialty with socio-demographic factors and the seven domain scores of motivators for the first choice. The factors that had a p-value less than 0.25 on univariate analyses were included in multivariate analyses to determine the factors associated with the first choice of specialty. As the first was a nominal variable (medical, surgical, acute care, and primary care), a multinomial regression analysis took surgical specialties as a 'reference category'. Crude and adjusted odds ratios and their 95% confidence intervals (95% CI) were estimated. A p-value less than 0.05 was considered statistically significant.

Results

Qualitative Findings

Seven participants house officers aged 26–28 years who were in their fifth or sixth posting or currently in transition to being a medical officer were interviewed (appendix D). Two major themes that emerged were HO perceptions on specialist training in Malaysia” and “motivational factors for career specialty preferences”. The major theme of house officers’ perception of specialist training in Malaysia comprised two subthemes I. Advantages of specialist training in Malaysia and II. Perceived limitations and challenges of specialist training. The second major theme of motivational factors for their career specialty preference comprised seven subthemes: I. Work schedule, II. Patient care characteristics, III. Specialty characteristics IV. Personal factors, V. Past work experience, VI. Training factors, VII. Career prospects (table 1).

Major theme 1: “House officers’ perception on specialist training in Malaysia”

Subtheme: Advantages of specialist training opportunities in Malaysia

Recognition and availability of alternate/parallel pathway: The alternate or parallel pathway refers to specialization through a locally recognized overseas postgraduate program such as MRCP (Member of the Royal College of Physicians), MRCOG (Member of the Royal College of Obstetricians and Gynaecologists), and MRCPH (Member of the Royal College of Pediatrics and Child Health) where trainees work under supervision in accredited Ministry of Health or university hospitals.

A structured program and in-depth training: Few participants also mentioned that specialist training in Malaysia is well-structured, comprehensive, and offers in-depth training in different procedures. A participant mentioned

“The thing about our specialist training is because we have a lot of on job training, the Master’s program students are exposed to a lot of procedures for example, in our hospitals, we can do a lot of hands-on.” (P 6)

Mandatory HO training and rotation in various departments: This allows the junior doctors to have an overview of various specialties before pursuing specialist training.

Subtheme: Perceived limitations and challenges of specialist training

Participants mentioned limitation of intake in local training programs, contract doctors’ challenges, lack of standardization of specialist training exam, nonavailability of recognized alternate pathways for certain specialties, lack of guidance and information regarding specialist training, longer duration, and lack of direct career pathway for some sub-specializations. Many young doctors are appointed on contract and these doctors are not eligible for government support during postgraduation.

“Tough times for contract doctors to apply for masters; even if manage to obtain a seat, the cost needs to be covered on own for now for masters, if no HLP [federal government scholarship] difficult” (P5)

“I think it’s lacking clear information on specialist training because we don’t have the idea yet of what we can do after our horsemanship.” (P2)

Major theme 2: Motivational factors for career specialty preferences

Subtheme: Work Schedule

The participants considered the working hours or timing of work by voicing their different preferences towards on calls, fixed working hours, or shift work.

“In radiology, I’ll have a fixed working hour with better work-life balance, I can go back at 5 pm, have public holidays off” (P6)

Subtheme: Patient care characteristics

Certain participants were interested in specialties that encounter the various type of patients; there is also a desire for a specialty that requires patient limited contact but contributes to the patient’s diagnosis, such as radiology. Participants who

favor surgical-based specialties indicated that they are attracted by quick results or patient improvement following the intervention.

Subtheme: Specialty characteristics

Challenging nature of the field, medically based, surgical based, less medico-legal problems, participation in hands-on skills and procedures, flexible working conditions, prestige, or credibility of the specialty were among the factors mentioned.

"Firstly, in the sense that I know I'm a surgical based person because I feel that I know even medical-based you can touch the patients, but I feel that surgical based it's more objective and then you can...I feel you arrive at a solution faster than a medical-based." (P6)

Subtheme: Personal factors

Among those mentioned was family or relative influence, work-life balance, personal interest, job satisfaction, and social media or public figure influence. A respondent mentioned the influence of their teacher on their specialty preference.

Subtheme: Past work experiences

Past experiences in the specialty were identified as one of the motivational factors influencing the junior doctors' preferred choice of specialist training.

"I graduated from ABC University and my surgeon back then was Dato DCE. He was a consultant in Hospital FGH at that point of time so I think the way he carried himself and his teaching made me like surgery since the beginning since I started my clinical years of medical school."(P6)

Subtheme: Training factors

The factors mentioned here were availability of parallel pathways, availability of preparatory or training courses either locally or through distance learning in online mode, shorter length of training, and cost of training.

Subtheme: Career Prospects

The subtheme "career prospects" was influenced by future opportunities in the private sector or practice, financial rewards, different sub-specialties in the field, and teaching opportunities.

"Then I think, especially when it comes to being a surgeon, the money that you get comes from the surgery itself, and surgery is quite expensive especially in the private division. That's why I think the financial stability there is a lot, a lot more than when you're like another regular practitioner or medical specialist. That's why [one of the reasons] I like becoming a surgeon" (P2)

The seven subthemes with the 33 refined codes for the major theme of motivational factors of career specialty preferences were utilized for developing the questionnaire.

Quantitative Results

The response rate was 71.1% (185/262). About two-thirds (63.8%) of the HOs were females, and the median age was 27 years (range 23–34 years). About 69% of them had never married and 30% were either married or into a relationship. More than half of them were Malays, 26% were Chinese, and 43% had obtained a graduate medical degree from Malaysian private medical schools (Table 2).

Choice of specialist training

Broadly, the proportion of first-choice specialties related to medical, surgical, primary care, and acute care disciplines were 40.5%, 31.5%, 14.6%, and 13.5% respectively. The proportion of HO choosing medical specialties for second and third choice decreased to 35.7% and 26.5% respectively. Among the individual specialties, the rank order for the first choice was internal medicine (23.2%), general surgery (9.7%), emergency medicine (7.6%), public health (7.6%), and family medicine (7.0%). None of the HOs indicated otorhinolaryngology and nuclear medicine as their first choice (Table 3).

Bivariate analysis indicated that HO first-choice specialty was significantly different according to the sociodemographic factors such as age group ($p = 0.046$), marital status ($p = 0.02$), ethnicity ($p = 0.015$), having a medical professional in the family ($p = 0.02$), and graduation from a public or private medical school ($p = 0.02$). A higher proportion of single HOs chose medical, surgical, and acute care specialties compared to married HOs and those into a relationship. A higher proportion of Malay HO opted for acute care and primary care as the first choice than non-Malay HO. The proportion of acute care as the first choice was higher among HO who did not have a medical professional in the family. A higher proportion of graduates from private medical schools opted for medical, surgical, and acute care as their first choice (Table 4).

Among the motivators for first-choice specialty, mean scores for the domain of “work schedule and personal factors” ($p = 0.005$), “specialty characteristics” ($p < 0.001$), and “career prospects” ($p = 0.029$), showed significant differences according to first-choice specialty (Table 4). Primary care specialties had the highest mean score relative to other specialties for work schedule and personal factors, but it scored least (2.98) for the specialty characteristics. However, primary care (4.06) and surgical specialties (3.95) scored higher for career prospects.

Multivariate analysis

Factors associated with the career specialty preference among house officers

The results of the two multinomial models were fitted as they fulfilled the model fitting criteria ($p < 0.05$) and goodness of fit ($p > 0.05$) are shown in Table 5. In model 1 age, “work schedule and personal factors”, “specialty /characteristics” and “career prospects” were associated with the first choice. HO aged 27 years and older (aOR 5.12, 95% CI 1.59,16.96, $p < 0.05$) had five times higher odds of choosing primary care than those aged below 27 years. HO who gave higher importance to “work schedule and personal factors” had higher odds of the first choice for specialties related to medicine (aOR 2.47, 95% CI 1.36,4.49, $p < 0.05$) and primary care (aOR 6.68, 95% CI 2.60,17.15, $p < 0.001$) compared to surgical specialties. HO who gave higher importance on “specialty characteristics” had lower odds for the first choice of specialties related to medicine (aOR 0.14, 95% CI 0.07,0.28, $p < 0.001$) and primary care (aOR 0.07, 95% CI 0.03,0.17, $p < 0.001$) compared to surgical specialties. HO who gave more importance to “career prospects” had a lower odds ratio for the first choice of specialties related to acute care (aOR 0.47, 95% CI 0.25,0.88) compared to surgical.

However, in model 2 when private or public medical school and health professional in the family was included age was not associated with the first choice of specialty, and among the motivators that were significant in model 1, “work schedule and personal factors” and “specialty characteristics” remained significant albeit with a small change in effect size but not the direction of the association. However, “career prospects” were not significant in model 2. HO without any health professionals in the family had higher odds for the first choice of specialties related to acute care (aOR 4.73, 95% CI 1.38,16.25, $p < 0.05$) compared to surgical specialties (Table 5).

Discussion

Our study identified the major and sub-themes related to motivators for HOs first-choice specialist careers within the Malaysian context and informed the questionnaire about motivators that influence the first-choice specialty. HO reported that ‘work experiences’, ‘specialty characteristics’ and ‘work schedule’ related factors are considered in deciding on their first-choice specialty. A cross-sectional survey identified that first-choice specialties were medical, surgical, primary care, and acute care disciplines in that rank order. The first-choice specialty was associated with HO age, presence of health professionals in the family, and higher ratings of importance for motivators related to ‘work schedules’, ‘personal factors’, ‘specialty features’, and ‘career prospects.’

Choice of specialist training

HOs first choice as medical disciplines were like the two previous studies among medical students from private medical schools in Malaysia. However, in clinical year students in a public medical school in Malaysia, surgery, and medicine disciplines were the top two choices [14]. In several studies from Asian countries, 'internal medicine' was reported as the first choice. [19–21] A study among first-year medical students in China, Sri Lanka, Nepal, India, and Malaysia reported that 'surgery' and 'internal medicine' were the top two choices.[13] The choices varied by region and countries globally. [19]For instance, in Gambia 'internal medicine' and 'obstetrics and gynecology' were the first choices for male and female medical students respectively.[22] However, in 11 Latin American countries, medical student's top three choices were, 'general surgery', 'pediatrics', and internal medicine;[23] in six sub-Saharan African countries they were 'general surgery', 'internal medicine', and 'pediatrics'. [24] In New Zealand, the most popular career choice among junior doctors was medicine followed by 'surgery' and 'general practice'. [25] The results are not comparable across the countries owing to a lack of representative samples and survey participants ranging from preclinical, clinical students, interns, and medical officers. [22–25] Decisions on specialist career choice is a complex process and likely to change as students' progress through the medical training course as well as based on prevailing opportunities and prospects after graduation. [10]

Primary care disciplines were ranked third by HOs in our study, and in previous studies, these disciplines were also least preferred. [13] Improved primary care facilities in Malaysia and emphasis on public health and preventive care particularly during the Covid-19 pandemic during the survey are likely to have driven the HOs to rank these disciplines higher. Acute care disciplines were least preferred by the HO. Lack of options for sub-specialization, fast-paced and stressful work environment of acute care disciplines compared to disciplines related to medicine and surgery are likely reasons for these disciplines being least preferred. Disciplines such as oncology, nuclear medicine, rehabilitation, transfusion medicine, and otolaryngology were also the least preferred disciplines. A study from Saudi Arabia reported that these specialties were least preferred by young graduates.[26] Population aging and rising burden of chronic diseases are likely to increase the need for specialists in these disciplines.[27, 28]

HO aged > 27 years (compared to ≤ 27 years) choose primary care disciplines as the first choice, a decision likely be driven by better work-life balance offered by fixed working hours of primary care medicine. HO without health personnel in the family had higher odds of choosing acute care disciplines. Health personnel within a family circle would bring negative influence about the fast-paced, extended hours and stressful work of acute care disciplines.

All the seven domains of motivators identified by the qualitative study scored a mean of over three (maximum score five) in a cross-sectional survey. HO ranked 'work experience' as the most important factor while making the final choice in a Malaysian survey of working doctors, [29, 30] and a qualitative study among postgraduate students in the UK. [31] Our results suggest that HOs are influenced by their conducive work environment and supportive supervision provided by specialists during their clinical rotations. The questionnaire on motivators was derived from IDI and the results of the survey confirm the qualitative results. The new instrument on motivators was valid by psychometric evaluation by exploratory analyses during which 26 items were retained of the initial 33 items accounting for a variance of 64.9%. The Cronbach's alpha was also acceptable for a new scale. [32]

HOs who gave higher importance to "work schedule and personal factors" had higher odds of primary care or medicine disciplines as their first-choice specialty. In a study from the UK, "working hours and conditions" were important considerations to specialize as a 'general practitioner'. [33] These findings indicate that disciplines such as primary care, and public health that have fixed and flexible working hours are chosen as the first choice to maintain a better work-life balance. HOs who rated higher importance for 'specialty characteristic' had higher odds of choosing surgical disciplines as a first-choice specialty. The attributes of surgical disciplines such as skilled hands-on procedures, challenging nature of patients needing surgical interventions, and monetary rewards for surgeons in the private sector are likely to have influenced the HOs to rate higher on 'specialty characteristics'.

Strengths and limitations

The main strength of this study was the qualitative exploration of motivators, preceding the survey to develop the questionnaire on motivators. The survey results could be verified with qualitative findings. We studied HOs posted in a solitary tertiary care

hospital, limiting the generalizability of our findings. The choices for specialist training are dynamic and likely to change, Prospective study HO would help assess the intended choices and a final choice for a specialist career. Non-response bias may have affected our results, perhaps non-responders would likely be those without any intention to pursue specialist training.

Policy implications

HO choice of specialization and motivators influencing their choice using a robust research method can assist medical specialist workforce planning in Malaysia. Career guidance and improved hands-on experience during clinical postings in less preferred disciplines like oncology, rehabilitation medicine, and nuclear medicine, may be considered. Improved training opportunities with multiple career pathways and financial incentives for less preferred specialties would influence HOs to choose them.

Conclusion

Specialties related to medical and surgical disciplines were the most preferred for future training by HO. Motivators for the first choice varied by discipline. Overall work experiences and career prospects were the most important motivators for the first-choice specialty. The information motivational factors are helpful to develop policies to encourage more doctors to choose specialties with a shortage of doctors and to provide career specialty guidance.

Abbreviations

Human resources for health HRH

House officers HOs

In-depth interviews IDI

Motivators for Medical Specialist Career Choice Questionnaire MMSCCQ

Ringgit Malaysia RM

intraclass correlation coefficients ICC

Confidence interval CI

Member of the Royal College of Physicians MRCP

Member of the Royal College of Obstetricians and Gynaecologists MRCOG

Member of the Royal College of Pediatrics and Child Health MRCPH

Odds ratio OR

Adjusted odds ratio AOR

Declarations

Ethics approval and consent to participate

International Medical University Joint Committee for Research and Ethics (IMU-JC) and Medical Research Ethics Committee, Ministry of Health, Malaysia (NMRR ID: 20-1547-55138 IIR) approved this study. Written informed consent was obtained from all participants.

Authors contributions

AN-wrote the proposal, developed the questionnaire, collected the data, and wrote the initial draft

PR- assisted in qualitative methods, contributed to qualitative data analyses and revised the draft manuscript.

SJ- assisted in quantitative methods and data collection and revised the draft manuscript

CTS- co-drafted the research proposal, developed the questionnaire, did quantitative data analyses and wrote the manuscript.

All authors reviewed the manuscript.

Consent for publication

Written consent to publish was obtained from all participants.

Availability of data and materials

The data collected is available from the corresponding author upon reasonable request.

Competing interests

Chandrashekhar T Sreeramareddy is an editorial board member in Archives of Public Health. All other authors have no competing interests to declare.

Funding

No funding was obtained for this research

Authors' contributions

• Nature of work	Contribution of each author		
	AN	PRS	CTS
Concepts	✓	✓	✓
Design	✓		✓
Literature search	✓		✓
Clinical studies			
Experimental studies			
Data acquisition	✓	✓	✓
Data compilation	✓		
Statistical analysis	✓		✓
Manuscript preparation	✓	✓	✓
Manuscript editing	✓	✓	✓
Manuscript review	✓	✓	✓
Signature of all authors	✓	✓	✓

Acknowledgements

We would like to thank the office of the Director-General of Health Malaysia for his permission to publish this article. Special thanks to the office of the Director, Deputy Director, and staff for their assistance in this study. We express our deepest appreciation to all the junior doctors who participated in this study.

References

1. Hanvoravongchai P. Scaling up health workforces in response to critical shortages. Lancet (London England). 2007;370:2080–1.

2. Stagg P, Greenhill J, Worley P: A new model to understand the career choice and practice location decisions of medical graduates. 2009.
3. Sriram V, Bennett S. Strengthening medical specialisation policy in low-income and middle-income countries. *BMJ global health*. 2020;5:e002053.
4. Fazaniza E. Private doctors urged to help alleviate shortage of specialists at govt hospitals. *The Sun Daily*; 2021.
5. Ministry of Health M. Unit Postgraduate Medical Specialization & Subspecialization 2021.
6. Ministry of Health M. Annual Report 2019. 2021.
7. Li W, Sun H. Specialist training and career intentions of international medical students coming from Asia and Africa. *Int Med Studen Educ*. 2018;1:1–8.
8. Sarikhani Y, Ghahramani S, Bayati M, Lotfi F, Bastani P. A thematic network for factors affecting the choice of specialty education by medical students: a scoping study in low-and middle-income countries. *BMC Med Educ*. 2021;21:1–12.
9. Yang Y, Li J, Wu X, Wang J, Li W, Zhu YI, et al. Factors influencing subspecialty choice among medical students: a systematic review and meta-analysis. *BMJ open*. 2019;9:e022097.
10. Reed VA, Jernstedt GC, Reber ES. Understanding and improving medical student specialty choice: a synthesis of the literature using decision theory as a referent. *Teach Learn Med*. 2001;13:117–29.
11. Bhardwaj A, Nagandla K, Swe KMM. Planning a medical career-Analysing specialist career preference of Malaysian medical students at two stage of undergraduate training. 2014.
12. Chew YW, Rajakrishnan S, Low CA, Jayapalan PK, Sreeramareddy CT. Medical students' choice of specialty and factors determining their choice: a cross-sectional questionnaire survey in Melaka-Manipal Medical College, Malaysia. *Biosci Trends*. 2011;5:69–76.
13. Kumar A, Mitra K, Nagarajan S, Poudel B. Factors influencing medical students' choice of future specialization in medical sciences: a cross-sectional questionnaire survey from medical schools in China, Malaysia and regions of South Asian Association for Regional Cooperation. *North Am J Med Sci*. 2014;6:119.
14. Zulkifli A, Rogayah J. Specialty choices of male and female doctors in Malaysia. *Med J Malay*. 1998;53:327–33.
15. Saigal P, Takemura Y, Nishiue T, Feters MD. Factors considered by medical students when formulating their specialty preferences in Japan: findings from a qualitative study. *BMC Med Educ*. 2007;7:1–9.
16. van der Burgt SpM, Nauta K. A qualitative study on factors influencing the situational and contextual motivation of medical specialists. *Int J Med Educ*. 2020;11:111.
17. Woodward A, Lake EG, Rajaraman N, Leather A. Specialist training aspirations of junior doctors in Sierra Leone: a qualitative follow-up study. *BMC Med Educ*. 2018;18:1–15.
18. Maskey R, Fei J, Nguyen HO. Use of exploratory factor analysis in maritime research. *Asian J shipping logistics*. 2018;34:91–111.
19. Ali A, Rasheed A, Zaidi SM, Alsaani SM, Naim H, Hamid H, et al.: Recent Trend in Specialty Choices of Medical Students and House Officers from Public Sector Medical Universities, Karachi. *JPMA* 2019, 69.
20. Fernando D, Manchanayaka MAN. Choices in career specialisation among junior doctors working in tertiary care centres in Sri Lanka: trends and determinants. *Journal of the Ceylon College of Physicians* 2016, 47.
21. Fukuda Y, Harada T. Gender differences in specialty preference and mismatch with real needs in Japanese medical students. *BMC Med Educ*. 2010;10:1–7.
22. Bittaye M, Odukogbe ATA, Nyan O, Jallow B, Omigbodun AO. Medical students' choices of specialty in The Gambia: the need for career counseling. *BMC Med Educ*. 2012;12:1–9.
23. Ng-Sueng LF, Vargas-Matos I, Mayta-Tristán P, Pereyra-Elías R, Montenegro-Idrogo JJ, Inga-Berrosapi F, et al. Gender associated with the intention to choose a medical specialty in medical students: a cross-sectional study in 11 countries in Latin America. *PLoS ONE*. 2016;11:e0161000.
24. Burch VC, McKinley D, Van Wyk J, Kiguli-Walube S, Cameron D, Cilliers FJ, et al. Career intentions of medical students trained in six sub-Saharan African countries. *Educ Health*. 2011;24:614.

25. Zarkovic A, Child S, Naden G. Career choices of New Zealand junior doctors. The New Zealand Medical Journal (Online) 2006, 119.
26. Alsubaie N, Aldhofaian H, Alhuwaimel L, Ruxshan N, Alghamdi F, Shamia A, et al.: Specialty preferences and the factors influencing them among pre-clerkship medical students: The first study from Alfaisal University-College of Medicine, Saudi Arabia. *Cureus* 2016, 8.
27. Ministry of Health. 10% Of Cardiologists, Quarter Of Oncologists Serve MOH Hospitals. CodeBlue. 2021.
28. The Sun. Malaysia faces chronic shortage of rehab specialists. 2021.
29. Rogayah J, Zulkifli A. The timing and stability of choice of medical specialty among Malaysian doctors. *Med J Malaysia*. 2001;56:324–30.
30. Zulkifli A, Rogayah J. Specialty choices of male and female doctors in Malaysia. *Med J Malay*. 1998;53:327–33.
31. Rodrigues V. Factors influencing career choice among medical graduates: an exploratory study of applicants to specialty training in Public Health. *Public Health Medicine (PHM)* 1: 6.
32. Howard MC. Introduction to Cronbach's Alpha. 2021.
33. Smith F, Lambert TW, Goldacre MJ. Factors influencing junior doctors' choices of future specialty: trends over time and demographics based on results from UK national surveys. *J R Soc Med*. 2015;108:396–405.

Tables

Table 1:

Subthemes and refined codes for motivational factors influencing first-choice specialty

Subthemes	Refined Codes
Work schedule	<ol style="list-style-type: none"> 1. No on calls or less hectic on calls 2. Shift work 3. Fixed working hours
Patient care characteristics	<ol style="list-style-type: none"> 1. Multidiscipline or wide variety of illness/cases 2. Acute management care of patient 3. Minimal interaction with patient 4. Quick results/recovery after intervention or treatment 5. Continuous patient care
Specialty characteristics	<ol style="list-style-type: none"> 1. Challenging nature of the field 2. Medical based 3. Surgical based 4. less medicolegal issues 5. Involves more hands-on skill and procedures 6. Flexible working conditions 7. Prestige or reputation of the specialty
Personal factors	<ol style="list-style-type: none"> 1. Family or relative influences/advice 2. Better work life balance 3. Personal interest in the specialty 4. Job satisfaction 5. Medical school experiences 6. Social media or public figure influence
Past work experiences	<ol style="list-style-type: none"> 1. Good teamwork in the department 2. Critical events or defining moment during HO rotations related to the specialty 3. Guidance and teaching activities in the department 4. Specialist or senior colleague role model/ influences
Training factors	<ol style="list-style-type: none"> 1. Availability of parallel pathway 2. Availability of preparatory /training courses 3. Length of training 4. Cost of training
Career prospects	<ol style="list-style-type: none"> 1. Future opportunities in private sector or private practice 2. Financially rewarding 3. Variety of subspecialties in the field to venture 4. Future teaching opportunities

Table 2:

Socio demographics characteristics of the 185 HO who completed the questionnaire

Sociodemographic characteristics		N=185 (%)
<i>Age (in years) Median: 27 Mean: 26.7 SD: 1.6</i>		
Sex	Male	67 (36.2)
	Female	118 (63.8)
Age groups	23-26	91 (49.2)
	27-34	94 (50.8)
Marital status	Single	128 (69.2)
	Married	29 (15.7)
	Into a relationship	27 (14.6)
	Divorced/Separated/Widowed	1 (0.5)
Ethnic origin	Malay	95 (51.4)
	Chinese	48 (25.9)
	Indian and others	42 (22.7)
Type of graduating university	Malaysian public university	39 (21.1)
	Overseas public university	37 (20.0)
	Malaysian private university	81 (43.8)
	Overseas private university	10 (5.4)

Table 3

HO choices for specialist training

Specialty	First n (%)	Second n (%)	Third n (%)
Internal Medicine	43 (23.2)	17 (9.2)	13 (7.0)
Pediatrics	7 (3.8)	11 (5.9)	3 (1.6)
Clinical Oncology	1 (0.5)	0(0)	4 (2.2)
Rehabilitation Medicine	1 (0.5)	5 (2.7)	4 (2.2)
Sports Medicine	5 (2.7)	7 (3.8)	4 (2.2)
Psychiatry	8(4.3)	13 (7.0)	7 (3.8)
Pathology	5 (2.7)	2 (1.1)	6 (3.2)
Radiology	4 (2.2)	4 (2.2)	4 (2.2)
Transfusion Medicine	1 (0.5)	4 (2.2)	4 (2.2)
Nuclear Medicine	0 (0)	2 (1.1)	0 (0)
Medical Specialties	75 (40.5)	66 (35.7)	49(26.5)
General Surgery	18 (9.7)	16 (8.6)	5 (2.7)
Orthopedics	6 (3.2)	9 (4.9)	13(7.0)
Neurosurgery	5 (2.7)	6 (3.2)	4 (2.2)
Otorhinolaryngology	0 (0)	8 (4.3)	4 (2.2)
Ophthalmology	12 (6.5)	2 (1.1)	7 (3.8)
Plastic Surgery	2 (1.1)	2 (1.1)	5 (2.7)
Pediatric surgery	1 (0.5)	11(5.9)	1 (0.5)
Forensic Medicine	2 (1.1)	2 (1.1)	6 (3.2)
Obstetrics and Gynecology	12 (6.5)	7 (3.8)	7 (3.8)
Surgical specialties	58 (31.4)	52 (28.1)	52 (28.1)
Emergency Medicine	14 (7.6)	15 (8.1)	5 (2.7)
Anesthesiology	11 (5.9)	10 (5.4)	6 (3.2)
Acute care	25 (13.5)	25 (13.5)	11 (5.9)
Public health/Community health	14 (7.6)	7 (3.8)	8 (4.3)
Family Medicine	13 (7.0)	23 (12.4)	17(9.2)
Primary care	27 (14.6)	30 (16.2)	25 (13.5)
No second or third choice	-	12 (6.5)	48(25.9)
Total	185 (100)	185 (100)	185 (100)

Table 4

Univariate analysis of sociodemographic factors and motivators associated with first-choice specialty of 185 HO (Reference dependent variable: Surgical specialties)

	Medical based specialties N=75			Acute care related specialties N=25			Primary care N=27		
age									
<27 (23 – 26)	37 (49.3)	1	0.288	13 (58.6)	1	0.577	7 (25.9)	1	0.006
≥27 (27 – 34)	38 (50.7)	1.46 (0.73, 2.91)		12 (41.4)	1.31 (0.51, 3.36)		20 (74.1)	4.05 (1.48, 11.08)	
Sex									
Male	27 (36.0)	1	0.406	8 (32.0)	1	0.345	7 (25.9)	1	0.132
Female	48 (64.0)	1.35 (0.6, 2.72)		17(68.0)	1.61 (0.60, 4.32)		20 (74.1)	2.17(0.79, 5.92)	
Marital Status									
Single	59 (78.7)	1	0.292	15 (60)	1	0.342	13 (48.1)	1	0.047
Married/into	16 (21.3)	0.65 (0.30, 1.44)		10 (40)	1.61 (0.60, 4.28)		14 (51.9)	2.60 (1.01, 6.67)	
Ethnicity									
Non-Malay	44 (58.7)	1	0.425	9 (36.0)	1	0.191	7 (7.8)	1	0.029
Malay	31 (41.3)	0.76 (0.38, 1.51)		16 (64.0)	1.91 (0.73, 5.00)		20 (74.1)	3.06(1.12, 8.35)	
Health professional									
Yes	36 (48.0)	1	0.670	4 (16)	1	0.004	12 (44.4)	1	0.533
No	39 (52.0)	1.61 (0.59, 2.31)		21 (84)	5.63 (1.72, 18.43)		15 (56.6)	1.34(0.54,3.35)	
Public/private medical school									
Private	51 (68.0)	1		15 (60.0)	1		9 (33.3)	1	
Public	24 (32.0)	0.67 (0.33, 1.36)	0.265	10 (40.0)	0.94 (0.36, 2.46)	0.907	18 (66.7)	2.83 (1.09, 7.37)	0.033
Malaysian or overseas medical school									
Overseas	25 (33.3)	1		8 (32.0)	1		13 (48.1)	1	
Local	50 (66.7)	0.97 (0.47, 2.02)	0.944	17 (68.0)	1.04 (0.38,2.82)	0.946	14 (51.9)	0.53 (0.21, 1.33)	0.175
Stage of HO posting									
4th - 6th posting	35 (46.7)	1		12 (48)	1		12 (44.4)	1	
1st – 3rd posting	40 (53.3)	1.07 (0.54, 2.12)	0.854	13 (52)	1.01(0.40, 2.59)	0.982	15 (55.6)	1.17(0.47, 2.92)	0.742
Domain scores of motivational factors (mean and SD)									

Work schedule and personal	3.62 (0.71)	1.46 (0.92, 2.33)	0.109	3.53 (0.63)	1.23 (0.66, 2.29)	0.519	4.02 (0.63)	3.62 (1.75, 8.01)	0.001
Training related	3.96 (0.71)	1.35 (0.86, 2.13)	0.198	3.84 (0.61)	1.09 (0.59, 2.02)	0.780	4.13 (0.74)	1.90 (1.00, 3.63)	0.050
Past work experience	4.12 (0.74)	0.89 (0.55, 1.44)	0.231	4.34 (0.63)	1.44 (0.70, 2.97)	0.320	4.18 (0.67)	0.998 (5.21, 1.91)	0.996
Specialty characteristics	3.04 (0.79)	0.24 (0.14, 0.41)	<0.001	3.72 (0.72)	0.660 (0.35, 1.23)	0.192	2.98 (0.91)	0.222 (0.12, 0.42)	<0.001
Career prospects	3.76 (0.85)	0.76 (0.50, 1.16)	0.204	3.44 (0.95)	0.494 (0.28, 0.87)	0.014*	4.06 (0.76)	1.21 (0.67, 2.18)	0.535
Patient care characteristics	3.56 (0.97)	0.96 (0.66, 1.41)	0.845	3.73 (0.78)	0.704 (0.70, 2.09)	0.487	3.37 (0.90)	0.473 (0.47, 1.27)	0.312
Social factors	2.86 (0.95)	0.68 (0.47, 0.99)	0.046	3.01 (0.73)	0.820 (0.49, 1.36)	0.445	2.70 (0.97)	0.56 (0.33, 0.94)	0.029

Table 5:

Multinomial analyses sociodemographic factors and motivators associated with first-choice specialty of 185 HO (Reference dependent variable: Surgical specialties)

	Medical (n=75)		Acute care (n=58)		Primary care (n=27)	
	AOR (95% CI)	p-value	AOR (95% CI)	p-value	AOR (95% CI)	p-value
Model 1						
Age (years)						
<27 (23 – 26)	1		1		1	
≥27 (27 – 34)	1.90 (0.83, 4.23)	0.128	1.33 (0.50, 3.56)	0.575	5.12 (1.59, 16.96)	0.006
Domains of motivational factors						
Work schedule and personal	2.47 (1.36, 4.49)	0.003	1.72 (0.86, 3.44)	0.127	6.68 (2.6, 17.15)	<0.001
Specialty characteristics	0.14 (0.07, 0.28)	<0.001	0.51 (0.24, 1.1)	0.086	0.07 (0.03, 0.17)	<0.001
Career prospects	1.03 (0.6, 1.74)	0.928	0.51 (0.28, 0.95)	0.034	1.51 (0.72, 3.12)	0.277
Model 2						
Age (years)						
<27 (23 – 26)	1	0.122	1	0.814	1	0.012
≥27 (27 – 34)	1.94 (0.84, 4.47)		1.13 (0.41,3.13)		4.83 (1.41,16.57)	
Health professional in family/relative						
Yes	1	0.807	1	0.014	1	0.892
No	0.90 (0.39, 2.08)		4.73 (1.38, 16.3)		1.08 (0.34,3.48)	
Undergraduate University						
Public	1	0.258	1	0.788	1	0.093
Private	1.65 (0.69, 3.92)		0.87 (0.31, 2.45)		0.37 (0.12,1.18)	
Domains of motivators						
Work schedule and personal	2.51 (1.36, 4.62)	0.003	1.62 (0.80, 3.31)	0.183	6.66 (2.55,17.4)	<0.001
Specialty characteristics	0.14 (0.07, 0.27)	<0.001	0.52 (0.24, 1.14)	0.104	0.78 (0.03,0.19)	<0.001
Career prospects	1.00 (0.59, 1.71)	0.995	0.57 (0.30 ,1.07)	0.078	1.60 (0.75,3.40)	0.225

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [ALLappendices.docx](#)