

# Clinical learning environment of nursing and midwifery students in Ghana

Florence Assibi Ziba (✉ [aziba@uds.edu.gh](mailto:aziba@uds.edu.gh))

Institut de Hautes Etudes Internationales et du Developpement

Vida Nyagre Yakong

Institut de Hautes Etudes Internationales et du Developpement

Zakari Ali

University for Development Studies

---

## Research article

**Keywords:** CLES+T, clinical placement, learning environment, nursing and midwifery, Ghana

**Posted Date:** August 8th, 2020

**DOI:** <https://doi.org/10.21203/rs.2.21536/v2>

**License:** © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

---

**Version of Record:** A version of this preprint was published on January 7th, 2021. See the published version at <https://doi.org/10.1186/s12912-020-00533-8>.

# Abstract

**Background:** Data on student experience of the clinical learning environment in Ghana are scarce. We therefore aimed to assess students' evaluation of the clinical learning environment and the factors that influence their learning experience.

**Methods:** This was a cross-sectional survey of 225 undergraduate nursing and midwifery students. We used the Clinical Learning Environment and Supervision + Nurse Teacher (CLES +T) evaluation scale to assess students' experience of their clinical placement. The association between student demographic characteristics and clinical placement experience was determined using t-test or ANOVA.

**Results:** Most of the sampled students were Nurses (67 %) and in the third year of training (81%). More students received supervision from a nurse (57%) during clinical placement and team supervision (67%) was the most common during clinical placement. Nursing students were more likely to rate their clinical experience better than midwifery students ( $p=0.002$ ). Students who had increased contact with private supervisors were also more likely to rate their experience higher ( $p=0.002$ ). Clinical experience was also rated higher by students who received successful supervision compared to those who had unsuccessful or team supervision ( $p=0.001$ ).

**Conclusion:** Team supervision is high in health facilities where students undertake clinical placement in Ghana. Frequent contact with private supervisor and successful supervision are associated with better rating of clinical experience among Ghanaian undergraduate nursing and midwifery students.

## Background

Nursing care is pivotal in the health care services. The nurse serves as the main vessel that convey most interventions and care necessary for individuals utilizing health care services. For nurses to efficiently perform the myriads of duties, it depends on their ability to apply theory to practice [1, 2]. Hence, nursing training involves both theory and practical training. Each aspect of the training carries important weight.

The clinical skills acquisition of nurses is so important and the Nursing and Midwifery Council (NMC) of Ghana a body mandated to regulate the training of nurses increased the clinical contact hours of students to 432 hours, 624 hours and 576 hours for the first, second and third year of training respectively [3]. According to Benner [4], skills acquisition is not an event but a process where individual nurses start as novice and gradually become experts. Whiles the acquisition of knowledge on the theory is done in the classroom, the skills acquisition is done in the skills laboratory and clinical learning environment or setting depending on one's level of study.

The clinical learning environment (CLE) is a complex and constantly changing setting [5]. The CLE can be influenced by several factors such as the kind of supervisor, the quality of feedback received by students, the context and the students [6, 7]. Much of skills teaching are done by the nurses in clinical practice regardless of their level of education and expertise. This implies that the quality of clinical teaching of

students depends on the efficiency of the supervisor they meet in the clinical facility [8]. Some of these supervisors may not be adequately prepared or motivated for the task of clinical teaching [6]. According to Chan and Ip [9], their relationship is very key and determines the kind of learning environment created. A positive learning clinical environment is a result of good relationship between the supervisor and the students. Nursing students will always be motivated to learn in environments where there is mutual respect and students are involved in the team and supported with their decision making [1].

Constructs of the clinical learning environment positively influences students satisfaction with their learning activities [10]. The pedagogical atmosphere, ward manager leadership style and supervisory relationship are important factors that contribute to satisfaction with the clinical environment. Students who have the chance to meet a supervisor on more regular basis tend to well appreciate the contribution of the clinical environment to their skills learning. Having access to a supervisor or mentor allows the student to learn more and improve the skills learning.

Despite the importance of clinical learning for nursing students, it comes with some challenges to students, faculty and supervisors. For students, depending of the level of study it can be demanding especially when students feel, they lack the right skills for a particular assigned task [11]. They worry about the probability of supervisors holding negative perception about them which could affect their grading and therefore may come under “pressure” to please their supervisors [6].

Crowding of students in the clinical setting is a major challenge to clinical teaching and learning [12, 13]. Overcrowding in the ward makes it difficult for both students and clinical teachers to engage meaningfully. When student numbers are high it means student-preceptor ratios will be higher than required for effective clinical learning. When students are more than the physical space can accommodate it becomes very difficult for staff to even assist them to learn clinical skills [14]. In Ghana, the need to improve clinical nursing education is an important aspect of training of nurses. Thematic areas of importance in improving clinical nursing education include having positive clinical environment, effective clinical supervision, adequate assessment of students and clinical-academic collaborations [15]. However, there are no current studies reporting the student evaluation of their clinical placement experience in Ghana. We examined nursing and midwifery students’ evaluation of their clinical placement using the CLES + T.

## **Methods**

### **Study design and setting**

This was a cross sectional study involving undergraduate nursing and midwifery students of the University for Development Studies on clinical placement in health facilities in the Tamale Metropolis.

The Tamale Metropolitan Assembly is one of the 260 Metropolitan, Municipal and District Assemblies in Ghana. Tamale is the capital town of the metropolis and the Northern region of Ghana. Until 2004, it was a municipality. It is the largest of the 16 metropolitan, municipal and district assemblies in the northern

region of Ghana. According to the 2010 population and housing census, the metropolis has a population 223,252 made up of 49.8% and 50.2% males and females respectively. Though the main language of the people is Dagbani, due to its cosmopolitan nature, all the different Ghanaian languages can be heard in the municipality.

Apart from the University for Development studies which trains nurses and midwives among other health professionals, the metropolis has two of the oldest nursing training institutions in Ghana; the Tamale Nursing and midwifery training college and the Tamale community health nursing school. One of the three teaching hospitals in Ghana- The Tamale Teaching Hospital, is located in this metropolis. Students are, therefore, placed in this hospital and three other public hospitals (Tamale Central, West and the Seventh Day Adventist hospitals) for the clinical practicum.

## **Sampling**

Purposive and convenient sampling techniques were used. Purposive, because only students who were in the higher levels of their studies for nursing and midwifery were selected to participate in the study. This was to ensure that they had enough exposure to clinical placement to enable them to evaluate their experience. However, convenient because, students in these levels who were available and willing to participate were selected.

The questionnaire was administered to students by the researchers in the university campus. The questionnaire was self-administered and participants were allowed to take the questionnaires home and return completed copies to the researchers.

## **The study questionnaire**

We used the English version of the Clinical Learning Environment and Supervision + Nurse Teacher (CLES + T) evaluation scale [16] with prior permission. This psychometric testing scale consists of a total of 34 items within five sub-dimensions. The sub-dimensions are: pedagogical atmosphere on the ward (nine items), leadership style of the ward manager (four items), premises of nursing on the ward (four items), supervisory relationship (eight items), and role of the nurse teacher in clinical practice (nine items). The questions were scored on a five-point Likert scale of 1 to 5. The scores were as follows: 1 = fully disagree, 2 = disagree to some extent, 3 = neither agree nor disagree, 4 = agree to some extent and 5 = fully agree. We added questions on programme of study and level. Undergraduate education in Ghana is for four years and range from level 100 to level 400.

## **Statistical analysis**

Statistical analyses were done using SPSS version 21. Demographic characteristics of students are presented as frequencies and percentages. Internal consistency was checked for the overall scale and each of the five dimensions using Cronbach's alpha. There was high internal consistency of the overall CLES + T (Cronbach's alpha = 0.904). The five dimensions also showed high internal consistency with Cronbach's alpha values ranging from 0.713 to 0.903 which showed the suitability of the use of this scale (Additional file 1). The method of supervision was categorised into three based on responses to six

questions. Unsuccessful supervision was assigned based on a combination of three alternative questions: (i) the student did not have a named supervisor; (ii) a personal supervisor was named, but the relationship with this person did not work; and (iii) the named supervisor changed during the training course. Team supervision was assigned based on a combination of: (i) the supervisor varied according to shift or place and (ii) the supervisor had several students. Successful supervision was where students had a named mentor and the relationship worked in practice [17, 18].

An overall mean score of the questionnaire was calculated for each student by calculating the mean score of all questions. Scores on the five sub-dimensions were also calculated for each student using scores of the questions that make up those dimensions. Higher scores indicate more agreement with the statements.

The association between student demographic characteristics and clinical placement experience and mean scores was determined using t-test or ANOVA as appropriate. We determined associations of the overall mean score on CLES + T and the sub-dimensions using the mean scores (continuous) as dependent variable and demographic characteristics (categorical) and clinical experience (categorical) as independent variables.

## Results

### **Background characteristics and clinical experience of students**

Majority of the sampled students were BSc. Nursing students (67%) and were in their third year (81%). More than five in ten students received supervision from a nurse (57%) during clinical placement while nurse specialists (4%) provided least supervision. Team supervision (67%) was the most common supervision students received during clinical placement. About three in ten students reported unsuccessful supervision (29%) while only 4% received successful supervision during clinical placement. Moreover, most students did not have private contact with their supervisor (46%) and the most frequent private contact with clinical supervisor was once or twice during the course of placement (27%) (Table 1).

Table 1  
Background characteristics and clinical experience

Characteristic, n (%)	Summary values (n = 225)
Programme of study	
BSc. Nursing	150 (66.7)
BSc. Midwifery	75 (33.3)
Level (year)	
300 (third)	42 (18.7)
400 (fourth)	183 (81.3)
Title of clinical supervisor	
Nurse	129 (57.3)
Nurse specialist	8 (3.6)
Assistant ward manager	16 (7.1)
Sister/ward manager	40 (17.8)
Midwife	32 (14.2)
Method of supervision	
Unsuccessful supervision	66 (29.3)
Team supervision	151 (67.1)
Successful supervision	8 (3.6)
Frequency of private contact with supervisor	
Not at all	104 (46.2)
Once or twice during the course	61 (27.1)
Less than once a week	10 (4.4)
About once a week	23 (10.2)
More often	27 (12.0)

## Mean scores on the overall scale and sub-dimensions

Students had good perceptions of their clinical placement (mean CLES + T = 3.24). Student perceptions on the sub-divisions of CLES + T varied considerably. The highest score was for the Leadership style of the ward manager (3.6) while Role of the nurse teacher in clinical practice (3.06) dimension of CLES + T was least scored (Table 2).

Table 2  
Mean score on the CLES + T and dimensions

Item	Mean (SD)
Total CLES + T	3.24 (0.60)
Dimensions of CLES + T	
Pedagogical atmosphere	3.29 (0.72)
Leadership style of the ward manager	3.63 (0.85)
Premise of nursing on the ward	3.19 (0.94)
Supervisory relationship	3.20 (0.96)
Role of the nurse teacher in clinical practice	3.07 (0.84)

## Association between student demographics, clinical experience and mean CLES + T score

The results show that mean CLES + T score was not associated with year of study even though third year students had a little higher scores than fourth year students (3.3 vs 3.2,  $p = 0.405$ ). Mean CLES + T score associated weakly with the title of assigned clinical supervisor ( $p = 0.063$ ). There was evidence of association between mean score and student programme of study, with nursing students scoring a little higher than midwifery students ( $p = 0.002$ ). However, midwifery students perceived their clinical learning environments better than nursing students. Students who had successful supervision were more likely to have higher scores than those who did not ( $p = 0.001$ ). Students who reported increased contact with their private supervisors had higher mean scores ( $p = 0.002$ ) (Table 3).

Table 3  
Association between student demographics, clinical experience and mean  
CLES + T score

Factor	Mean (SD)	Test statistic
Programme of study		t = -3.1, p = 0.002
BSc. Nursing	3.15 (0.55)	
BSc. Midwifery	3.14 (0.67)	
Level (year)		t = 0.84, p = 0.405
300 (third)	3.32 (0.75)	
400 (fourth)	3.22 (0.56)	
Title of clinical supervisor		F = 2.27, p = 0.063
Nurse	3.15 (0.55)	
Nurse specialist	3.36 (0.51)	
Assistant ward manager	3.44 (0.53)	
Sister/ward manager	3.42 (0.63)	
Midwife	3.26 (0.75)	
Method of supervision		F = 7.38, p = 0.001
Unsuccessful supervision	3.07 (0.68)	
Team supervision	3.38 (0.54)	
Successful supervision	3.83 (0.43)	
Frequency of private contact with supervisor		F = 4.51, p = 0.002
Not at all	3.14 (0.61)	
Once or twice during the course	3.26 (0.55)	
Less than once a week	2.83 (0.53)	
About once a week	3.46 (0.60)	
More often	3.53 (0.53)	

## Association between student demographics, clinical experience and mean score of the dimensions of CLES + T

We investigated the relationship between mean scores of the five dimensions of CLES + T and student's demographic factors and clinical placement experience. The data show that method of supervision and frequency of private contact with supervisor were associated with the Pedagogical atmosphere dimension of CLES + T. For example, while students who received successful supervision (3.6) had better perceptions of the Pedagogical atmosphere, those who had unsuccessful supervision (3.1) and those who received team supervision (3.4) had poor perceptions. Only the method of supervision students received was associated with the Leadership style of the ward manager dimension of CLES + T ( $p = 0.023$ ). Premise of nursing on the ward dimension was associated with the programme of study of students and their frequency of private contact with supervisor (Table 4).

Table 4

Association between student demographics, clinical experience and mean score of first three dimensions of CLES + T

Dimension	Mean (SD)	Test statistic
Pedagogical atmosphere		
Method of supervision		F = 5.07, p = 0.007
Unsuccessful supervision	3.06 (0.81)	
Team supervision	3.37 (0.66)	
Successful supervision	3.56 (0.76)	
Frequency of private contact with supervisor		F = 5.45, p < 0.001
Not at all	3.17 (0.76)	
Once or twice during the course	3.32 (0.65)	
Less than once a week	2.70 (0.60)	
About once a week	3.64 (0.55)	
More often	3.60 (0.63)	
Leadership style of the ward manager		
Method of supervision		F = 3.86, p = 0.023
Unsuccessful supervision	3.39 (0.84)	
Team supervision	3.72 (0.84)	
Successful supervision	3.75 (0.91)	
Premise of nursing on the ward		
Programme of study		t = -2.23, p = 0.027
BSc. Nursing	3.09 (0.93)	
BSc. Midwifery	3.39 (0.96)	
Frequency of private contact with supervisor		F = 3.13, p = 0.016
Not at all	3.10 (0.93)	
Once or twice during the course	3.14 (0.98)	
Less than once a week	2.73 (0.84)	
About once a week	3.35 (0.97)	

Dimension	Mean (SD)	Test statistic
More often	3.70 (0.81)	

In addition, Supervisory relationship was associated with programme of study ( $p = 0.002$ ), frequency of contact with private supervisor ( $p = 0.001$ ) and method of supervision received ( $p < 0.001$ ). The last dimension of CLES + T: Role of nurse teacher in clinical practice was also associated with programme of study ( $p = 0.010$ ) and method of supervision ( $p = 0.015$ ) (Table 5)

Table 5

Association between student demographics, clinical experience and mean score of last two dimensions of CLES + T

Dimension	Mean (SD)	Test statistic
Supervisory relationship		
Programme of study		t = -3.09, p = 0.002
BSc. Nursing	3.06 (0.93)	
BSc. Midwifery	3.48 (0.96)	
Frequency of private contact with supervisor		F = 4.95, p = 0.001
Not at all	2.98 (0.93)	
Once or twice during the course	3.97 (0.88)	
Less than once a week	3.55 (0.89)	
About once a week	3.49 (0.94)	
More often	3.36 (0.94)	
Method of supervision		F = 8.42, p < 0.001
Unsuccessful supervision	2.93 (1.10)	
Team supervision	3.26 (0.86)	
Successful supervision	4.27 (0.31)	
Role of the nurse teacher in clinical practice		
Programme of study		t = -2.60, p = 0.010
BSc. Nursing	2.97 (0.81)	
BSc. Midwifery	3.27 (0.86)	
Method of supervision		F = 4.30, p = 0.015
Unsuccessful supervision	3.07 (0.82)	
Team supervision	3.02 (0.83)	
Successful supervision	3.90 (0.76)	

## Discussion

In this cross-sectional study among undergraduate nursing and midwifery students in the Tamale metropolis of Ghana, we assessed students' evaluation of their clinical experience in health facilities

using the Clinical Learning Environment and Supervision + Nurse Teacher (CLES + T) evaluation scale. The main findings are that; more students received supervision from nurses during clinical placement and team supervision was the most common supervisory type. Nursing students were more likely to rate their clinical experience better than midwifery students and students who had increased contacts with private supervisors were more likely to rate their experience higher. Clinical experience was also evaluated better by students who received successful supervision compared to those who had other forms of supervision.

The higher likelihood of nurses than other health professionals such as midwives to provide supervision to students on clinical placement in this setting may be explained by the type of skills and competencies students are placed to acquire. This is because many basic skills for both nursing and midwifery as well as advanced skills are taught by nurses as most of those skills are general until students, such as the midwifery students move on to perform specific midwifery skills. The higher rating of clinical placement by nursing students than midwifery students in the present study could mean that midwifery students were expecting that since they are midwives they needed to have been supervised by only midwives; there is also the tendency to view midwifery practice totally separate from nursing practice, which in fact, cannot be a standalone practice because most basic skills performed in midwifery practice also occur in nursing practice. This is a perception that needs more exploration to inform students' experience and appreciation of their practice and skills acquisition. It is, therefore, useful for students to be made aware of this ahead of their clinical placement to avoid being unsatisfied with the initial nurse dominant supervision they receive.

We find that frequency of contact with private supervisor was associated with high evaluation of clinical experience by both nursing and midwifery students. These findings are consistent with the results from Cyprus [10], Slovakia [19], northern Italy [20] and Sweden [21] where nursing students evaluated their clinical experience better with private supervision. As team supervision was higher and likely to be poor among students, it is reasonable that contact with private supervisors with a high tendency for tailored training to receive high rating. There is high need for private supervision as revealed in the study and calls for students to make more efforts and make good use of this opportunity whenever available to gain the needed skills. We recommend that clinic or ward staff also endeavour to provide private supervision to increase the quality of clinical experience of students.

Consistent with previous findings [10, 17, 20], successful supervision was associated with higher evaluation of student clinical experience. However, this has not always been the case in all studies [22]. Successful supervision constitutes having a named mentor and a perception of the relationship having worked out. Therefore, it is understandable that students who had successful supervision rated their overall clinical experience better. For improved clinical experience of students, mentors and students should work together to achieve a successful supervision.

To the best of our knowledge, this is the first attempt to report nursing and midwifery students' evaluation of their clinical placement in Ghana. The findings could be useful to health institutions and providers such as hospitals and clinics involved in the training of nursing and midwifery students to achieve better

clinical experience and skills acquisition. However, the results of the study should be interpreted keeping some limitations in mind. First, our sample consisted of more nursing students than midwifery students, so the generalizability of the findings may be less applicable to midwifery students. Second, most supervisors at the ward level were often of a lower educational level than the students which could affect the quality of supervision and supervisory relationship. While this is not a typical limitation of the study, it may have influenced the evaluation of student experience of their clinical placement. Third, the CLES + T questionnaire has not been validated in this setting. However, we do not think this would have affected our results greatly, as the questionnaires were administered in the original English language not translated into a different Ghanaian language. The tests for reliability of the CLES + T using Cronbach's alpha were also within acceptable ranges indicating its suitability. In spite of these limitations, our results provide important insights into the experiences of nursing and midwifery students during clinical placement in Ghana.

## **Conclusion**

Team supervision is high in health facilities where students undertake clinical placement in Ghana. Frequent contact with private supervisor and successful supervision are associated with better rating of clinical experience among Ghanaian undergraduate nursing and midwifery students.

## **Declarations**

### **Ethics and consent to participate**

The study was granted ethical approval by the Research and Ethical Committee of the School of Allied Health Sciences of the University for Development Studies, Tamale, Ghana. Voluntary verbal informed consent was obtained from each student who agree to participate. Participants were told they could decide to withdraw from the study anytime without any consequences. The purpose of the study and the assurance of confidentiality of information were explained to participants. They were also told they could decide not to answer any question they felt uncomfortable with.

### **Consent to publish**

Not applicable.

### **Availability of data**

The data supporting the conclusions of this article are included within the manuscript. The datasets could be obtained from the corresponding author upon reasonable request.

### **Competing interests**

The authors declare that they have no competing interests.

## Funding

We did not receive external funding for this study.

## Author's contributions

FAZ conducted the interview and wrote the manuscript. VNY Planned and designed the study. ZA entered, analysed the data and wrote manuscript. All authors reviewed the final manuscript draft and approved the final version.

## Author details

<sup>1</sup>Department of Nursing, University for Development Studies, Tamale, Ghana.

<sup>2</sup>Department of Midwifery, University for Development Studies, Tamale, Ghana

<sup>3</sup> MRC Unit The Gambia at the London School of Hygiene and Tropical Medicine, Atlantic Boulevard, Fajara, P. O. Box 273, Banjul, The Gambia

<sup>4</sup>Department of Nutritional Sciences, School of Allied Health Sciences, University for Development Studies, P.O Box 1883, Tamale Ghana

## Acknowledgements

We are grateful to all the participants of the study.

## Abbreviations

CLES+T: Clinical Learning Environment and Supervision + Nurse Teacher evaluation scale

## References

1. Ali WG, Banan SHAE, Al Seraty WH: **Effective clinical learning environment as perceived by nursing students at Al Dawadmi, Applied Medical Sciences College: actual versus preferred characteristics.** *International journal of Nursing Didactics* 2015, **5**(05):01-06.
2. Eta VE, Atanga MB, Atashili J, D'Cruz G: **Nurses and challenges faced as clinical educators: A survey of a group of nurses in Cameroon.** *Pan African Medical Journal* 2011, **8**(1).
3. Nursing and Midwifery Council of Ghana: **Curriculum for the Registered General Nursing (RGN) Programme.** In. Accra Ghana: NMC; 2015.
4. Benner P: **From Novice to Expert.** *The American Journal of Nursing* 1982, **82**(3):402-407.
5. Friendly L, Roos L: **The Challenges Nurses Face Regarding Professional and Personal Responsibilities.** 2008.

6. Dale B, Leland A, Dale JG: **What factors facilitate good learning experiences in clinical studies in nursing: Bachelor students' perceptions.** *ISRN nursing* 2013, **2013**.
7. Mwale OG, Kalawa R: **Factors affecting acquisition of psychomotor clinical skills by student nurses and midwives in CHAM Nursing Colleges in Malawi: A qualitative exploratory study.** *BMC nursing* 2016, **15**(1):30.
8. Upton P, Scurlock-Evans L, Williamson K, Rouse J, Upton D: **The evidence-based practice profiles of academic and clinical staff involved in pre-registration nursing students' education: A cross sectional survey of US and UK staff.** *Nurse education today* 2015, **35**(1):80-85.
9. Chan DS, Ip WY: **Perception of hospital learning environment: a survey of Hong Kong nursing students.** *Nurse education today* 2007, **27**(7):677-684.
10. Papastavrou E, Dimitriadou M, Tsangari H, Andreou C: **Nursing students' satisfaction of the clinical learning environment: a research study.** *BMC nursing* 2016, **15**(1):44.
11. Sharif F, Masoumi S: **A qualitative study of nursing student experiences of clinical practice.** *BMC nursing* 2005, **4**(1):6.
12. Arkan B, Ordin Y, Yilmaz D: **Undergraduate nursing students' experience related to their clinical learning environment and factors affecting to their clinical learning process.** *Nurse education in practice* 2018, **29**:127-132.
13. Jamshidi L: **The challenges of clinical teaching in nursing skills and lifelong learning from the standpoint of nursing students and educators.** *Procedia-Social and Behavioral Sciences* 2012, **46**:3335-3338.
14. Hanson SE, MacLeod ML, Schiller CJ: **'It's complicated': Staff nurse perceptions of their influence on nursing students' learning. A qualitative descriptive study.** *Nurse education today* 2018, **63**:76-80.
15. Asirifi M, Ogilvie L, Barton S, Aniteye P, Stobart K, Bilash O, Eliason C, Achempim-Ansong G, Kwashie A, Aziato L: **Reconceptualising Preceptorship in Clinical Nursing Education in Ghana.** 2019.
16. Saarikoski M, Isoaho H, Warne T, Leino-Kilpi H: **The nurse teacher in clinical practice: developing the new sub-dimension to the clinical learning environment and supervision (CLES) scale.** *International journal of nursing studies* 2008, **45**(8):1233-1237.
17. Papastavrou E, Lambrinou E, Tsangari H, Saarikoski M, Leino-Kilpi H: **Student nurses experience of learning in the clinical environment.** *Nurse education in practice* 2010, **10**(3):176-182.
18. Saarikoski M, Warne T, Kaila P, Leino-Kilpi H: **The role of the nurse teacher in clinical practice: an empirical study of Finnish student nurse experiences.** *Nurse education today* 2009, **29**(6):595-600.
19. Gurková E, Žiaková K, Cibříková S, Magurová D, Hudáková A, Mrošková S: **Factors influencing the effectiveness of clinical learning environment in nursing education.** *Central European Journal of Nursing and Midwifery* 2016, **7**(3):470-475.
20. Cremonini V, Ferri P, Artioli G, Sarli L, Piccioni E, Rubbi I: **Nursing students' experiences of and satisfaction with the clinical learning environment: the role of educational models in the simulation laboratory and in clinical practice.** *Acta Bio Medica Atenei Parmensis* 2015, **86**(3Supp):194-204.

21. Carlson E, Idvall E: **Nursing students' experiences of the clinical learning environment in nursing homes: A questionnaire study using the CLES+ T evaluation scale.** *Nurse Education Today* 2014, **34**(7):1130-1134.
22. Dimitriadou M, Papastavrou E, Efstathiou G, Theodorou M: **Baccalaureate nursing students' perceptions of learning and supervision in the clinical environment.** *Nursing & health sciences* 2015, **17**(2):236-242.