

Economic Burden of Cardiovascular Diseases Before and After the Iran's Health Transformation Plan: A Cross-Sectional Study on Referral Hospital in the North-West of Iran

Vahid Alipour

Iran University of Medical Sciences

Hamed Zandian

Ardebil University of Medical Sciences

Vahid Yazdi-Feyzabadi

Kerman University of Medical Sciences

Lili Avesta

Ardebil University of Medical Sciences

Telma Zahirian Moghadam (✉ t.zahirian@gmail.com)

Ardabil University of Medical Sciences <https://orcid.org/0000-0003-1290-4202>

Research article

Keywords: Cardiovascular Disease, Economic Burden, Health Transformation Plan, Health System Reform, Referral Hospital

Posted Date: January 30th, 2020

DOI: <https://doi.org/10.21203/rs.2.22249/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Abstract

Background

Different countries have set different policies to control and decrease the costs of Cardiovascular Diseases(CVDs). Iran aiming reducing the economic burden of different disease by a recent reform from named as health transformation plan(HTP). This study aimed to examine economic burden of CVDs before and after of HTP,

Methods

This cross-sectional study was conducted on 600 patients with CVDs, who were randomly selected from a specialized cardiovascular hospital in the north-west of Iran. Direct and indirect costs of CVDs were calculated using cost of illness and human capital approaches. Data were collected using a researcher-made checklist obtained from several sources including structured interviews, the Statistical Center of Iran, Iran's Ministry of Cooperatives, Labor, and Social Welfare, central bank of the Iran, and the data of global burden of disease obtained from the Institute for Health Metrics and Evaluation to estimate direct and mortality costs. All costs were calculated in Iranian Rials(IRR).

Results

Total costs of CVDs were about 5571 and 6700 billion IRR before and after the HTP, respectively. More than 62% of the total costs of CVDs accounted for premature death before (64.89%) and after(62.01%) the HTP. The total hospitalization costs of CVDs was significantly increased after the HTP ($p=0.038$). In both times, surgical services and visiting had the highest and lowest share of hospitalization costs, respectively. The OOP expenditure decreased significantly and reached from 54.2% to 36.7%. All hospitalization costs, except patients' OOP expenditure, were significantly increased after the HTP about 1.3 times. Direct non-medical costs reached from 2.4 to 3.3 billion before and after the HTP, respectively.

Conclusion

The economic burden of CVDs after the HTP increased in the north-west of Iran due to the increase of all direct and indirect costs, except the OOP expenditure. Non-allocation of defined resources, which coincided with the international and national political and economic challenges in Iran, led to unsustainable resources of the HTP. So, no results of this study can be attributed solely to the HTP. Therefore, studies that are more detailed should be carried out on the reasons for the significant increase in CVDs costs in the region.

Background

Cardiovascular Diseases (CVDs) are among the main causes of death and important reason for the premature death (before 65 years old). In 2017, CVDs were responsible for 17.7 million death around the world, which is around 31.8% of the total deaths in the world (1). Cardiovascular diseases are the cause

of 161,000 deaths in Iran, which accounted for 45.45% of all deaths in the country in 2016. This is while, the age of CVDs has dropped during the last decade and the incidence of CVDs among population under 70 years has steepened in the past 10 years, reaching from 569 in 2017 to 484 per 100,000 people in 2000 globally (1, 2). However, this trend for the Europe had been estimated to be about 700 deaths among people under the age of 65 years in 2017 (3). In Iran, this trend has also been tangible and the rate of CVDs has been increased before the age of 60 years (4). This is one of the factors contributing to the increasing costs and economic burden of the disease (5). Ardabil, one of the north-west provinces of Iran, has the highest rate of CVDs incidence and prevalence around the country. The proportion of deaths from CVDs was 2319 in 2015, accounting for 48.46% of all deaths in the province, which is higher than the world's and Iran's averages. The mortality rate of the disease in Ardabil had been estimated to be 180 cases per 100,000 people in 2017 (6, 7).

Cardiovascular diseases costs are very high, so that in the European Union (EU) in 2016, the direct and indirect costs (premature death and disability) of CVDs were estimated to be about 25 and 18 billion euros, respectively (3, 8). It has also increased the inequality in health care financing by increasing OOP expenditure and catastrophic health expenditures (9). In the US, direct and indirect cost of CVDs was totally about 329.9 billion USD, and it is estimated to increase to 1.1 trillion USD in 2035 (10). The economic burden of CVDs in developing countries, such as Iran, which accounts for more than 75% of death rate, is more sever (11). This could have negative effects on the country productivity and competitiveness, increase fiscal pressure on the health systems, and increase poverty, inequity, and opportunity loss in developing countries (12).

Different countries, especially low-income and developing countries, have implemented several reforms in their health system framework to prepare financial protection to patients by decreasing the economic burden of diseases (13, 14). To this end, one of the most recent reforms in the Iranian health system, called the Health Transform Plan (HTP) with eight interventions for increasing equity in the health system, was implemented from early 2014 (15). The main intervention of the HTP was reducing OOP expenditure for inpatient services in the hospitals affiliated with Ministry of Health (MoHME). It also contains other interventions, such as encouraging physicians to stay in deprived areas, and improving quality of care in the hospitals affiliated with MoHME through different interventions, such as increasing specialists, improving quality of outpatient services of the attached polyclinics, and improving hospital amenities and lodging services (15–17). These interventions have had different effects on patients' satisfaction and equity in the health system financing (17–20). The first intervention of the HTP aimed to decrease patients OOP expenditures as direct costs of the disease, and other interventions aimed to reduce indirect costs of disease through increasing access to health care services (16, 19).

Therefore, due to the high rate of CVDs in Iran, especially in Ardabil, as well as the implementation of the HTP as the most important equity-based intervention of the health system, this study was conducted to estimate the economic burden of CVDs before and after the HTP in the north-west of Iran.

Methods

This descriptive cross-sectional study was conducted to evaluate the economic burden of CVDs in two periods: before (2013) and after (2016) the HTP implementation. The bottom-up approach, the cost of disease, and human capital approach (HCA) were used to calculate the total costs.

Study design and setting

This cross-sectional study was conducted before and after the HTP implementation in the north-west of Iran. A 550-bed cardiovascular specialized hospital affiliated with MoHME was selected as the study site. At both time points (before and after the HTP), data on direct, indirect, and non-medical costs were collected from hospital-based cardiovascular inpatients records and compared. Baseline data were collected from households with CVDs at two intervals.

Eligibility criteria

Patients with one of the CVDs (coronary artery stenosis, heart failure, heart attack, and cardiac rheumatism) in two periods, before (March 2012 to March 2013) and after (March 2016 to March 2017) the HTP, were eligible to participate in the study. Given that most hospitalization costs occur in the early years of the diagnosis and treatment of CVDs, the diagnosis of the disease over the past year was the basis of inclusion.

Sampling methodology and sample size

Samples were collected from a specialized cardiovascular hospitals the largest and only reference for patients with CVDs using purposive random sampling method. Initially, a list of all patients admitted to the study during the two intervals was prepared, and data were collected from inpatients medical records through a checklist. If necessary, patients who were eligible to participate in the study were contacted and additional information was obtained via telephone interview.

To estimate sample size, four types of CVDs with high frequency (coronary artery stenosis, heart failure, heart attack, and cardiac rheumatism) were selected. Then, the medical records of 40 discharged patients were randomly selected and evaluated for cost. Based on the mean and variance of hospital costs and using Cohen's sampling method, the sample size was estimated to be 253 (n=800) before and 284 (n=1300) after the HTP.

Cohen's d is simply a measure of the distance between two means, measured in standard deviations (21). It is calculated using equation (1):

$$(1) \quad d = \frac{M_1 - M_2}{SD_{pooled}}$$

where M_1 and M_2 are the means for the 1st and 2nd samples, and SD_{pooled} is the pooled standard deviation for the samples. SD_{pooled} is properly calculated using following equation:

$$(2) \quad SD_{pooled} = \sqrt{\frac{\sum(X_1 - \bar{X}_1)^2 + \sum(X_2 - \bar{X}_2)^2}{n_1 + n_2 - 2}}$$

Accordingly, the total number of hospitalizations for CVDs was extracted from the hospital information system (HIS), then, 600 patients for both intervals (300 before and 300 after the HTP) were randomly selected using random number table.

To estimate indirect costs in the last month, a pilot study was conducted on 30 inpatients with CVDs by a face-to-face interview. The data were extracted using a checklist. To estimate the total costs in the last year, data were multiplied by 12. Based on the mean and variance of hospital costs and using Cohen's sampling method, the sample size was estimated to be 180 for both time points, before and after the HTP implementation. By telephone follow-up, patients were selected from the direct costs calculation phase (n=300). Contact with all selected patients continued until the designated sample size was obtained.

Data collection

Data were collected using a researcher-made checklist included age, sex, length of hospital stay, hospitalization costs, and other related costs (visitation, diagnostic services, hoteling, surgery, and medication), which were extracted from the patients' medical records. A checklist used in other similar international studies, was used to collect non-hospital and non-medical costs (22, 23). The questionnaire consisted of two sections; the first section included demographic information (age, gender, marital status, education status, and number of family members), duration of illness, and insurance information. In addition, the second section included information on indirect costs (absenteeism, sick leave, disability, etc.).

Study variables and data sources

In this study, multiple data sources were used to estimate the economic burden of the disease. The most important data source used to estimate direct medical costs was the information extracted from the medical records of the patients with CVDs.

Direct costs

This type of costs is directly attributable to patients admitted to various types of health care facilities (Ministry of Health, Social Security, and private sector), as well as treatment costs, including different services, such as diagnostic, medical, and rehabilitation services (24). To estimate direct costs, the costs of common diagnostic services, such as electrocardiograms, echocardiography, exercise testing, nuclear heart scan, and angiography, were included. Sampling was performed among patients who had

undergone open-heart surgery, angioplasty, and medication. Sample sizes for the three groups (undergone open-heart surgery, angioplasty, and medication) were 135, 251, and 221 people, respectively. Sampling was performed using simple random sampling method and Cochran-Orcutt Procedure, which is applicable for limited population, was used. The main drugs for CVDs were also extracted through reviewing 65 patients' medical records and interviews with CVDs specialists. In this section, direct payments were considered as the patients' OOP expenditure, which can be due to the difference between the patient's share of the cost and share of the insurance cost, which was recorded as the patient's share of the costs in their medical record.

Indirect costs

Indirect costs is a combination of the costs incurred to the patients and their family, such as cost of medical travel, cost of time lost, and cost of patient in-home care (25).

Time costs

Time costs is calculated based on the mean number of days lost due to receiving health care services and hospitalization in the hospital. In this study, time costs were calculated by multiplying the number of hospitalization days by the average daily wage. Data for an average daily wage were obtained from the report of the Ministry of Cooperatives, Labor, and Social Welfare of Iran in 2018.

Premature death costs

Human capital approach was used as the main method for the estimation of premature death costs in this study. In previous studies, HCA was used for the estimation of premature death due to non-communicable diseases, such as CVDs (26, 27). Total numbers of deaths due to CVDs during last 5 years were obtained from documents of the hospital and deputy of health of ARUMS. The data adopted to the data of the Institute for Health Metrics and Evaluation (IHME) and Global Burden of Disease (GBD), and then, registered.

Data sources and manipulation

Data were collected using structured interviews with patients, medical records, and valid data sources.

- Population, employment rate, and life expectancy were extracted from the latest report provided by the Iranian Statistic Center (ISC).
- CVDs morbidity and mortality data were extracted from the National and Subnational Burden of Diseases, Injuries, and Risk Factors (NASBAD) survey.
- To identify and determine the exchange rate by year, the final report by the Central Bank of the Islamic Republic of Iran was used.
- The average daily cost (the daily minimum wage lost) was calculated according to the principles presented by the Ministry of Cooperatives, Labor, and Social Welfare of Iran.

- To determine the OOP expenditure, the difference between payments by patients (patient's share) and the insurance liability was calculated.
- To identify indirect costs, data were extracted through interviews with patients and their relatives who were aware of patients' diseases using the designed checklist.
- Given that, there were no clear statistics on the level of household income, their income was estimated based on the minimum declared incomes of the Ministry of Labor, Cooperatives and Social Welfare.
- Other information, such as disease incidence, occupancy rate, payroll, GDP, national health expenditures, and standardized life expectancy were extracted from previous studies, treatment guidelines, World Bank databases, Iranian Ministry of Health (MoHME), and Iranian Statistic Center (ISC).
- All costs were equaled and presented in Iranian Rials (IRR) in two periods (average exchange rate in 2013 equals 1\$ = 31840 IRR and in 2016 equals 1\$ = 36429 IRR).

Data analysis

The human capital approach considers the valuation of waste resulting from premature death for the whole economy (28). The individuals play an economic role in the society by generating, earning, and consuming. Thus, by calculating production, income, or consumption, the extent of the impact of one's economic activities can be estimated.

In the present study, the discount rate of 3% was used to obtain the present value of the lost production. The Present Discounted Value of Lifetime Earnings (PVLE) model developed by Max et al. (2000) was also used to calculate and estimate the present value of the patients' income (29).

Data were analyzed using SPSS version 16 (SPSS Inc., Chicago, IL, USA) (30) and Excel software version 2013. Continuous variables are reported as means \pm standard deviation. Categorical variables are reported as proportions (%). Continuous variables were compared using t-test and one-way ANOVA, and categorical variables were compared using Chi-square test.

Results

The prevalence of CVDs in Ardabil before and after the HTP was 44.12% and 50.11%, respectively. The number of deaths due to CVDs in Ardabil before and after the HTP was 2627 and 2940, respectively that accounts for 42.3% and 45.4% of the total deaths in the province, respectively.

Demographic status

The results showed that 68.8% and 65.3% of the participants were men before and after the HTP, respectively. The mean age of patients in the two intervals was 62.4 ± 9.2 and 62.6 ± 8.6 years, respectively. The minimum and maximum hospital stay was one to 11 days, while the mean length of

hospitalization in the two periods (before and after the HTP) was 1.5 ± 1.3 and 1.5 ± 3.9 days, respectively (Table 1).

Hospitalization costs

Data were extracted from medical record of patients to estimate the hospitalization costs. The average cost of hospitalization per patient was 2.96 ± 4.18 million IRR, which was 3.69 and 4.64 million IRR before and after the HTP, respectively. The average daily cost of hospitalization before and after the HTP was 1.04 and 1.28 million IRR, respectively, and the total daily cost of hospitalization was 3.06 ± 1.10 million IRR. The total cost of hospitalization before and after the HTP was 6.51 and 8.47 billion IRR, respectively, indicating that it was increased about 1.3 times more. The distribution of direct hospitalization costs in patients with CVDs by service type is presented in Table 2.

Based on the total number of patients with CVDs identified and the average cost of hospitalization over the two time periods, the total cost of hospitalization of patients with CVDs in the two time periods was estimated to be 1953 and 2541 billion IRR, respectively. Most of the hospitalization costs in the both periods were related to surgical services (59.4% and 56.8%) and medication (18.3% and 19.1%). The ratio of indirect costs to the total hospitalization costs was reduced by 33%. In terms of all costs associated with providing services to patients with CVDs, with the exception of OOP expenditure, there was an increase in the costs after the HTP, while the highest rate belonged to the cost of open heart surgery and the lowest one was related to angioplasty and angiography.

Non-medical direct costs (lost time costs)

In the present study, the patients' direct non-medical costs (time and travel costs) were identified and calculated by telephone interviews with the patients before and after the HTP.

Before and after the HTP, 60.6% and 57.1% of the patients were employed (self-employed, government employee, and retired persons) and others were unemployed (unemployed, housewife), respectively. The mean total days lost due to the diseases for both groups of patients (employed and unemployed) were estimated to be 61 days (17 days due to medical travel and 44 days due to disability). The average cost per patient per day was calculated based on the mean income. For this purpose, the average monthly income of employed persons was calculated and divided into 30 days and one-day income was calculated, which was 0.28 and 0.33 million IRR before and after the HTP. The average daily cost of unemployed patients was also calculated on the basis of the minimum wage, which was declared by the Ministry of Cooperatives, Labor, and Social Welfare in the two time periods. Accordingly, the average daily cost of unemployed patients (minimum wage lost daily) was estimated to be 0.16 and 0.27 million IRR before and after the HTP.

The total cost of time lost due to medical travelling by employed patients was estimated to be 4.80 and 5.63 million IRR before and after the HTP. The total cost of time lost due to disability was estimated to be 12.42 and 14.59 million IRR before and after the HTP. The total cost of travel and disability of employed

patients before and after the HTP was 1.87 and 2.08 billion IRR, respectively, and for unemployed patients, it was estimated to be 541.94 and 734.35 million IRR before and after the HTP, respectively. The average cost of time lost due to medical travel of unemployed patients was 2.76 and 4.60 million IRR before and after the HTP, respectively. The cost of time lost due to disability in the two time periods was estimated 7.14 and 11.91 million IRR, respectively. The total cost of time lost for the unemployed patients was estimated to be 0.526 and 1.27 billion IRR before and after the HTP, respectively.

Indirect cost (Premature death and disability)

Indirect costs were estimated in terms of premature death and mean life expectancy for both sexes (75.15 years in 2013 and 75.95 in 2016). In Ardabil province, 880 people with ages of 35 to 75 years died due to CVDs in 2013, which it was reduced to 782 in 2016. The total cost of premature death costs was 3615.3 and 4155.4 billion IRR before and after the HTP, respectively.

Total economic burden of CVDs

The total cost of CVDs in the north-west of Iran (Ardabil) before and after the HTP was 5571.06 and 6700.58 billion IRR, respectively. Overall, the results showed a significant difference in the hospitalization and indirect costs (medical travel and disability costs) of patients before and after the HTP ($P < 0.05$). However, despite the relative increase, the indirect and indirect mortality costs were not significantly different ($P < 0.05$).

Discussion

Cardiovascular Diseases (CVDs) are among costly diseases for patients, their families, and health systems around the world. Different health systems trying to control and decrease the costs of CVDs by different reforms and restructures with a non-communicable disease control approach (31). Health Transformation Plan (HTP) is the main reform in Iran's health system toward development of health care equity in the country (15, 20). One of the main objectives of the HTP was providing faire financing and accessibility to the health care services (20, 32), which was expected to reduce the economic burden on Iran's health system. The prevalence of CVDs in Iran was 179 and 194 per 100000 people before and after the HTP, respectively (1).

This study aimed to evaluate the economic burden of CVDs in the north-west of Iran, an area with the highest incidence and prevalence of CVDs (5), before and after the HTP to identify the impact of the plan on the CVDs' economic burden indexes. Based on the results of the present study, the total economic costs of CVDs were estimated 5,571,066,723,555 and 6,700,589,105,065 IR before and after the HTP, respectively. It shows that the total costs of CVDs significantly increased about 1.2 times after the HTP and caused more inequitable status for patients with CVDs in the health system of Iran. This finding is inconsistent with the findings of other studies, where a qualitative study in Iran concluded that the HTP in all dimensions has reduced costs and justified the health system (20). The finding is inconsistent with the results of a study by Chapman et al. (2011), where they claimed that inpatient costs of CVDs over the

time were decreased (33). The difference between the findings of the present study and those of Chapman et al. (2011) may be due to the difference in the context of the studies and methodology.

This study showed that mortality cost is one of the main components of CVDs economic burden in the north-west of Iran in both periods (before and after the HTP), so that more than 62% of the total costs of CVDs can be attributed to the mortality costs. The study also showed that despite a reduction in the percentage of the CVDs mortality cost after the HTP, this reduction was not statistically significant compared to that before the HTP, which is not consistent with the findings of most studies in developed countries. In European countries, more than 60% of the total costs of CVDs attributed to the hospitalization (34, 35), while in other studies, it was reported that just about 23% of CVDs costs attributed to the mortality costs in the UK (22) and about 33% in South Korea (36). One of the reasons for this may be due to the low mean age of CVDs mortality and morbidity in developing countries, such as Iran (37). In 2017, the mortality rate of CVDs in Iran and countries with high socio-economic indexes was about 271 and 125 per 100,000 people per year, respectively (1). A cohort-based study in Iran (2013), showed that CVDs mortality rate in men and women was 331 and 203 per 100,000 people per year, which is almost two times higher than the average income of countries (38). These pieces of evidence suggest that premature mortality and morbidity have increased the proportion of mortality costs compared to the other costs of CVDs in the north-west of Iran. In addition, it is worth mentioning that the costs of health service in Iran is lower than those in developed countries and some other Middle Eastern countries (24, 39), and this can lead to a lower proportion of hospitalization costs to the total CVDs costs in Iran.

Furthermore, it was revealed that surgical services accounted for the highest proportion of costs compared to the other components of hospitalization costs before and after the HTP. This means that the total costs of open surgery and angiography/angioplasty increased more than other hospitalization costs after the HTP. In the UK, hospital inpatient care was estimated about 63% of the total CVDs costs, and surgical services were introduced as the largest share of hospitalization costs (22), which confirms the results of the present study. Another study in Serbia showed that more than 60% of the costs are attributed to hospitalization and surgical services, which is consistent with the results of the present study (35). Similarly, another study on patients with CVDs in Iran, reported direct care costs as the major proportion of the costs associated with open heart surgery costs (40).

The proportion of hospitalization costs have been increased significantly after the HTP. One of the main causes of this increase could be increasing hospitalization rate after the HTP. Karami et al. (2017) reported that the hospitalization rate was increased after the HTP in Iran (41). Tabari-Khomeiran (2019) also showed that CVDs hospitalization costs increased significantly after the HTP (19). After implementation of the HTP, access to health services and responsiveness have been significantly increased, and as a result, health care expenditures in Iran have also been increased (16, 42).

The main objective of the first phase of the HTP was decreasing OOP expenditures of inpatients based on the patients insurance type (rural or urban) by allocating subsidies to increase the share of government health expenditures (15, 32, 43, 44). However, the results of the present study showed that

the mean total hospitalization costs after the HTP implementation have increased by 20%. However, OOP expenditures decreased about 30% after the HTP for CVDs in this study. According to various studies, the share of OOP expenditures has declined by an average of 20% after the HTP, from about 58% to 37% (18, 19). After implementation of the HTP in Turkey, patients OOP and their financial share of health system decreased (45). Accordingly, it can be concluded that despite the decrease in the OOP expenditures and patient's share of health service payment due to the HTP, the economic burden of CVDs increased. This can be due to several reasons, including:

- Increasing hospitalization rate and average length of stay: The increase of average length of stay can be due to the increase of patients satisfaction and decrease of personal discharge rate (46).
- Lack of initiatives, such as failure to fully implement the referral system, and increasing referrals to specialized levels of health care system led to system failure to achieve Universal Health Coverage (UHC) (47, 48).
- Failure to fully adhere to the HTP guidelines, including lack of timely and appropriate allocation and management of defined resources after the HTP implementation (16, 49).
- The increase of outpatient OOP, where Rad et al. (2017) reported significant increase of OOP payments for outpatient care services increased after the HTP, which influenced the total OOP (17). In addition, despite the increase in the share of health from GDP after the HTP in Iran, catastrophic and impoverishment expenditures have not decreased sufficiently to achieve the goals of the HTP in term of the financial risk protection (50).
- Failure to fully implement the HTP and its related laws, as Sajadi et al. (2019) reported that unsustainable resource allocation is one of the main challenges of Iran's health system before and after the HTP (51). This has led to the failure of most of the formulated policies to achieve their goals on the path to UHC.
- Finally in developing countries, the increase of the costs of health care services with decrease of patients OOP expenditures can mean the provision of the costs to the public budgets, which can be interpreted as an increase in the government subsidies to the health sector (32). Therefore, it can be claimed that the Iranian government has increased the health system subsidies by shifting resources from targeting subsidies and one percent value-added tax to the health system, which is confirmed by similar studies (52, 53).

However, this study had several strengths and limitations related to the study design and costs measurement. First, a province from the north-west of Iran (Ardabil), which has the highest level of CVDs, was selected and the economic burden of CVDs that has not been studied before, was investigated. In addition, this study, for the first time, investigated the HTP and its effect on the economic burden of CVDs in Iran. In this regard, the evaluation of economic burden of CVDs before and after the implementation of the main reform in Iran's health sector, which may help policy makers to reorder the existing policies incorporated in the HTP in terms of affordability of the use of valid databases and robust methods with acceptable sample size to identify and capture the expenditures, is another strength of this study. Classification of the costs into three groups in general, non-calculation of outpatient costs and informal

payments, and the possibility of recall bias in the patients during the study period, especially regarding indirect and non-medical costs, can be considered as the main limitations of the present study.

Conclusion

According to the results, after the implementation of the HTP in Iran, the economic burden of CVDs increased significantly (about 1.2 times), especially in the mortality costs and inpatient surgical services costs. Therefore, it can be concluded that the HTP, despite the decline in OOP expenditures and patients' share of the total health expenditures, the economic burdens on the health system because of several reasons, including failure to fully implement the referral system and increased referrals to the specialized levels of health system, increased while the OOP expenditures decreased. As a result, the total costs of the health system increased and imposed a pressure on the country's general budget. Finally, based on the HTP objectives in terms of equity in health care financing and the results of this study, it can be concluded that the costs of CVDs in Iran are significantly high. The HTP has not touch its all goals about CVDs costs. It could be because of the non-allocation of financial resources defined to the HTP, one percent value-added tax, and 10% of targeted subsidies, after the implementation of the plan, as well as the political and economic challenges occurred during the years following the HTP implementation in Iran. Further studies are needed to find ways to modify the challenges and reduce the economic burden of CVDs by the HTP in Iran.

Declarations

Ethics approval and consent to participate

The project protocol was approved by the Ethics Committee of Ardabil University of Medical Sciences (Ethical code: IR.ARUMS.REC.1397.141) and jointly sponsored by the Health Sciences Management and Economics Research Center of Iran University of Medical Sciences and the Social Determinants of Health Research Center of Ardabil University of Medical Sciences. Written informed consent was obtained from all participants.

Consent for publication

Not applicable.

Availability of data and material

The data sets used and/or analysed during the current study are de-identified and available from the corresponding author on reasonable request.

Competing interests

Dr. Vahid Yazdi-Feyzabadi, who is a co-author of this study, has position in editorial board of [BMC Health Services Research](#) journal as an Associate Editor. The other authors declare that there is no more conflict

of interests.

Funding

This work was supported by grant from Social determinants of Health Research center (9755, Ardabil, Iran) and Health Management and Economics Research Center of (33882, Tehran, Iran). There was no role of the funding body in the design of the study and collection, analysis, and interpretation of data and in writing the manuscript.

Authors' contributions

HZ, YA and TZ contributed to the conception or design of the work. HZ, VY-F and LA contributed to the acquisition, analysis, or interpretation of data for the work. HZ, VA and TZ drafted the manuscript. TZ, HZ and LA guided the other authors in data analysis, critically revised the manuscript. All authors have read and approved the manuscript, and ensure that this is the case. All authors have agreed both to be personally accountable for the author's own contributions and to ensure that questions related to the accuracy or integrity of any part of the work.

Acknowledgements

The authors thank all participants and all staffs who had provided helping to our study in ARUMS special cardiovascular hospital and deputy of research.

Abbreviations

CVDs: Cardiovascular Disease; HTP: Health Transformation Plan; IRR: Iranian Rials; OOP: Out Of Pocket; USD: United states Dollar; MoHME: Ministry of Health and Medical Education; HCA: Human Capital Approach; IHME: Institute for Health Metrics and Evaluation; GBD: Global Burden of Disease; ISC: Iranian Statistic Center; NASBAD: National and Subnational Burden of Diseases, Injuries, and Risk Factors; GDP: Gross Domestic Product; PVLE: Present Discounted Value of Lifetime Earnings.

References

1. Kyu HH, Abate D, Abate KH, Abay SM, Abbafati C, Abbasi N, et al. Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. *The Lancet*. 2018;392(10159):1859-922.
2. Khosravi-Boroujeni H, Mohammadifard N, Sarrafzadegan N, Sajjadi F, Maghroun M, Khosravi A, et al. Potato consumption and cardiovascular disease risk factors among Iranian population. *International journal of food sciences and nutrition*. 2012;63(8):913-20.
3. Townsend N, Wilson L, Bhatnagar P, Wickramasinghe K, Rayner M, Nichols M. Cardiovascular disease in Europe: epidemiological update 2016. *European heart journal*. 2016;37(42):3232-45.

4. Maracy MR, Isfahani MT, Kelishadi R, Ghasemian A, Sharifi F, Shabani R, et al. Burden of ischemic heart diseases in Iran, 1990-2010: Findings from the Global Burden of Disease study 2010. *Journal of research in medical sciences: the official journal of Isfahan University of Medical Sciences*. 2015;20(11):1077.
5. Sadeghi M, Haghdoost AA, Bahrampour A, Dehghani M. Modeling the burden of cardiovascular diseases in Iran from 2005 to 2025: The impact of demographic changes. *Iranian journal of public health*. 2017;46(4):506.
6. Jafari Azad B, Daneshzad E, Azadbakht L. Peanut and cardiovascular disease risk factors: A systematic review and meta-analysis. *Critical reviews in food science and nutrition*. 2019:1-18.
7. Masumi M. Spatial Statistics Application in Comparative Study of Ardabil Province Counties Status in the Basis of Hospitalization Rate Due to Coronary Disease. *Journal of Health and Care*. 2017;19(3):168-81.
8. Kontsevaya A, Kalinina A, Oganov R. Economic burden of cardiovascular diseases in the Russian Federation. *Value in health regional issues*. 2013;2(2):199-204.
9. Arsenijevic J, Pavlova M, Rechel B, Groot W. Catastrophic health care expenditure among older people with chronic diseases in 15 European countries. *PloS one*. 2016;11(7):e0157765.
10. Benjamin EJ, Virani SS, Callaway CW, Chamberlain AM, Chang AR, Cheng S, et al. Forecasting the future of cardiovascular disease in the United States: a policy statement from the American Heart Association. *Circulation*. 2018;137(12):e67-e492.
11. Bowry AD, Lewey J, Dugani SB, Choudhry NK. The burden of cardiovascular disease in low-and middle-income countries: epidemiology and management. *Canadian Journal of Cardiology*. 2015;31(9):1151-9.
12. Kengne AP, Mchiza ZJ-R, Amoah AGB, Mbanaya J-C. Cardiovascular diseases and diabetes as economic and developmental challenges in Africa. *Progress in cardiovascular diseases*. 2013;56(3):302-13.
13. Yip W, Hsiao WC. Non-evidence-based policy: how effective is China's new cooperative medical scheme in reducing medical impoverishment? *Social science & medicine*. 2009;68(2):201-9.
14. Zhang L, Cheng X, Tolhurst R, Tang S, Liu X. How effectively can the New Cooperative Medical Scheme reduce catastrophic health expenditure for the poor and non-poor in rural China? *Tropical Medicine & International Health*. 2010;15(4):468-75.
15. Moradi-Lakeh M, Vosoogh-Moghaddam A. Health sector evolution plan in Iran; equity and sustainability concerns. 2015.
16. Olyaeemanesh A, Behzadifar M, Mousavinejhad N, Behzadifar M, Heydarvand S, Azari S, et al. Iran's health system transformation plan: a SWOT analysis. *Medical journal of the Islamic Republic of Iran*. 2018;32:39.
17. Rad EH, Yazdi-Feyzabad V, Yousefzadeh-Chabok S, Afkar A, Naghibzadeh A. Pros and cons of the health transformation program in Iran: evidence from financial outcomes at the household level. *Epidemiology and health*. 2017;39.

18. Piroozi B, Rashidian A, Moradi G, Takian A, Ghasri H, Ghadimi T. Out-of-pocket and informal payment before and after the health transformation plan in Iran: evidence from hospitals located in Kurdistan, Iran. *International journal of health policy and management*. 2017;6(10):573.
19. Tabari-Khomeiran R, Selavari S, Rezaei S, Rad EH, Shahmoradi M. The effect of Iranian health system reform plan on payments and costs of coronary artery bypass surgery in private hospitals of Iran. *International Journal of Human Rights in Healthcare*. 2019.
20. Zahirian Moghadam T, Raeissi P, Jafari-Sirizi M. Analysis of the Health Sector Evolution Plan from the perspective of equity in healthcare financing: a multiple streams model. *International Journal of Human Rights in Healthcare*. 2018.
21. Berry KJ, Mielke Jr PW. A generalization of Cohen's kappa agreement measure to interval measurement and multiple raters. *Educational and Psychological Measurement*. 1988;48(4):921-33.
22. Luengo-Fernandez R, Leal J, Gray A, Petersen S, Rayner M. Cost of cardiovascular diseases in the United Kingdom. *Heart*. 2006;92(10):1384-9.
23. Sari AA, Karyani AK, Alavian SM, Arab M, Gholmohamadi FR, Rezaei S. The economic burden of liver cirrhosis in Iran: a cost of illness study. *Iranian journal of public health*. 2015;44(4):512.
24. Daroudi R, Sari AA, Nahvijou A, Kalaghchi B, Najafi M, Zendehtdel K. The economic burden of breast cancer in Iran. *Iranian journal of public health*. 2015;44(9):1225.
25. Daroudi A, Zendehtdel K, Nahvijou A, Zahmatkesh H, Akbarisari A. A Review of Methods for Estimating Economic Burden of Cancer. 2014.
26. Emamgholipour S, Sari AA, Pakdaman M, Geravandi S. Economic Burden of Cardiovascular Disease in the Southwest of Iran. *International Cardiovascular Research Journal*. 2018;12(1).
27. Liu M, Sun L, Liu G. Economic burden and economic risk of five major chronic diseases among Chinese urban residents. *Beijing da xue xue bao Yi xue ban= Journal of Peking University Health sciences*. 2014;46(5):782-9.
28. Kwon D-B, editor Human capital and its measurement. The 3rd OECD World Forum on "Statistics, Knowledge and Policy" Charting Progress, Building Visions, Improving Life; 2009.
29. Max W, Rice DP, Sung H-Y, Michel M. Valuing human life: estimating the present value of lifetime earnings, 2000. 2004.
30. Released SI. SPSS for Windows, Version 16.0. SPSS Inc, Chicago. 2007.
31. Organization WH. Global action plan for the prevention and control of noncommunicable diseases 2013-2020. 2013.
32. Abdi Z, Hsu J, Ahmadnezhad E, Majdzadeh R, Harirchi I. An analysis of financial protection before and after the Iranian Health Transformation Plan. *East Mediterr Health J*. 2019;25.
33. Chapman RH, Liu LZ, Girase PG, Straka RJ. Determining initial and follow-up costs of cardiovascular events in a US managed care population. *BMC cardiovascular disorders*. 2011;11(1):11.
34. Holstenson E, Ringborg A, Lindgren P, Coste F, Diamand F, Nieuwlaat R, et al. Predictors of costs related to cardiovascular disease among patients with atrial fibrillation in five European countries.

- Europace. 2010;13(1):23-30.
35. Lakić D, Tasić L, Kos M. Economic burden of cardiovascular diseases in Serbia. *Vojnosanitetski preglod*. 2014;71(2):137-43.
 36. Kim J, Lee E, Lee T, Sohn A. Economic burden of acute coronary syndrome in South Korea: a national survey. *BMC cardiovascular disorders*. 2013;13(1):55.
 37. Celermajer DS, Chow CK, Marijon E, Anstey NM, Woo KS. Cardiovascular disease in the developing world: prevalences, patterns, and the potential of early disease detection. *Journal of the American College of Cardiology*. 2012;60(14):1207-16.
 38. Sarrafzadegan N, Sadeghi M, Oveisgharan S, Iranipour R. Incidence of cardiovascular diseases in an Iranian population: the Isfahan Cohort Study. *Archives of Iranian medicine*. 2013;16(3):138.
 39. Rezaei S, Sari AA, Woldemichael A, Soofi M, Kazemi A, Matin BK. Estimating the economic burden of lung cancer in Iran. *Asian Pacific journal of cancer prevention: APJCP*. 2016;17(10):4729.
 40. Larijani B, Fakhrzadeh H, Mohaghegh M, Pourebrahim R, Akhlaghi M. Burden of coronary heart disease on the Iranian oil industry [1999-2000]. 2003.
 41. Karami Matin B, Hajizadeh M, Najafi F, Homaie Rad E, Piroozi B, Rezaei S. The impact of health sector evolution plan on hospitalization and cesarean section rates in Iran: an interrupted time series analysis. *International Journal for Quality in Health Care*. 2017;30(1):75-9.
 42. Najafi F, Karami-Matin B, Rezaei S, Rajabi-Gilan N, Soofi M. Health system responsiveness after health sector evolution plan (HSEP): An inpatient survey in Kermanshah in 2015. *Medical journal of the Islamic Republic of Iran*. 2016;30:387.
 43. Zandian H, Tourani S, Moradi F, Zahirian moghadam T. Effect of Health Sector Evolution Plan on the Prevalence and costs of Caesarean section and natural childbirth. *Journal of the Iranian Institute for Health Sciences Research*. 16(4):411-9.
 44. Ghahramani S, Lankarani KB. Inpatient out-of-pocket in Iran after health transformation plan. *International journal of health policy and management*. 2018;7(9):877.
 45. Akdağ R. Lessons from health transformation in Turkey: leadership and challenges. *Health Systems & Reform*. 2015;1(1):3-8.
 46. Hashemi B, Baratloo A, Forouzafar MM, Motamedi M, Tarkhorani M. Patient satisfaction before and after executing health sector evolution plan. *Iranian Journal of Emergency Medicine*. 2015;2(3):127-33.
 47. Heshmati B, Joulaei H. Iran's health-care system in transition. *The Lancet*. 2016;387(10013):29-30.
 48. Arab-zozani M. Health sector evolution in Iran; a short review. *Evidence Based Health Policy, Management and Economics*. 2017;1(3):193-7.
 49. Ferdosi M, Kabiri S, Keyvanara M, Yarmohammadian MH. Challenges of iran health transformation plan about inpatients payment: Viewpoint of experts. *Health Scope*. 2017;6(3).
 50. Moradi T, Naghdi S, Brown H, Ghiasvand H, Mobinizadeh M. Decomposing inequality in financial protection situation in Iran after implementing the health reform plan: What does the evidence show

based on national survey of households' budget? The International journal of health planning and management. 2018;33(3):652-61.

51. Sajadi HS, Ehsani-Chimeh E, Majdzadeh R. Universal health coverage in Iran: Where we stand and how we can move forward. Medical journal of the Islamic Republic of Iran. 2019;33:9.
52. Makinen M, Waters H, Rauch M, Almagambetova N, Bitrán R, Gilson L, et al. Inequalities in health care use and expenditures: empirical data from eight developing countries and countries in transition. Bulletin of the world health organization. 2000;78:55-65.
53. Aji B, De Allegri M, Souares A, Sauerborn R. The impact of health insurance programs on out-of-pocket expenditures in Indonesia: an increase or a decrease? International journal of environmental research and public health. 2013;10(7):2995-3013.

Tables

Table 1: Baseline demographic characteristics of patients with CVD before and after HTP in north-west of Iran.

Demographic characteristics	Before HTP	After HTP	P-Value
Total Subjects	300	300	
Age mean (years)	62.43	62.61	0.881
Age Groups, %			0.865
<35	3.73	3.84	
35-44	6.08	6.07	
45-54	13.48	13.49	
55-64	26.34	26.33	
65+	50.37	50.27	
Gender			0.224
Male	68.6	65.3	
Average length of stay (ALOS)	3.42	3.88	0.702

Table 2. Average and Total Cost of Hospitalization for Patients with Cardiovascular Disease in Ardabil (North-west of Iran), 2018

Service Item	Before HTP			After HTP			Prec. Change	P-Value
	Mean Cost	Total Cost	Total Cost (%)	Mean Cost	Total Cost	Total Cost (%)		
Diagnostic tests	4,902,546	1,416,345,612	13.3	6,733,684	1,935,260,657	14.5	1.37	0.000
Medication & Drugs	6,745,609	2,005,469,481	18.3	8,869,887	2,613,068,600	19.1	1.30	0.000
Surgical Services								
Open Surgery	14,080,998	1,824,897,276	38.2	15,185,617	2,154,839,112	32.7	1.18	0.000
Angiography / Angioplasty	7,814,585	307,113,191	21.2	11,191,846	496,917,984	24.1	1.62	0.000
Visiting	1,142,699	342,809,625	3.1	1,486,054	445,816,291	3.2	1.30	0.000
Hoteling	2,248,536	614,524,957	6.1	2,972,109	826,543,404	6.4	1.35	0.000
OOP as a proportion of household total expenditure			54.2			36.7	0.67	0.000

HTP= Health Transformation Plan

OOP= Out Of Pocket

Prec.change= Percentage of Change

Service Item	Mean Cost		Total Cost (%)		p-value
	Before HTP	After HTP	Before HTP	After HTP	
Hospitalization	1,953,348,042,488	2,541,733,814,194	35.06	37.93	0.038
Direct Non-medical of cost	2,404,333,500	3,355,790,560	0.04	0.05	0.041
Mortality cost	3,615,314,347,567	4,155,499,500,311	64.89	62.01	0.081
Total cost	5,571,066,723,555	6,700,589,105,065	100	100	0.047

Figures




Figure 1

Hospitalization costs of Cardiovascular Diseases (CVDs), Before and after of Health Transformation Plan (HTP). Values are presented as Mean and Standard Deviation (SD). Based on estimation there were significant difference between Diagnostic tests (DT) * $p < 0.001$, Medication & Drugs (M & D) ** $p < 0.001$, Open Surgery (OS) *** $p < 0.001$, Angiography / Angioplasty (An) # $p < 0.001$, Visiting (Vis) ## $p < 0.001$, and Hoteling (HoT) ### $p < 0.001$ before and after of HTP in CVDs.