

Economic Burden of Hospitalized COVID-19 Patients in Iran

Marziyeh Rajabi

Bushehr University of Medical Sciences

Mehdi Rezaee

Kerman University of Medical Sciences

Habib Omranikhoo (✉ habibomranikho@yahoo.com)

Bushehr University of Medical Sciences

Abdolrasool Khosravi

Bushehr University of Medical Sciences

Saeed Keshmiri

Bushehr University of Medical Sciences

Hossien Ghaedi

Bushehr University of Medical Sciences

Research Article

Keywords: Economic Burden, Cost Analysis, hospitalization, COVID-19, Bushehr

Posted Date: February 3rd, 2022

DOI: <https://doi.org/10.21203/rs.3.rs-1317234/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Abstract

Background: The outbreak of COVID -19 has had destructive influences on social and economic systems as well as many aspects of human life. In this study, we aimed to estimate the economic effects of COVID-19 at the individual and societal levels during a fiscal year.

Methods: This is an economic evaluation study conducted as cross-sectional. Data of the COVID-19 patients referred to the hospitals affiliated to Bushehr University of Medical Sciences between March 2020 and 2021 were collected through the hospital information system (HIS). Cost of illness analysis was used to estimate the economic burden of COVID-19 for the province and Iran. The study methodology was based upon the human capital approach and bottom-up technic.

Results: The COVID -19 pandemic has resulted in 9711 confirmed hospital cases and 767 deaths in Bushehr province during the study period. The direct medical costs were estimated to be 439,774,265,491 Rials (\$ 27,893,839) in total with mean cost of 45,286,198 Rials (\$ 2872) per patient. Hospitalization, drugs and ICU costs were the highest with 36.44, 30.80 and 26.88% of total direct costs respectively. Indirect costs, including income loss due to hospitalization, recovery period at home and premature death were 20,884,492,800 (\$ 1,324,654), 62,058,707,200 (\$ 3,936,237) and 854,181,793,653 (\$ 54,178,726) Rials. Finally economic burden for the province and country was estimated to be 1,376,899,259,144 Rials (\$ 87,333,455) and 83,957,271,899,024 Rials (\$ 5,325,210,700).

Conclusion: The results showed that the economic burden of this disease particularly premature deaths costs is remarkably high. In addition, direct costs could go beyond the health system capacity. Therefore, in order to increase the resiliency of the health system and the stability in services delivery, preventive-oriented strategies have to be more seriously considered by policymakers.

Background

Corona virus or simply COVID-19 is an infectious disease firstly found as an epidemic on December 31, 2019, in Wuhan, China [1, 2]. This disease quickly spread across the world as the world health organization (WHO) on March 11, 2020, declared it as a pandemic [3]. The patients catching this virus manifest a various spectrum of symptoms from a mild fever to acute respiratory failure, also thromboembolic diseases, and dysfunction or failure of several organs [4]. People with underlying diseases like cardiovascular disease, diabetes, chronic respiratory disease and cancer are more likely to develop serious illnesses [5]. In rare cases, cardiac and cerebral problems have been reported in studies as well [6]. By October 29, 2021, this fatal disease has infected more than 245,373,039 million people and nearly 4,979,421 million have become the victim of this disease [7].

In Iran, the first case of the disease was reported on February 19, 2020 [8]. Since then, various measures have been implemented to prevent and control the disease [9]. Formulating health protocols for different job groups, insisting on social distancing, wearing a face mask, and temporary and classified closure of jobs with regard to the incidence rate of the disease in the affected geographic areas have been a number

of these policy actions [10]. Among the organizations involved with Corona, hospitals as the front line of fighting against corona are considered to be the heart of the organizations that suffered the most from this highly contagious disease [11]. In addition to the direct costs imposed on hospitals due to COVID 19, most of the public hospitals were forced to cancel the routine elective surgeries to effectively cope with the invasion of this virus [12]. The economic burden of COVID -19 exceeds the direct medical costs and extends to the indirect costs, especially premature deaths costs and costs of absenteeism [13-15]. lost productivity araised from the premature death with regard to the fatality rate of COVID-19 [16] and conducted studies about premature deaths rate [17] is estimated to be high.

The calculation of the economic burden of the disease has been studied in several studies [6, 18, 19]. But given the fact that different settings will have distinguished consequences, determining the economic burden of COVID- 19 in the studied environment is of great importance.

According to the report of Iranian health authorities, there have been 125,223 COVID-19 deaths in Iran with more than 5,860,844 Confirmed cases until October 25, 2021 [20]. Bushehr province with 1,465,000 population [21] is located in the southwest of Iran and coincident with the COVID-19 outbreak has been subjected to this disease, but no study has been conducted to determine the economic burden of COVID-19 in this province yet. As a result, this study aimed to demonstrate a relatively comprehensive picture of costs imposed from the societal perspective in the province and such an estimation of its economic burden in Iran.

Methods

Study design and population

This is an applied and cross-sectional research conducted using a partial economic evaluation method on which cost outcomes are described.

The research population included all the patients hospitalized with COVID-19 who had referred to all hospitals affiliated to Bushehr University of medical sciences from 20 March 2020 to 20 March 2021. No sampling was performed since all patients were included in the study.

Data source

The required data were collected through the hospital information system (HIS) database. The HIS is a large and comprehensive database at the hospital level in Iran encompassing all services and associated costs of patients admitted in hospitals. The information available in the HIS are qualitatively assured because they are based on records audited by representatives of different payers. Data elements included the patient's demographic information, hospital costs and discharge status (recovery or death).

Direct health- care costs per patient

Data recorded in the HIS database were used to calculate direct medical costs. Data were categorized as follows: hospitalization cost, drugs cost, intensive care unit (ICU) cost and other (laboratory, imaging, nursing, visit...) costs.

In order to calculate the average direct cost per patient, the total incurred costs by hospitals were divided by the number of COVID-19 patients.

Cost per patient = total hospital costs/number of COVID-19 patients

Indirect costs per patient

To estimate indirect costs, human capital approach was used. Indirect costs were put into two main categories. The first one included the cost of production lost due to hospitalization and rest at home and finally, absence at work, and the second one was lost productivity as a result of premature death at the ages of 15 to 65. Due to the fact that individuals under 15 and over 65 are not economically productive, their lost productivity was considered zero.

In order to calculate the average cost of hospitalization per patient in the hospital, the Average days of hospitalization was multiplied by the average daily wage of patients at ages 15-65 .in addition, to calculate the average cost owing to rest at home, days of home rehabilitation were determined based on experts' opinions (14 days) and then multiplied by the average wage of patients 15-65 years old. Considering that access to the average daily wage of patients was not possible, the minimum daily wage determined by Iran's labor office was replaced [22].

Furthermore, The Forgone Labor Output (FLO) equation was used to estimate the potentially lost productivity due to the premature deaths:

$$Pi = \sum_{i=1}^n \frac{w(1+G)^i}{(1+r)^i}$$

In this equation w is the minimum wage lost per person per year, G is the annual growth rate, r is the discount rate, i is the number of years of life lost and p is the current value of the predicted future income per workforce [23].

Economic burden:

To estimate total economic burden of COVID-19 in the province, a bottom-up approach was used. Accordingly: firstly, direct cost per patient was multiplied by the number of hospitalized patients. Secondly, the average indirect cost due to hospitalization in hospital and rest at home was multiplied by the number of patients 15 to 65 thirdly, the average indirect cost due to premature death per patient was multiplied by the number of dead patients 15 to 65 and finally, the obtained results were added together [24].

Accordingly, the economic burden will be estimated as follows:

$$C = \sum_x p_x \times i_x$$

Where i_x is the number of affected patients and p_x is the unit cost at the patient level and C is the overall cost [24].

All costs were calculated in Iran's Rial at 2020 value and then converted to purchasing power parity (PPP) 2020, adjusted by, equivalent to 15,766 Rials per 1 dollar [25].

Statistical analyses

Descriptive statistics were utilized to summarize data and in this line demographic and hospitalization attributions such as insurance status, gender, age, place of residence, average length of stay, discharge Condition (death /recovery), average direct and indirect costs and total cost of major costing groups (ICU, drugs, hospitalization cost) were examined. Frequencies and percentages were reported for categorical variables and Continuous variables were summarized using means and standard deviations (SD).

Sensitivity analysis

Since indirect costs estimation was done based on the minimum daily wage and also full employment of 15-65 age group, a sensitivity analysis in the positive and negative range of (-20, +20) was performed to increase the robustness of the results.

Results

Demographic and hospitalization findings of the study population

9711 hospitalized COVID-19 patients were identified from 20 March 2020 to 20 March 2021 using HIS database. Table 1 presents the demographic, and hospitalization characteristics of studied cases.

The mean age of the hospitalized COVID-19 patients was 49.7 ± 18.50 years. 2.62 % of the patients were under 15 years old, 75% were 15–65 years old and 22.3% were 65 years or higher. On average, the length of stay (LOS) per patient was 4.71 days and the same indicator among the ICU patients was 9.88 days.

Table 1: Demographic characteristics of patients studied in 2020 (N = 9711)

Variables		All patients		ICU patients		Dead patients	
		Count	%	count	%	Count	%
Gender	Female	4430	46	338	45	295	41
	Male	5281	54	420	55	422	59
Insurance status	Yes	9180	95	734	97	690	96
	No	531	5	24	3	27	4
residency	Rural	1728	18	152	20	153	21
	Urban	7983	82	606	80	564	79
Discharge status	Death	717	7	474	63	717	100
	Recovery	8994	93	283	37	0	0
		Mean	SD	mean	SD	Mean	SD
Age		49.74	18.50	58.24	20.66	64.16	16.82
Los		4.71	5.35	9.88	8.88	9.53	9.53

54% of the hospitalized COVID-19 cases were male and approximately the same percentage of ICU COVID-19 patients were male as such almost three-fifths of dead COVID-19 patients were male. Of hospitalized cases, 95% were insured and 82% of whom were residents of urban areas. Overall, 7% of hospitalized COVID-19 patients died while the death rate of ICU patients was 63%.

direct medical costs

given the results, the total direct cost was calculated to be 439,774,265,491 Rials (\$ 27,893,838) and in turn, the average direct cost was 45,286,198 Rials (\$ 2872) per patient (table 2,3).

findings also showed that the largest share of direct costs belonged to the in-patient beds cost and drugs with 36.44% and 30.80% equivalent to \$10,164,189 and & 8,590,578r respectively.

following that, ICU costs accounted for 26.88% of total direct costs. all in all, the three major cost groups mentioned above constituted approximately 95 % of total direct costs (table2).

Table 2: major components of direct costs of hospitalized COVID-19 patients

Cost components	Total	
	Mean cost(Rial)	%
Hospitalization	160,248,610,431	36.44
Drugs	135,439,061,633	30.80
ICU	118,212,523,672	26.88
Others	25,874,069,755	5.88
Total	439,774,265,491	100

Table 3: Average direct and indirect cost per patient (Rial).

	Direct cost	Indirect cost		
		Lost income		Premature death
		Hospitalization	Recovery at home	
Cost per patient	45,286,198	2,865,600	8,915,200	2,612,176,739
Total	439,774,265,491	20,884,492,800	62,058,707,200	854,181,793,653
Economic burden	1,376,899,259,144			

Indirect cost

Lost productivity due to hospitalization

To estimate indirect costs of hospitalized patients, the average length of stay (LOS) of 15–65-year-old patients (4.5 days) was multiplied by the minimum daily wage (636,800). Consequently, indirect cost per patient was estimated to be 2,865,600 Rials equivalent to \$182

Lost productivity due to Convalescence period

Production loss owing to the recovery period at home was estimated through multiplying with average days of Convalescence period (14 days) in the minimum daily wage of recovered patients 15-65 years old and it was calculated 8,915,200 Rials (\$ 566).

Lost productivity due to premature death

To calculate average years of lost life (YLL), the average age of dead patients (52 years) was subtracted from the maximum productivity age (65 years) and as a result, YLL calculated 13 years. given the fact

that the salary of dead patients was not available, the minimum salary determined by the Iran Labour Organization (ILO) in 2020 was utilized. It was calculated 244,251,240 per year (\$ 15,492) for a dead patient. Finally using the previously mentioned formula in methodology, lost productivity for all dead patients in productive age (327 patients) was estimated as follows.

$$p=2,612,176,739*327=854,181,793,653\text{Rials } (\$ 54,178,726).$$

Economic burden

Economic burden was estimated according to the equation mentioned in the methodology. As a result, Economic burden = (direct cost per patient* the number of hospitalized COVID-19 patients) + (the number of patients 15 to 65* average indirect cost due to absence at work) + (the number of dead patients 15 to 65 * average indirect cost due to premature death).

$$C= (45,286,198*9711) + (2,865,600*7288) + (8,915,200*6961) + (2,612,176,739*327) =1,376,899,259,144 \text{ Rials } (\$ 87,333,455).$$

In line with the proportion of Bushehr to Iran population (1.64%), the Economic burden imposed by COVID 19 on the country during the studied period would be 83,957,271,899,024 Rials (\$ 5,325,210,700).

Sensitivity analysis

Since the estimated indirect burden is sensitive to the average daily wage as well as the number of employed people, a sensitivity analysis was performed in the (-20, +20) range to increase the robustness of the results. With these explanation, economic burden of Bushehr province would be (\$ 74,702,946- \$ 99,221,156) and consequently Iran's economic burden to be estimated (\$ 4,555,057,621- \$ 6,046,235,487) within the study period.

Discussion

This is the first study dealing with the economic burden of COVID-19 in Bushehr province. Calculation of economic burden is of considerable importance especially when the outbreak of disease is high and countries severely face financial resources constraints and could help formulate appropriate strategies adopted by policymakers.

In this retrospective study, 9711 hospitalized COVID-19 patients were identified from 20 March 2020 to 20 March 2021 of whom 54% were male and 22.3% were $X \geq 65$ which is approximately consistent with those described by Ghaffari Darab et.al. Yet the percentage of affected females in Maltezou et.al study was higher (71%) compared to that obtained in the current study which is probably dependent on the studied setting where only health care workers were examined [18, 19]. the mean age was 49.7 ± 18.5 which is lower than Jeck et.al as well as Di Fusco et.al studies and higher than that mentioned in Maltezou et.al study [6, 18, 26]. one of the main reasons attributed to this difference is the high proportion of the young population in the researched province [21]. but since the examined sample in the Maltezou

et.al study were health workers; the average age was naturally lower [18]. the current study highlighted 95 % of patients were insured which is nearly close to the reported percentage (4.5% in Di in Fusco et.al study [6]) but from the perspective of the hospital population served, the result was different as the proportion of the rural population in our study was higher (18 against 10.5%).

In-hospital mortality in the current study was 7%. This proportion among the admitted patients in ICU increased to 63%. The in-hospital mortality rate observed in this study to some extent was higher than what was reported in the Jin et.al study [27], but in comparison to Di Fusco et.al study [6], the mortality rate in our study was roughly 50% lower (13.6% against 7%).observed lower mortality rate could be attributed to the different treatment protocols and ease of access to treatments and also other appropriate strategies adopted by health ministry such as Equipping hospitals with oxygen generators and increased the hospital beds and canceling non-emergency surgeries.

Examining average LOS showed that this indicator for the whole patients was 4.71 days which is lower than the figures reported in Ghaffari Darab et.al, Di Fusco et.al, Maltezou et.al and Jeck et.al studies (7, 8.3, 7.3, and 16.4 days) respectively [6, 18, 19, 26] and nearly doubled (9.88 days) for the hospitalized patients in ICU ward Which is slightly different from the figure reported in Di Fusco et .al study [6]. Discretion of physicians and also customized clinical guidelines could be the main drivers of this difference.

The average direct hospital cost per patient in hospitals affiliated to Bushehr University of Medical Sciences was estimated to be 45,286,198 Rials (\$ 2872). While reported direct medical cost per patient in another study conducted in Iran was \$ 3755[19]. In addition, two conducted studies by Di Fusco et.al and Bartsch et.al in the United States revealed that on average, the direct cost of COVID-19 per patient has been \$ 3045 and \$ 24571 respectively [6, 28]. The average longer length of stay, as well as different treatment processes in these studies, are the main drivers attributed to the higher cost.

The largest share of direct medical costs belonged to the patients hospitalized in the ICU ward. Results highlighted that although 7% of COVID-19 patients received ICU services, however, the share of these patients from the total cost imposed on hospitals was 26%. Indeed, on average, the cost of ICU patients was 3.4 times that of other patients (\$ 9891 against \$ 2872), meanwhile, the average cost of ICU patients in the study conducted by Ghaffari Darab et.al and also Di Fusco et.al was estimated to be \$ 13267 and \$ 25688 respectively [6, 19]. This difference in costs could have resulted from underlying conditions of hospitalized patients, different clinical guidelines, physicians' discretion, and in turn the volume of delivered services, and finally, some differences in service unit cost. Drug cost groups along with hospitalization and ICU cost groups were three main components of hospital direct costs as almost 90% of hospital costs belonged to these three groups.

In addition to direct medical costs which are a proxy of the costs incurred by hospitals, the economic burden of the COVID-19 outbreak exceeds it and the societal cost of COVID-19 greatly outweighs the medical costs. Findings showed that only productivity losses due to premature death per patient were 2,612,176,739 Rials (\$ 165,684) that in comparison with average direct medical costs is 58 times. The

average indirect cost owing to premature death is nearly close to the estimated amount in another study conducted in Iran [19]. societal costs will exceed this amount when the lost productivity due to hospitalization and recovery course is considered as well. These figures for hospitalization as well as recovery course are 2,865,600 Rials (\$ 182) and 8,915,200 Rials (\$ 566) per patient respectively.

According to the findings of the study, economic burden of COVID-19 in Bushehr province is estimated to be 1,376,899,259,144 Rials (\$ 87,333,455) that 32% out of \$ 87,333,455 constitute direct medical costs. in another word, the share of societal or indirect costs is more than twofold. Considering that Buser's population is 1.64% of country one [21], the economic burden of COVID-19 for Iran is estimated to be \$ 5,325,210,700 during the study period which is equivalent to % 0.5 Iran's GDP in 2019 [29] which in comparison with the results of another study undertaken in Iran is higher [19].

Since the estimated economic burden is influenced by minimum daily wage and also the number of patients employed, therefore a sensitivity analysis was undertaken to enhance the power of the study. Accordingly, findings indicate that economic consequences of COVID -19 disease at the least estimation are considerably high and increased prevalence will definitely lead to the rise of a tremendous economic burden. Consequently, the health care system and society will be undergone more challenges.

Conclusion

Our study findings provide a relatively comprehensive picture of hospitalized COVID-19 patients' characteristics and also offers valuable insights into hospital and non-hospital cost of COVID-19. Furthermore, considering budget constraints, findings indicate that continuity of this trend would lead to the decreased capacity of the health care system in delivering routine services and in turn higher out-of-pocket payments and even more mortality and finally increased economic burden. in conclusion, to increase the resiliency of the health system against these kinds of unprecedented crises we need to put preventive measures in the priority which are dominantly more cost-effective strategies than therapeutic actions. Otherwise, health systems may face collapse.

Limitations

The findings of this study should be interpreted in the contexts of several limitations. In the present study, due to the lack of access to patients' income, the minimum wage was used to calculate indirect costs. therefore, the economic burden may be underestimated. In addition, in this study only hospitals affiliated to Bushehr University of Medical Sciences were included therefore, Generalizability should be done with caution.

List Of Abbreviations

HIS: Hospital Information System, FLO: Forgone Labor Output, PPP: Purchasing Power Parity, ICU: Intensive Care Unit, LOS: Length of Stay, GDP: Gross Domestic Product, ILO: Iran Labour Organization,

Declarations

- **Ethics approval and consent to participate**

All data are collected and handled in accordance with the relevant privacy protection guidelines. According to Iran law, the study did not fall under the remit of the Medical Research Involving Human Subjects because the design of the study was secondary data analysis, written consent was not necessary. but the ethics code was received from Bushehr University of Medical Sciences.

- **Consent for publication**

All participants completed a consent form, stating that they were well-informed about the Content of questionnaires and that they agreed upon the publication of anonymized data.

- **Availability of data and materials**

The datasets generated and analyzed during the current study are not publicly available because they contain information that could compromise the privacy of research participants, but are available from the corresponding author upon reasonable request.

- **Competing interests**

The authors declare no competing interests.

- **Funding:**

- This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

- **Authors' contributions**

- Ma.R: Conceptualization, Data curation, Supervision, Validation, Writing - review & editing, Methodology, Software, Roles/Writing - original draft
- R.: Conceptualization, Data curation, Supervision, Validation, Writing - review & editing
- O.: Conceptualization, Data curation, Methodology, Software, Project administration, Investigation, Supervision, Validation, Writing - review & editing, Roles/Writing - original draft.
- Kh.: Conceptualization, Data curation, Methodology, Methodology Supervision, Validation, Writing - review & editing.
- K.: Conceptualization, Data curation, Methodology, Methodology Supervision, Validation, Writing - review & editing.
- Gh.: Data curation, Methodology, Software, Validation, Writing - review & editing.

- **Acknowledgements**

We hereby thank all the staff of Bushehr University of Medical Sciences for their generous help in conducting this study.

References

1. Olivares, F., et al., *Covid-19 in Chile. The experience of a Regional reference Center. Preliminary report.* medRxiv, 2020.
2. Xiong, J., et al., *Impact of COVID-19 pandemic on mental health in the general population: A systematic review.* Journal of affective disorders, 2020.
3. Lipsitch, M., D.L. Swerdlow, and L. Finelli, *Defining the epidemiology of Covid-19—studies needed.* New England journal of medicine, 2020. **382**(13): p. 1194-1196.
4. Gautier, J.F. and Y. Ravussin, *A new symptom of COVID-19: loss of taste and smell.* Obesity, 2020. **28**(5): p. 848-848.
5. Nurchis, M.C., et al., *Impact of the Burden of COVID-19 in Italy: Results of Disability-Adjusted Life Years (DALYs) and Productivity Loss.* International journal of environmental research and public health, 2020. **17**(12): p. 4233.
6. Di Fusco, M., et al., *Health outcomes and economic burden of hospitalized COVID-19 patients in the United States.* J Med Econ, 2021. **24**(1): p. 308-317.
7. World Health Organization. *WHO Coronavirus (COVID-19) Dashboard.* Available from URL: <https://covid19.who.int/>. Retrieved 30 October 2020.
8. TA, G., *WHO Director-General's opening remarks at the media briefing on COVID-19-11 March 2020.* World Health Organization, 2020.
9. Zhu, N., et al., *A Novel Coronavirus from Patients with Pneumonia in China, 2019.* New England Journal of Medicine, 2020. **382**(8): p. 727-733.
10. Islam, N., et al., *Physical distancing interventions and incidence of coronavirus disease 2019: natural experiment in 149 countries.* BMJ, 2020. **370**: p. m2743.
11. Ohsfeldt, R.L., et al., *Inpatient Hospital Costs for COVID-19 Patients in the United States.* Adv Ther, 2021. **38**(11): p. 5557-5595.
12. Sims, B.M., et al., *Effect of elective surgery cancellations during the COVID-19 pandemic on patients' activity, anxiety and pain.* Br J Surg, 2021.
13. Pillai, D.D.M., et al., *Socio-economic impact of coronavirus disease 2019 (COVID-19) - An Indian outlook.* Journal of family medicine and primary care, 2020. **9**(10): p. 5103-5106.
14. Josephson, A., T. Kilic, and J.D. Michler, *Socioeconomic impacts of COVID-19 in low-income countries.* Nature Human Behaviour, 2021. **5**(5): p. 557-565.
15. Faramarzi, A., et al., *The lost productivity cost of absenteeism due to COVID-19 in health care workers in Iran: a case study in the hospitals of Mashhad University of Medical Sciences.* BMC Health Serv

- Res, 2021. **21**(1): p. 1169.
16. Shakor, J.K., et al., *Health related factors contributing to COVID-19 fatality rates in various communities across the world*. J Infect Dev Ctries, 2021. **15**(9): p. 1263-1272.
 17. Omranikhoo, H., et al., *Avoidable Mortality Differences between Rural and Urban Residents During 2004-2011: A Case Study in Iran*. Int J Health Policy Manag, 2013. **1**(4): p. 287-93.
 18. Maltezou, H.C., et al., *Costs associated with COVID-19 in healthcare personnel in Greece: a cost-of-illness analysis*. J Hosp Infect, 2021. **114**: p. 126-133.
 19. Ghaffari Darab, M., et al., *The economic burden of coronavirus disease 2019 (COVID-19): evidence from Iran*. BMC Health Serv Res, 2021. **21**(1): p. 132.
 20. World Health Organization. *WHO Coronavirus (COVID-19) Dashboard*. Available from URL: <https://covid19.who.int/region/emro/country/ir>. Retrieved 26 October 2020.
 21. Iran Statistic Centre, editor. [updated 2021]; Available from: <https://www.amar.org.ir/english/Statistics-by-Topic/Population>.
 22. *Details of workers' wages in 2021*. [cited 2021 Oct 28]. Available from: <https://alborz.mcls.gov.ir/fa/news/236599/>.
 23. Zakeri, R., et al., *The economic burden of road traffic injuries until one-year after hospitalization: A survey study*. Accid Anal Prev, 2021. **163**: p. 106459.
 24. Keshavarz, K., et al., *Economic burden of hemophilia A and B: a case in Iran*. Hematology, 2020. **25**(1): p. 149-155.
 25. World Bank. *PPP conversion factor, GDP (LCU per international \$) - Iran, Islamic Rep*. [Accessed 5-22-2020]; Available from: <https://data.worldbank.org/indicator/PA.NUS.PPP?locations=IR>.
 26. Jeck, J., et al., *A cost of illness study of COVID-19 patients and retrospective modelling of potential cost savings when administering remdesivir during the pandemic "first wave" in a German tertiary care hospital*. Infection, 2021: p. 1-11.
 27. Jin, H., et al., *Economic burden of COVID-19, China, January-March, 2020: a cost-of-illness study*. Bull World Health Organ, 2021. **99**(2): p. 112-124.
 28. Bartsch, S.M., et al., *The Potential Health Care Costs And Resource Use Associated With COVID-19 In The United States*. Health Aff (Millwood), 2020. **39**(6): p. 927-935.
 29. World Bank. *GDP, PPP (current international \$) - Iran, Islamic Rep*. [Accessed 4-10-2021]; Available from: <https://data.worldbank.org/indicator/NY.GDP.MKTP.PP.CD?locations=IR>.