

Overcrowded Housing Increases Risk for COVID-19 Mortality: An Ecological Study

Karan Varshney (✉ kvarshney@deakin.edu.au)

Deakin University <https://orcid.org/0000-0003-3605-9824>

Talia Glodjo

Thomas Jefferson University

Jenna Adalbert

Thomas Jefferson University

Research Article

Keywords: COVID-19, mortality, housing, inequities, prevention

Posted Date: February 28th, 2022

DOI: <https://doi.org/10.21203/rs.3.rs-1323646/v1>

License:   This work is licensed under a Creative Commons Attribution 4.0 International License. [Read Full License](#)

Version of Record: A version of this preprint was published at BMC Research Notes on April 5th, 2022. See the published version at <https://doi.org/10.1186/s13104-022-06015-1>.

Abstract

Objectives

Overcrowded housing is a sociodemographic variable associated with increased infection and mortality rates from communicable diseases. It is not well understood if this association exists for COVID-19. Our objective was to hence determine the association between household overcrowding and risk of mortality from COVID-19, and this was done by performing bivariable and multivariable analyses using COVID-19 data from cities in Los Angeles County.

Results

Bivariate regression revealed that overcrowded households were positively associated with COVID-19 deaths (standardized $\beta=0.863$, $p<0.001$). COVID-19 case totals, people aged 60+, and the number of overcrowded households met conditions for inclusion in the backwards stepwise linear regression model. Analysis revealed all independent variables were positively associated with mortality rates, primarily for individuals 60+ (standardized $\beta_1=0.375$, $p=0.001$), followed by overcrowded households (standardized $\beta_2=0.346$, $p=0.014$), and total COVID-19 cases (standardized $\beta_3=0.311$, $p<0.001$). Our findings highlight that residing in overcrowded households may be an important risk factor for COVID-19 mortality. Public health entities should consider this population when allocating resources for prevention and control of COVID-19 mortality and future disease outbreaks.

Introduction

As of November 1, 2021, over 750,000 deaths in the United States (US) have been attributed to COVID-19 infection [1]. In the US, mortality among individuals with communicable and non-communicable disease is disproportionately higher for those with poor socioeconomic circumstances [2], [3]. Household size, defined as the number of individuals occupying one household, is a key sociodemographic variable related to the spread of disease. "Household overcrowding" is a term applied to households in which the number of occupants surpasses the number of rooms, and is disproportionately prevalent among Hispanic persons, persons living in rented homes, persons not born in the US, households earning less than \$25,000 per year, in the Western US, and urban areas [5]. In particular, household overcrowding has been historically associated with an increased incidence in infectious pathogens, such as helminths and tuberculosis [4].

Although larger household size and overcrowding have been associated with a greater incidence of COVID-19 infection, there has been limited research has been conducted on the effect that household overcrowding has on COVID-19 mortality rates [6], [7]. Critically, however, one study has demonstrated a possible link between COVID-19 mortality and total number of overcrowded households, though the evidence was limited and hence the authors suggested a need to study this association in more detail [8]. Given the paucity of research in this area and its potential impact on future research and data acquisition in a pandemic setting, the purpose of this ecological study was to analyze the association between household overcrowding and mortality from COVID-19.

Methods

Los Angeles (LA) County has the greatest population density in the US [9] and has recorded the highest number of COVID-19 cases (>1,240,000) and deaths (>24,000) in the nation [10]. COVID-19 data was acquired for all cities in LA County [11], along with data on housing and demographics up until July 28, 2021 [9]. Institutional Review Board approval was not required, as all data used for this study is publicly available.

Overcrowded households were defined as having 1.0+ persons per room. Bivariate regression was performed between the number of overcrowded households and the number of COVID-19 deaths. Backwards stepwise linear regression was then conducted with risk factors for COVID-19 mortality, such as race, sex, level of income, and age as eligible input variables. Collinearity was assessed by considering the variance inflation factors (VIF); variables with high collinearity (VIF > 8) were removed from the model.

Results

Data were fully available for 85 of the 88 cities in LA County. Of these 85 cities, there were a total of 540,155 COVID-19 cases, 10,947 COVID-19 deaths, and 6,784 overcrowded households. Full descriptive statistics of variables considered for analysis are listed in Table 1.

Table 1
Descriptive statistics for cities of LA County

Variable	Total across 85 cities	Median (range)
COVID-19 cases	540,155	991 (19 – 25,582)
COVID-19 deaths	10,947	93 (0 – 633)
Overcrowded households	138,755	987 (0 – 6,784)
Males	2,193,265	19,212 (42 – 103,918)
0-19 years of age	1,146,966	9,722 (23 – 59,833)
20-59 years of age	2,467,903	22,311 (49 – 114,242)
60+ years of age	862,657	8,316 (18 – 47,832)
Black race	306,691	840 (0 – 46,326)
Hispanic race	2,106,564	14,613 (60 – 109,103)
Median household income	7,159,521	71,948 (39,738 – 239,375)
Unemployed (above 16 years of age)	147,380	1,302 (2 – 7566)

Bivariate regression indicated that the number of overcrowded households was positively associated with the number of COVID-19 deaths (standardized $\beta = 0.863$, $p < 0.001$). A stronger association was seen between COVID-19 cases, and deaths (standardized $\beta = 0.892$, $p < 0.001$).

Of the eligible variables, three met the conditions for inclusion in the backwards stepwise linear regression model: total COVID-19 cases, the number of individuals aged 60+, and total overcrowded households. The analysis revealed that all three of these independent variables were positively associated with the number of COVID-19 deaths. The largest effect was seen in individuals aged 60+ (standardized $\beta_1 = 0.375$, $p = 0.001$), followed by overcrowded households (standardized $\beta_2 = 0.346$, $p = 0.014$), and total COVID-19 cases (standardized $\beta_3 = 0.311$, $p < 0.001$). For each of the three variables, results of the analyses are listed in Table 2.

Table 2
Association with COVID-19 mortality* for bivariate and multivariable analysis of eligible variables

	Bivariate analysis			Multivariable analysis		
	Unstandardized β (95% CI)	Standardized β	P-value	Unstandardized β (95% CI)	Standardized β	P-value
Overcrowded households	0.063 (0.54, 0.071)	0.863	p<0.001	0.025 (0.013, 0.037)	0.346	p<0.001
COVID-19 cases*	0.017 (0.015, 0.019)	0.892	p<0.001	0.006 (0.003, 0.009)	0.311	p=0.001
Individuals age 60+	0.012 (0.010, 0.014)	0.825	p<0.001	0.005 (0.004, 0.007)	0.375	p<0.001

*COVID-19 case and death data from as of July 28, 2021

Discussion

Per the results of our analysis, household overcrowding is a significant risk factor for COVID-19 mortality. Importantly, the results of our study revealed that in LA County, household overcrowding was an even stronger predictor of increased mortality rates than the total number of COVID-19 cases. Additionally, our findings emphasize that elderly citizens residing in overcrowded households are at a particularly increased risk of mortality from COVID-19.

These findings suggest key implications for addressing the COVID-19 pandemic and future outbreaks of communicable disease. These findings are consistent with studies investigating COVID-19 transmissibility which found transmission to be greater in indoor congregate settings, such as jails and buses [13]. These settings share similar characteristics with overcrowded housing, including prolonged time spent with the same group of individuals, minimal ventilation, and multiple individuals occupying a limited space. While age, level of income, ethnic background, and medical co-morbidities have been frequently described as risk factors for poor outcomes associated with COVID-19 infection [12], our analyses suggest that public health measures designed to reduce mortality among persons with COVID-19 ought to make special consideration of persons living in overcrowded housing. The Centers for Disease Control and Prevention (CDC) has suggested that infected individuals maintain a six-foot distance between themselves and other household members to reduce transmission through the air by droplets and aerosols [14], however for persons living in overcrowded housing, complying with this recommendation may be difficult or impossible. Developing recommendations that aim to specifically address the unique needs of persons living in overcrowded housing may improve the health outcomes for this group. In addition, public health entities and healthcare providers should assess the prevalence of household overcrowding in the populations that they serve to inform interventions and more effectively allocate resources for COVID-19 prevention and control. More broadly, this study underlines how this pandemic has exacerbated the detrimental effects of the housing crisis in the US on the health of the population, and the urgent need to increase access to affordable housing to reduce morbidity and mortality from COVID-19.

Household overcrowding may increase the risk of COVID-19 mortality. Public health agencies should recognize the importance of effectively allocating resources to areas with overcrowded housing during the COVID-19 pandemic and future disease outbreaks. Our findings emphasize an imperative for further studies exploring the association between overcrowded housing and COVID-19 mortality, as well as mortality attributed to other communicable pathogens.

LIMITATIONS

Limitations of our work include that our ecological analysis can only provide partial insights regarding the additional barriers experienced by populations in overcrowded housing, such as discrimination or social exclusion. Furthermore, we were unable to account for undocumented or homeless individuals, which are equally important populations to consider when addressing infection and mortality rates. Finally, while the cities in LA County encompass a large portion of the County's population, they do not account for unincorporated areas (regions not governed by municipal corporations), which comprise a sizeable proportion of the County. Regardless of these limitations, our study emphasizes the imperative for further research and data acquisition on the association between household overcrowding and mortality due to COVID-19 infection.

Abbreviations

US
United States
LA
Los Angeles
VIF
variance inflation factors
CDC
Centers for Disease Control and Prevention

Declarations

Ethics approval and consent to participate: This project utilized publicly available data, and ethics approval was hence not required.

Consent for publication: As ethics approval was not required, participant consent for publication was not required.

Conflict of Interest: The authors have no conflicts of interest associated with the material presented in this paper.

Funding: No funding was provided to any of the authors for this work.

Acknowledgements: The authors have no acknowledgements to be made as there were not any other contributors to this work.

Availability of data and materials: The datasets used and/or analysed during the current study are available from the corresponding author on reasonable request

Author Contributions: Conceptualization: KV. Data curation: KV, TG. Formal analysis: KV, TG, JA. Funding acquisition: N/A. Methodology: KV, TG, JA. Project administration: N/A. Visualization: KV, JA. Writing – original draft: KV, JA. Writing – reviewing & editing: KV, TG, JA.

References

1. Centers for Disease Control and Prevention [CDC]. COVID Data Tracker. *U.S. Department of Health and Human Services*. 2021. Retrieved from <https://covid.cdc.gov/covid-data-tracker/#datatracker-home>.
2. Zonderman AB, Mode NA, Ejiogu N, Evans MK. Race and Poverty Status as a Risk for Overall Mortality in Community-Dwelling Middle-Aged Adults. *JAMA Intern Med*. 2016;176(9):1394-1395. doi:10.1001/jamainternmed.2016.3649

3. Karmakar M, Lantz PM, Tipirneni R. Association of Social and Demographic Factors With COVID-19 Incidence and Death Rates in the US. *JAMA Netw Open*. 2021;4(1):e2036462. Published 2021 Jan 4. doi:10.1001/jamanetworkopen.2020.36462
4. Neiderud CJ. How urbanization affects the epidemiology of emerging infectious diseases. *Infect Ecol Epidemiol*. 2015;5:27060. Published 2015 Jun 24. doi:10.3402/iee.v5.27060
5. Blake, K.S, Kellerson, R L., Simic A. Measuring overcrowding in housing. *Econometrica, Inc. Bethesda, MD*. 2007. Retrieved from https://www.census.gov/content/dam/Census/programs-surveys/ahs/publications/Measuring_Overcrowding_in_Hsg.pdf
6. Mendez AD, Escobar M, Romero M, Wojcicki JM. Overcrowding and exposure to secondhand smoke increase risk for COVID-19 infection among Latinx families in the greater San Francisco Bay Area. *Tob Induc Dis*. 2021;19:79. Published 2021 Oct 13. doi:10.18332/tid/140827
7. Raisi-Estabragh Z, McCracken C, Bethell MS, et al. Greater risk of severe COVID-19 in Black, Asian and Minority Ethnic populations is not explained by cardiometabolic, socioeconomic or behavioural factors, or by 25(OH)-vitamin D status: study of 1326 cases from the UK Biobank. *J Public Health (Oxf)*. 2020;42(3):451-460.
8. Kamis C, Stolte A, West JS, Fishman SH, Brown T, Brown T, Farmer HR. Overcrowding and COVID-19 mortality across US counties: Are disparities growing over time?. *SSM-Population Health*. 2021 Jun 12:100845.
9. U.S. Census Bureau. Datasets. *United States Census Bureau*. 2021. Retrieved from: <https://www.census.gov/data/datasets.html>
10. Coronavirus Resource Center. COVID-19 United States Cases by County. *Johns Hopkins University*. 2021. Retrieved from <https://coronavirus.jhu.edu/us-map>.
11. County of Los Angeles Public Health [County of LA Public Health]. *LA County Daily COVID-19 Data*. 2021. Retrieved from: <http://publichealth.lacounty.gov/media/coronavirus/data/index.htm>
12. Rozenfeld Y, Beam J, Maier H, et al. A model of disparities: risk factors associated with COVID-19 infection. *Int J Equity Health*. 2020;19(1):126. Published 2020 Jul 29. doi:10.1186/s12939-020-01242-z
13. Ge Y, Martinez L, Sun S, et al. COVID-19 Transmission Dynamics Among Close Contacts of Index Patients With COVID-19: A Population-Based Cohort Study in Zhejiang Province, China. *JAMA Intern Med*. 2021;181(10):1343–1350. doi:10.1001/jamainternmed.2021.4686
14. Centers for Disease Control and Prevention. (n.d.). *How to protect yourself & others*. Centers for Disease Control and Prevention. Retrieved January 14, 2022, from <https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/prevention.html>