A survey of implicit bias training in physician assistant and nurse practitioner postgraduate fellowship/residency programs

Vasco Deon Kidd (✉ deon60@yahoo.com)

University of California Irvine (UCI Health)

Jennifer Spisak

New York University Langone Medical Center

Sarah Vanderlinden

Medical College of Wisconsin

Gerald Kayingo

University of Maryland

Research Article

Keywords: implicit bias, unconscious bias, diversity training, postgraduate training, fellowship, residency, physician assistant, physician associate, nurse practitioner, advanced practice provider

Posted Date: February 23rd, 2022

DOI: <https://doi.org/10.21203/rs.3.rs-1364148/v1>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Abstract

Background: There has been renewed focus on advancing inclusivity within organized medicine to reduce health disparities and achieve health equity by addressing the deleterious effects of implicit bias in healthcare and clinical outcomes. It is well documented that negative implicit attitudes and stereotypes perpetuate inequity in healthcare.

The aim of this study is to investigate implicit bias training in postgraduate physician assistant (PA) and nurse practitioner (NP) education; describe delivery of content to trainees; and detail program directors' attitudes toward this type of training. Although there is research examining implicit bias training in physician residency training, there are no published studies on implicit bias training in postgraduate PA and NP postgraduate residency/fellowship programs.

Method: A non-experimental, descriptive study was designed to obtain information via survey from members of the Association of Postgraduate Physician Assistant Programs (APPAP).

Results: The response rate was 41%. The majority of respondents (76%) felt that PA and NP postgraduate programs should include implicit bias instruction. Educational strategies used by PA and NP postgraduate programs or their sponsoring institution to deliver implicit bias content to trainees include: implicit bias training modules (50%), facilitated group discussions (36%), invited speaker on implicit bias (33%), case studies on implicit bias (16%), and implicit association test (10%); however, 30% of postgraduate programs do not provide implicit bias training to PA and/or NP trainees. Barriers to implementing implicit bias training expressed by some postgraduate programs include: uncertainty in how to incorporate implicit bias training (16%); lack of strategic alignment with training program or sponsoring institution (13%); time constraints (10%); financial constraints (6%); lack of access to content experts (6%); and unfamiliarity with evidence supporting implicit bias training (6%).

Conclusion: The present study sheds some light on the current state of implicit bias training in PA and NP postgraduate residency/fellowship programs. While the majority of programs offer some sort of implicit bias training, there is a need to standardize this training in PA and NP postgraduate education curricula using an actionable framework.

Background

A recent wave of protests triggered by perceived racial injustice and systemic inequalities in American society has placed a spotlight on the importance of addressing these pervasive challenges through multi-faceted diversity, equity, and inclusion (DEI) initiatives. One such approach to address longstanding grievances has been to expand implicit bias training across all sectors of society. Implicit bias is defined as unconscious and/or automatic mental associations made between the members of a social group (or individuals who share a particular characteristic) and one or more attributes (implicit stereotype) [1]. In healthcare, implicit bias training began to take shape after the release of the 2003 Institute of Medicine (IoM) report entitled, *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*, which

highlighted structural health inequalities among racial and ethnic minorities (2). Moreover, the report acknowledged the role of implicit bias in exacerbating health outcomes. This has led to a national call for cementing implicit bias training strategies for all healthcare professionals as the country strives to increase awareness of subconscious beliefs or attitudes and their impact on clinical outcomes.

Previous research has shown that healthcare professionals exhibit the same levels of implicit bias as the wider population, which leads to poor quality care (3). For example, health care providers appear to have positive attitudes toward whites and negative attitudes toward people of color (3–6); it follows that minorities lag behind the white population in preventive screening rates as well as access to specific medical interventions (1). This may be due in part to a lack of social consensus about the role of automatically-activated associations in influencing provider behaviors and the need for strategies to adjust automatic patterns of thinking. Consequently, implicit bias has been implicated in adverse patient-clinician interactions, including medical decision-making (3,7–9). When it comes to training of categorical residents, biases of medical educators can negatively influence trainee education as they model their educators' behaviors and actions (10). Also, repetitive experiences of racial bias experienced by residents have been linked to burnout and mental health issues (11–12); Therefore, creating and cultivating an inclusive and culturally competent health care workforce is critical in addressing patients and trainees with diverse backgrounds, values, beliefs, and ways of thinking (13).

Existing efforts to expand and support implicit bias training have become a priority for physician residencies over the course of their training (14–24). While PA and NP postgraduate residency/fellowship programs offer abbreviated specialty training in a variety of medical and surgical specialties (12 months or longer), though not required for initial certification or state licensure, it is equally important to demonstrate if and how PA and NP postgraduate residency/fellowship training programs are incorporating and facilitating implicit bias training into their curriculum and if not, isolate the perceived barriers that exist in delivering this content.

There is ample research indicating that PAs and NPs provide excellent clinical care without postgraduate residency/fellowship training (25, 26); nevertheless, there has been an expanded interest in these postgraduate programs from both federal and public sectors due in part to projected shortfalls in physician specialties and a desire among some PAs and NPs to improve “clinical readiness” through transition-to-practice opportunities. Additionally, some academic health systems have adopted PA and NP fellowship/residency training programs to bolster recruitment and retention strategies of qualified career staff (27). In the last few years, there has also been a consistent trend towards increased growth of research in the field of postgraduate PA and NP training (27–42), though a dearth of published studies investigating diversity efforts in these programs remains.

Hence, the overarching aim of this study is to identify potential barriers, attitudes, and strategies about implicit bias training in postgraduate PA and NP member programs affiliated with the Association of Postgraduate PA Programs (APPAP).

Method

A non-experimental, descriptive research study was designed to obtain information from members of APPAP using their listserv. After review of the implicit bias literature, a web-based survey was developed. Content validation and pilot testing of the survey was completed with help from four experts in the field of DEI. The four experts involved in the pilot did not participate in the overall survey. Individual postgraduate programs were sent an email invitation with a link to a voluntary, anonymous, online survey. The email introduction to the survey contained all the necessary elements of written consent and submission of the survey indicated the respondents' consent to participate.

The study period was from January 5, 2022 through February 5, 2022. Six email reminders were sent to non-respondents over the study period to ensure the highest possible response rate. The participants completed the survey through a secure, commercially available internet platform (SurveyMonkey), and confidentiality was maintained throughout the study. The average length of time to complete the survey was 3 minutes. No identifying information was obtained. Survey responses were aggregated, and descriptive statistical analyses were conducted using the statistical package embedded within the survey software. While the majority of survey questions were closed-ended, study participants were asked their opinions on four implicit bias survey questions and responses were evaluated on a five-point Likert scale (ranging from 1, strongly disagree, to 5, strongly agree). In our data analysis, we decided to aggregate the positive ratings "strongly agree" and "agree" and negative ratings "strongly disagree" and "disagree" to draw meaningful conclusions. When calculating sample size, we estimated that 39 (53%) or more survey responses were needed to have a confidence level of 95% within a 10% margin of error. The survey is exempt research confirmed by the University of California Irvine Institution Review Board and the protocol was approved on January 3, 2022.

Results

Among the 73 invited postgraduate programs, 30 completed the entire survey, while two programs submitted incomplete surveys, where less than half the total items were completed; the incomplete surveys were excluded from data analysis. The final response rate is (41%). Response rates varied by specialty: emergency medicine (26%), general surgery (10%), psychiatry (10%), multispecialty (6%), family medicine (6%), combined internal medicine and hematology/oncology (3%), cardiovascular surgery (3%), pediatric surgery and pediatric orthopaedic surgery (3%), pediatric emergency medicine (3%), hematology/oncology (3%), cardiothoracic surgery (3%), critical care medicine (3%), medical oncology (3%), hospitalist (3%), acute care surgery (3%), otolaryngology (3%), other (3%). The overwhelming majority of respondents to the survey were PAs. Of those that completed the survey, (70%) were program directors, (10%) associate program directors, (6%) medical directors, (6%) academic/administrative coordinators, (3%) advanced practice director, and (3%) program managers. Sixty-three percent of respondents had at least four or more years of leadership experience and (90%) of all respondents reported receiving implicit bias training within the last 3 years.

Postgraduate program demographics

Participating postgraduate programs are organized either as single-track or multitrack programs.

Thirty-six percent of respondents enroll both PAs and NPs, whereas (63%) enroll PAs only. Moreover, (73%) of respondents are located at an academic medical center, (20%) community health center, (3%) community hospital in a network and (3%) hospital. The distribution of respondent programs among each census region was well represented except for the East south-central region, which has the lowest postgraduate program density (**Table 1**).

Respondent perceptions toward implicit bias training

To explore perceptions regarding implicit bias training, a series of questions were asked. When asked about whether implicit bias training can lead to a more inclusive work environment for health care professionals, (80%) of respondents “strongly agree/agree” while (6%) “strongly disagree/disagree” and (13%) were undecided. Additionally, (83%) indicated “strongly agree/agree” that enhanced knowledge of implicit bias for healthcare professionals can help reduce healthcare disparities while (6%) “strongly disagree/disagree” and (10%) were undecided. Moreover, (73%) “strongly agree/agree” that implicit bias training in PA and NP postgraduate education would help in the recruitment and selection of individuals from underrepresented backgrounds while (10%) “strongly disagree/disagree” and (16%) were undecided. Lastly, (76%) “strongly agree/agree” that PA and NP postgraduate training should include implicit bias instruction while (10%) “strongly disagree/disagree” and (13%) were undecided. Our study findings demonstrate that the majority of respondents reported more favorable attitudes toward implicit bias training in PA and NP postgraduate fellowship/residency training (**Figure 1**).

Selected comments from respondents about implicit bias training

“It [implicit bias training] is part of a comprehensive portfolio of professional identity and development.”

It [implicit bias training] has been a great addition to our program, and we are incorporating it into orientation as well as throughout the year.”

“We have DEI faculty hired into our department.”

“We appreciate this survey and agree with integration of implicit bias training and APP postgraduate education.”

Educational strategies used in the delivery of implicit bias training

Through a series of questions, we probed what types of educational strategies are used by postgraduate residency/fellowship programs and/or the sponsoring institution to deliver implicit bias content and training to PA and NP trainees. We found that trainees are exposed to various forms of implicit bias training, including: implicit bias training modules (50%), facilitated group discussions (36%), invited speakers on implicit bias (33%), case studies on implicit bias (16%), and implicit association tests (IAT)

(10%) **(Figure 2)**. Most importantly, forty-three percent of postgraduate programs or their sponsoring institutions offer two or more educational strategies in providing implicit bias training to PA and NP trainees. Forty-six percent of postgraduate programs reported that implicit bias training was mandatory and (23%) indicated it was voluntary.

Administration of implicit bias training

Postgraduate programs reported that implicit bias training is administered to their PA and NP trainees through the office for DEI (43%), department of human resources (40%), continuing education department (26%), the PA and NP postgraduate program (13%), teaching academy (3%), center for physician /advanced practice provider (MD/APP) leadership and development (3%), and physician residency program within same department (3%).

Barriers to offering implicit bias training

Thirty percent of postgraduate programs surveyed do not offer implicit bias training to their PA and/or NP postgraduate trainees. The key barriers identified by postgraduate programs in not offering implicit bias training to postgraduate PA and NP trainees included: indecision as to how to incorporate implicit bias training in postgraduate training (16%), lacking strategic focus of the postgraduate program or sponsoring institution (13%), time constraints (10%), financial constraints (6%), and unfamiliarity with the evidence associated with implicit bias training (6%). Additionally, (16%) of programs were “unsure” if implicit bias training would be offered in the future to their PA and NP postgraduate trainees **(Figure 3)**.

Discussion

This is the first study to examine implicit bias training in postgraduate PA and NP education, as well as program directors’ attitudes toward this type of training. Our study has demonstrated that while the majority of respondents agree that implicit bias training can lead to a more inclusive work environment for health care professionals; reduce healthcare disparities; improve recruitment and selection of individuals from underrepresented backgrounds; and should be included as a component of PA and NP postgraduate education curriculum, certain barriers exist that prevent programs from incorporating and adapting implicit bias training. While time and financial constraints are institutionally-dependent, as is misalignment of strategic focus, this paper can serve to promote a focused framework for implicit bias training for programs that are unsure how to incorporate implicit bias training into postgraduate PA and NP residencies/fellowships and introduce resources currently available to PAs and NPs.

Sukhera and Watling have previously described a conceptual framework based on six key features for integrating implicit bias recognition into health professions education (43). While this framework is intentionally comprehensive, it is perhaps best designed for programs with duration surpassing the 12–18 month training period offered by most PA/NP fellowship/residencies. Given the shorter training duration available in PA/NP postgraduate education, proposing a more succinct framework may aid in the incorporation of implicit bias training for these programs.

After creating a safe, respectful, and inclusive learning environment to discuss implicit bias, we suggest narrowing the focus to one of the six key features by Sukhera and Watling such as: emphasizing how implicit bias influences behaviors and patient outcomes. “For certain health professions, specific reference to literature on clinical decision making and cognitive psychology, including certain types of bias, such as anchoring (relying too heavily on the first piece of information about a patient) or confirmation bias (the tendency to favor information in a manner that confirms preexisting beliefs), may lay the groundwork for learners to engage with ideas about how biases may adversely affect care” (43).

The implicit association test (IAT) is a widely available tool that can be useful to incorporate into a focused framework for integrating implicit bias recognition into health professions education. The IAT was developed by Dr Anthony Greenwald in 1995 to measure the strength of associations between concepts and evaluations/stereotypes and has since become the worldwide standard for assessing implicit bias. Along with a team of scientists, he developed non-profit organization, Project Implicit, that houses 15 free assessments (44). The IAT is not without its limitations; researchers have challenged its test/retest reliability, ability to distinguish between cultural associations and personal preferences, and singular versus more beneficial assessment of multi-dimensional associations (45). Regardless, the IAT can serve as a starting point to increase self-awareness of implicit bias and stand as a platform for the development of meaningful conversation amongst learners.

Furthermore, implicit bias training resources are widely available and accessible through membership in PA and NP sponsoring associations. The American Academy of PAs (AAPA) features a DEI Resource Center on their website; the resources available include Continuing Medical Education (CME), webinars, and podcasts; links to constituent organizations that are sponsoring ongoing DEI efforts as well as partner organizations who collaborate directly with AAPA in support of inclusivity; and links to other external resources, including articles, books, podcasts, videos, and webinars (46). The American Association of Nurse Practitioners (AANP) offers similar resources and groups them according to the domains of the organization: practice, continuing education, advocacy, research, and leadership (47).

Ultimately, whatever strategies and resources are employed to develop a useable framework for implicit bias training, successful implementation is dependent on consistency in training. One-time training sessions do not offset deep cultural associations and stereotypes; in fact, they can be harmful, suggesting that a 30-minute module remedies implicit bias. Brief training sessions may be well-intentioned and designed to promote awareness, but most often does not lead to a sustained behavioral change (48). And while incorporating implicit bias training is a critical step, it certainly is not the end goal. To effect change, educators and organizational leadership must be aligned in their strategic focus and demonstrate commitment to inclusion through an integrated process invested in continuity.

Strengths And Limitations

A strength of this study is the use of a cross-sectional survey to help derive an understanding of implicit bias instruction in PA and NP postgraduate fellowship/residency training. Because this study describes

attitudes related to implicit bias training in postgraduate PA and NP education, it establishes important implications for further research. A limitation of our study was the survey response rate of (41%), which was anticipated given the unprecedented spike in Covid-19 cases fueled by the Omicron variant. The low response rate may have led to non-response bias, and respondent feedback was not representative of all postgraduate PA and NP residency/fellowship training programs. Therefore, generalizability of our findings is limited, as the percentage of respondents were less than a majority of those in our sample population. It is worth mentioning that previous research has demonstrated that web-based surveys are not without challenges, given there is an 11% lower response rate than other survey modes (49). Interestingly, emerging research has identified that an increase in survey production during the COVID-19 pandemic has led to participation fatigue contributing to low response rates (50). Lastly, using a Likert scale to evaluate attitudes about implicit bias can be associated with response bias.

Conclusion

To our knowledge, this is the first study to investigate the current state of implicit bias training in PA and NP postgraduate residency/fellowship programs. Our findings unmask the key barriers to offering implicit bias training in some PA and NP postgraduate programs and need for a focused framework to help guide the development and implementation of implicit bias training in these programs.

Areas Of Future Research

An area of future inquiry is to examine the effectiveness of current training offerings and whether postgraduate PA and NP trainees who have completed implicit bias training regularly engage in bias-reducing and bias-managing strategies (51,52). Another area of exploration is the training frequency, duration, and perceived efficacy of implicit bias instruction among postgraduate PA and NP trainees.

Declarations

Ethics declarations

Ethical approval and consent to participate

- The study protocol was approved by the University of California Irvine institutional review board (IRB) as self-exempt (Approval Number #727) on January 3, 2022. All methods were carried out in accordance with declaration of Helsinki with relevant guidelines and regulations. The email introduction to the survey contained all the necessary elements of written consent and submission of the survey indicated the respondents' consent to participate.

Competing interests

- The authors declare that they have no competing interests.

Consent for publication

- None

Availability of data and materials

- The datasets generated and/or analyzed during the current study are not publicly available but are available from the corresponding author on reasonable request in accordance with the IRB approved protocol.

Competing interests

- None of the authors have any competing interest

Funding

- None

Authors' contributions

V.D.K- Lead Researcher/Investigator, oversight of research, and procedures, and wrote the first draft of the manuscript. V.D.K, J.S, S.V, G.K. agreed to the research methodology, reviewed the results, and edited the manuscript. S.V. prepared the figures. J.S. and G.K. contributed to the discussion section. All authors have read and approved the final manuscript and ensure this is the case.

Acknowledgements

We would like to acknowledge and warmly thank the following individuals in helping with the reviewing and piloting the survey.

- Carolyn Bradley-Guidry, DrPH, MPAS, PA-C, Assistant Dean for Diversity, Inclusion, Equity Affairs- School of Health Professions Associate Professor, Distinguished Teaching Professor Department of Physician Assistant Studies, UT Southwestern Medical Center at Dallas
- Shani Fleming, MSHS, MPH, PA-C, Associate Professor, Graduate School Chief Equity, Diversity, and Inclusion Officer, University of Maryland Baltimore
- Charles P. Vega MD, Associate Dean, Clinical Professor of Family Medicine and Director, UC Irvine Program in Medical Education for the Latino Community (PRIME-LC), School of Medicine, University of California Irvine
- Gerald Glavaz, DHSc, PA-C, Associate Dean, Simon Scholar PA Program, Crean College of Health and Behavioral Sciences, Chapman University

References

1. FitzGerald, C., Martin, A., Berner, D. *et al.* Interventions designed to reduce implicit prejudices and implicit stereotypes in real world contexts: a systematic review. *BMC Psychol* 7, 29 (2019). <https://doi.org/10.1186/s40359-019-0299-7>
2. Institute of Medicine. *Unequal Treatment: Confronting Racial and Ethnic Disparities in Health Care*. Washington, DC: Institute of Medicine, Brian D. Smedley, Adrienne Y. Stith, and Alan R. Nelson, Editors. 2002.
3. FitzGerald, C., Hurst, S. Implicit bias in healthcare professionals: a systematic review. *BMC Med Ethics* 18, 19 (2017). <https://doi.org/10.1186/s12910-017-0179-8>
4. Dehon E, Weiss N, Jones J, Faulconer W, Hinton E, Sterling S. A systematic review of the impact of physician implicit racial Bias on clinical decision making. *Acad Emerg Med Off J Soc Acad Emerg Med*. 2017;24:895–904. Return to ref 6 in article
5. Hall WJ, Chapman MV, Lee KM, et al. Implicit Racial/Ethnic Bias Among Health Care Professionals and Its Influence on Health Care Outcomes: A Systematic Review. *Am J Public Health*. 2015;105(12):e60-e76. doi:10.2105/AJPH.2015.302903
6. Haider AH, Schneider EB, Sriram N, Dossick DS, Scott VK, Swoboda SM, et al. Unconscious race and social class Bias among acute care surgical clinicians and clinical treatment decisions. *JAMA Surg*. 2015;150:457–64.
7. Green AR, Carney DR, Pallin DJ, Ngo LH, Raymond KL, Iezzoni LI, et al. Implicit bias among physicians and its prediction of thrombolysis decisions for black and white patients. *J Gen Intern Med*. 2007;22:1231–8.
8. Marcelin JR, Siraj DS, Victor R, Kotadia S, Maldonado YA. The Impact of Unconscious Bias in Healthcare: How to Recognize and Mitigate It. *J Infect Dis*. 2019;220(220 Suppl 2):S62-S73. doi:10.1093/infdis/jiz214
9. Leonard SA, Main EK, Scott KA, et al. Racial and ethnic disparities in severe maternal morbidity prevalence and trends. *Ann Epidemiol*. 2019;33:30–6. [PMID: 30928320] doi:10.1016/j.annepidem.2019.02.007
10. Corsino L, Railey K, Brooks K, et al. The Impact of Racial Bias in Patient Care and Medical Education: Let's Focus on the Educator. *MedEdPORTAL*. 2021;17:11183. Published 2021 Sep 2. doi:10.15766/mep_2374-8265.11183
11. Bromberg, G.K., Gay, E.A., Hills-Dunlap, K. *et al.* Using a Virtual Platform to Teach Residents How to Respond to Bias. *J GEN INTERN MED* (2021). <https://doi.org/10.1007/s11606-021-07156-y>
12. Dyrbye L, Herrin J, West CP, et al. Association of Racial Bias With Burnout Among Resident Physicians. *JAMA Netw Open*. 2019;2(7):e197457. Published 2019 Jul 3. doi:10.1001/jamanetworkopen.2019.7457
13. Jongen, C., McCalman, J. & Bainbridge, R. Health workforce cultural competency interventions: a systematic scoping review. *BMC Health Serv Res* 18, 232 (2018). <https://doi.org/10.1186/s12913-018-3001-5>

14. Zeidan AJ, Khatri UG, Aysola J, et al. Implicit Bias Education and Emergency Medicine Training: Step One? Awareness. *AEM Educ Train*. 2018;3(1):81–85. Published 2018 Sep 24. doi:10.1002/aet2.10124
15. Sherman MD, Ricco J, Nelson SC, Nezhad SJ, Prasad S. Implicit Bias Training in a Residency Program: Aiming for Enduring Effects. *Fam Med*. 2019;51(8):677–681. doi:10.22454/FamMed.2019.947255
16. Maxfield CM, Thorpe MP, Desser TS, et al. Awareness of implicit bias mitigates discrimination in radiology resident selection. *Med Educ*. 2020;54(7):637–642. doi:10.1111/medu.14146
17. Barber Doucet H, Ward VL, Johnson TJ, Lee LK. Implicit Bias and Caring for Diverse Populations: Pediatric Trainee Attitudes and Gaps in Training. *Clin Pediatr (Phila)*. 2021;60(9–10):408–417. doi:10.1177/00099228211035225
18. James JF, MacKelfresh JB, Stoff BK. Dermatology resident application photos: A trigger of implicit bias?. *J Am Acad Dermatol*. 2021;84(4):1210–1211. doi:10.1016/j.jaad.2020.04.115
19. Alimi Y, Bevilacqua LA, Snyder RA, et al. Microaggressions and Implicit Bias in Surgical Training: An Undocumented but Pervasive Phenomenon [published online ahead of print, 2021 Apr 9]. *Ann Surg*. 2021;10.1097/SLA.0000000000004917. doi:10.1097/SLA.0000000000004917
20. Safdieh JE, Govindarajan R, Gelb DJ, Odia Y, Soni M. Core curriculum guidelines for a required clinical neurology experience [published correction appears in *Neurology*. 2019 Jul 16;93(3):135]. *Neurology*. 2019;92(13):619–626. doi:10.1212/WNL.0000000000007187
21. Perdomo J, Tolliver D, Hsu H, et al. Health Equity Rounds: An Interdisciplinary Case Conference to Address Implicit Bias and Structural Racism for Faculty and Trainees. *MedEdPORTAL*. 2019;15:10858. Published 2019 Nov 22. doi:10.15766/mep_2374-8265.10858
22. Dill-Mackay A, Hsu CH, Neumayer LA, Nfonsam VN, Turner AP. The Role of Implicit Bias in Surgical Resident Evaluations [published online ahead of print, 2021 Dec 29]. *J Surg Educ*. 2021;S1931-7204(21)00347–0. doi:10.1016/j.jsurg.2021.12.003
23. Hemphill ME, Maher Z, Ross HM. Addressing Gender-Related Implicit Bias in Surgical Resident Physician Education: A Set of Guidelines. *J Surg Educ*. 2020;77(3):491–494. doi:10.1016/j.jsurg.2019.12.014
24. Ehie O, Muse I, Hill L, Bastien A. Professionalism: microaggression in the healthcare setting. *Curr Opin Anaesthesiol*. 2021;34(2):131–136. doi:10.1097/ACO.0000000000000966
25. Kurtzman ET, Barnow BS. A Comparison of Nurse Practitioners, Physician Assistants, and Primary Care Physicians' Patterns of Practice and Quality of Care in Health Centers. *Med Care*. 2017;55(6):615–622. doi:10.1097/MLR.0000000000000689
26. Morgan PA, Smith VA, Berkowitz TSZ, et al. Impact Of Physicians, Nurse Practitioners, And Physician Assistants On Utilization And Costs For Complex Patients. *Health Aff (Millwood)*. 2019;38(6):1028–1036. doi:10.1377/hlthaff.2019.00014
27. Kidd VD, Vanderlinden S, Hooker RS. A National Survey of postgraduate physician assistant fellowship and residency programs. *BMC Med Educ*. 2021;21(1):212. Published 2021 Apr 14.

doi:10.1186/s12909-021-02613-y

28. Kidd VD, Vanderlinden S, Spisak JM. An analysis of the selection criteria for postgraduate physician assistant residency and fellowship programs in the United States. *BMC Med Educ.* 2021;21(1):621. Published 2021 Dec 16. doi:10.1186/s12909-021-03059-y
29. Kidd VD, Hooker RS. Postgraduate Programs in Orthopaedic Surgery for Physician Assistants and Nurse Practitioners. *Orthop Nurs.* 2021;40(4):235–239. doi:10.1097/NOR.0000000000000772
30. Kidd, VD. A Day in the Life: Director of Orthopedic Surgery PA Fellowship Program, *JBJS Journal of Orthopaedics for Physician Assistants*: April-June 2019 - Volume 7 - Issue 2 - p e0042 doi: 10.2106/JBJS.JOPA.18.00042
31. Kidd VD, Tankersley D, and Virginia Haas (2017) Postgraduate Training programs: Fellowships and Residencies for PAs and NPs in: *The Health Professions Educator: A Practical Guide for New and Established Faculty*. DOI: 10.1891/9780826177186.0036
32. Wu F. Emergency Medicine Physician Assistant (EMPA) Postgraduate Training Programs: Program Characteristics and Training Curricula. *West J Emerg Med.* 2019;20(2):305–306. doi:10.5811/westjem.2018.12.41061
33. Latini DM, Cole DS, Woodmansee D, et al. Veterans Health Administration's Physician Assistant Primary Care Residency: An Evaluation of the First 3 Years. *J Physician Assist Educ.* 2018;29(4):226–229. doi:10.1097/JPA.0000000000000230
34. Keizer TB, Trangle MA. The Benefits of a Physician Assistant and/or Nurse Practitioner Psychiatric Postgraduate Training Program. *Acad Psychiatry.* 2015;39(6):691–694. doi:10.1007/s40596-015-0331-z
35. Will KK, Williams J, Hilton G, Wilson L, Geyer H. Perceived efficacy and utility of postgraduate physician assistant training programs. *JAAPA.* 2016;29(3):46–48. doi:10.1097/01.JAA.0000480569.39885.c8
36. MacKay M, Glynn D, McVey C, Rissmiller P. Nurse practitioner residency programs and transition to practice. *Nurs Forum.* 2018;53(2):156–160. doi:10.1111/nuf.12237
37. Wiltse Nicely KL, Fairman J. Postgraduate nurse practitioner residency programs: supporting transition to practice [published correction appears in *Acad Med.* 2015 Oct;90(10):1393]. *Acad Med.* 2015;90(6):707–709. doi:10.1097/ACM.0000000000000567
38. Kesten KS, El-Banna MM, Blakely J. Educational characteristics and content of postgraduate nurse practitioner residency/fellowship programs. *J Am Assoc Nurse Pract.* 2019;33(2):126–132. Published 2019 Nov 5. doi:10.1097/JXX.0000000000000341
39. Brown K, Poppe A, Kaminetzky C, Wipf J, Woods NF. Recommendations for nurse practitioner residency programs. *Nurse Educ.* 2015;40(3):148–151. doi:10.1097/NNE.0000000000000117
40. Meissen H. Nurse practitioner residency and fellowship programs: The controversy still exists. *J Am Assoc Nurse Pract.* 2019;31(7):381–383. doi:10.1097/JXX.0000000000000255
41. Kesten KS, Beebe SL. Competency frameworks for nurse practitioner residency and fellowship programs: Comparison, analysis, and recommendations. *J Am Assoc Nurse Pract.* 2021;34(1):160–

168. Published 2021 Mar 19. doi:10.1097/JXX.0000000000000591
42. Flinter M, Hart AM. Thematic elements of the postgraduate NP residency year and transition to the primary care provider role in a federally qualified health center. *Journal of Nursing Education and Practice*. 2016;7(1):95. DOI: <https://doi.org/10.5430/jnep.v7n1p95>
43. Sukhera J, Watling C. A Framework for Integrating Implicit Bias Recognition Into Health Professions Education. *Acad Med*. 2018;93(1):35–40. doi:10.1097/ACM.0000000000001819
44. <https://implicit.harvard.edu/implicit/research/>
45. Nosek BA, Greenwald AG, Banaji MR. Understanding and using the Implicit Association Test: II. Method variables and construct validity. *Pers Soc Psychol Bull*. 2005;31(2):166–180. doi:10.1177/0146167204271418
46. <https://www.aapa.org/about/dei-resource-center/>
47. <https://www.aanp.org/diversity-equity-and-inclusion>
48. Lai, C. K., Skinner, A. L., Cooley, E., Murrar, S., Brauer, M., Devos, T., Calanchini, J., Xiao, Y. J., Pedram, C., Marshburn, C. K., Simon, S., Blanchar, J. C., Joy-Gaba, J. A., Conway, J., Redford, L., Klein, R. A., Roussos, G., Schellhaas, F. M. H., Burns, M.,... . Nosek, B. A. (2016). Reducing implicit racial preferences: II. Intervention effectiveness across time. *Journal of Experimental Psychology: General*, 145(8), 1001–1016. <https://doi.org/10.1037/xge0000179>
49. Nelson, O. (2017). "Potential For Progress: Implicit Bias Training's Journey To Making Change," *Joseph Wharton Scholars*. Available at https://repository.upenn.edu/joseph_wharton_scholars/31
50. de Koning R, Egiz A, Kotecha J, et al. Survey Fatigue During the COVID-19 Pandemic: An Analysis of Neurosurgery Survey Response Rates. *Front Surg*. 2021;8:690680. Published 2021 Aug 12. doi:10.3389/fsurg.2021.690680
51. Manfreda KL, Bosnjak M, Berzelak J, Haas I, Vehovar V. Web Surveys versus other Survey Modes: A Meta-Analysis Comparing Response Rates. *International Journal of Market Research*. 2008;50(1):79–104. doi:10.1177/147078530805000107
52. Devine PG, Forscher PS, Austin AJ, Cox WT. Long-term reduction in implicit race bias: A prejudice habit-breaking intervention. *J Exp Soc Psychol*. 2012;48(6):1267–1278. doi:10.1016/j.jesp.2012.06.003

Tables

Table 1: Demographic Distribution of Program Respondents

United States Region	Percent of Respondents
Middle Atlantic	26.6%
East North Central	13.3%
Mountain	13.3%
Pacific	10%
South Atlantic	10%
West North Central	10%
West South Central	10%
New England	6.6%
East South Central	0%

Figures

Figure 1

Respondent Perceptions Toward Implicit Bias Training

N=30

Figure 2

Implicit Bias Educational Strategies in PA and NP Postgraduate Training Programs

N=30

Respondents were permitted multi-select response

Figure 3

Barriers to Offering Implicit Bias Training

N=30

Respondents were permitted multi-select response