The Dynamics of a Stochastic SEITRmodel for Tuberculosis with Incomplete Treatment

Xiaodong Wang

Xinjiang Medical University

Chunxia Wang

Xinjiang Medical University

k wang (✉ xydgcxy@163.com)

Xinjiang Medical University

Research

Keywords: Tuberculosis, Stationary distribution, Extinction

Posted Date: January 15th, 2021

DOI: <https://doi.org/10.21203/rs.3.rs-146039/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Abstract

In this paper, a stochastic SEITR model is formulated to describe the transmission dynamics of tuberculosis with incompletely treated. Sufficient conditions for the existence of a stationary distribution and extinction are obtained. In addition, numerical simulations are given to illustrate these analytical results. Theoretical and numerical results show that large environmental perturbations can inhibit the spread of tuberculosis.

Full Text

Due to technical limitations, full-text HTML conversion of this manuscript could not be completed. However, the latest manuscript can be downloaded and [accessed as a PDF](#).

Figures

Figure 1

The path $S(t)$, $I(t)$, $C(t)$ and $A(t)$ for the model (??) and (??), when $R_1 = 0.3141 < 1$ and $R_0 = 1.1470 > 1$

(a)

(b)

(c)

(d)

Figure 2

The path $S(t)$, $I(t)$, $C(t)$ and $A(t)$ for the model (??) and (??), when $R_1 = 0.3141 < 1$ and $R_0 = 1.1470 > 1$

(a)

(b)

(c)

(d)

Figure 3

The path $S(t)$, $I(t)$, $C(t)$ and $A(t)$ for the model (??) and (??), when $R_1 = 0.3141 < 1$ and $R_0 = 1.1470 > 1$