Trans-Aortic or Pulmonary Artery-Based Drainage for Left Ventricular Unloading and Veno-Arterial Extracorporeal Life Support Management in a Porcine Cardiogenic Shock Model.

Paolo Meani (✉ paolo.meani@mumc.nl)

Maastricht Universitair Medisch Centrum+

Mikulas Mlcek

Univerzita Karlova

Mariusz Kowalewski

Maastricht Universitair Medisch Centrum+

Giuseppe Maria Raffa

Maastricht Universitair Medisch Centrum+

Federica Jiritano

Maastricht Universitair Medisch Centrum+

Matteo Matteucci

Maastricht Universitair Medisch Centrum+

Dario Fina

Maastricht Universitair Medisch Centrum+

Gennaro Martucci

Istituto Mediterraneo per i Trapianti e Terapie ad Alta Specializzazione

Jan Willem Sels

Maastricht Universitair Medisch Centrum+

Thijs Delnoij

Maastricht Universitair Medisch Centrum+

Michaela Popkova

Univerzita Karlova

Michele Pilato

Istituto Mediterraneo per i Trapianti e Terapie ad Alta Specializzazione

Antonio Arcadipane

Istituto Mediterraneo per i Trapianti e Terapie ad Alta Specializzazione

Jan Belohlavek

Univerzita Karlova

Roberto Lorusso

Maastricht Universitair Medisch Centrum+

Research

Keywords: ECLS, Cardiogenic Shock, LV Unloading, Impella, Pulmonary Drainage, LV venting, CS Porcine Model

Posted Date: April 1st, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-16019/v2>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at Seminars in Thoracic and Cardiovascular Surgery on November 1st, 2020. See the published version at <https://doi.org/10.1053/j.semtcvs.2020.11.001>.

The authors have withdrawn this preprint from Research Square