

Effects of Pomegranate Juice (*Punica Granatum*) on Inflammatory Biomarkers and Complete Blood Count in Patients with COVID-19: A Structured Summary of a Study Protocol for a Randomized Clinical Trial

Mojtaba Yousefi

Yasuj University of Medical Sciences <https://orcid.org/0000-0002-1773-3759>

Mohammadreza Sadriirani

Yasuj University of Medical Sciences

Azizollah Pourmahmoodi

Yasuj University of Medical Sciences

Sara Mahmoodi

Yasuj University of Medical Sciences

Bahar Samimi

Yasuj University of Medical Sciences

Mahboobe Hosseinikia

Yasuj University of Medical Sciences

Zaker Saeedinezhad

Yasuj University of Medical Sciences

SeyedBahman Panahande (✉ panahande.b@gmail.com)

Yasuj University of Medical Sciences <https://orcid.org/0000-0002-7008-2449>

Research Article

Keywords: COVID-19, Randomized Controlled Trial, Protocol, Pomegranate Juice, CRP, IL-6, CBC, ESR

Posted Date: March 18th, 2021

DOI: <https://doi.org/10.21203/rs.3.rs-306280/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at Trials on April 2nd, 2021. See the published version at <https://doi.org/10.1186/s13063-021-05194-9>.

Abstract

Objectives

This study is conducted to investigate efficacy of pomegranate juice on inflammatory biomarkers, C-reactive protein (CRP), interleukin 6(IL-6), erythrocyte sedimentation rate (ESR) and complete blood count (CBC) in hospitalized patients with mild to moderate coronavirus disease 2019 (COVID- 19).

Trial Design

This is a randomized, placebo-controlled, double-blind, parallel 2-arm (1:1 ratio) clinical trial.

Participants

Patients with COVID-19 admitted to hospitals in Yasuj City, Kohgiluyeh and Boyer-Ahmad Province, Iran.

Inclusion Criteria

- Informed consent
- Patients 18 years of age or older
- Diagnosis of COVID-19 based on real-time polymerase chain reaction (RT-PCR) test

Exclusion Criteria

- Pregnancy or lactation
- Immunoglobulin A(IgA) level <61 mg/dl
- Disseminated intravascular coagulation or any other types of coagulopathy
- Severe congestive heart failure
- Participation in any clinical trial within 30 days prior to enrollment in this RCT
- Other contraindications determined by the specialist.

Intervention and Comparator

Intervention: 500 ml pomegranate juice and standard of care hospital treatment for COVID-19

Comparator: matching placebo containing 500 ml of red water and standard of care hospital treatment for COVID-19

Both intervention and comparator to be taken twice a day, after lunch and dinner, for 14 days.

Criteria for Discontinuing

Transfer of patients to intensive care unit (ICU)

Death

Unwillingness to continue participating in the study

Main Outcomes

The main outcomes of this study are levels of inflammatory biomarkers, CRP, IL-6, ESR, and CBC after 14 days of treatment.

Randomization

Eligible patients will be randomly assigned into the intervention or control group in a 1:1 ratio. Randomization will be performed based on 8 permuted blocks with block sizes of 6 and they will be stratified according to sex and age categories. Randomization sequences will be prepared by the trial's pharmacist using computer-generated random numbers.

Blinding (Masking)

This study is a double-blind clinical trial (participant, researcher). The pomegranate juice and placebo juice are packaged in identical bottles, and the researcher and all the patients will be unaware of the study assignment until the end of the study. To ensure blinding, the randomization sequences will be kept in identical, opaque, sealed, and sequentially numbered envelopes.

Numbers to Be Randomized (Sample Size)

The calculated total sample size is 48 patients, with 24 patients assigned into each group.

Trial Status

The protocol is Version 1.0, on March 3, 2021. Recruitment started on February 28, 2021, and is anticipated to be completed by May 21, 2021.

Trial Registration

The Name of registering trial

Effects of Pomegranate Juice (*Punica Granatum*) on Inflammatory Biomarkers and CBC in Patients with COVID-19: A Randomized, Double-Blind, Placebo-Controlled Clinical Trial.

Iranian registry of clinical trials (IRCT) Registration Number: [IRCT20150711023153N2](https://www.irct.ir/trial/20150711023153N2)

Date of Trial Registration

February 28, 2021, retrospectively registered

Full Protocol

The full protocol is attached as an additional file, accessible from the [Trials](#) website (Additional file 1). In the interest of expediting dissemination of this material, the familiar formatting has been eliminated; this Letter serves as a summary of the key elements of the full protocol.

Declarations

Ethics Approval and Consent to Participate

The present trial was approved by the Ethics Committee of Yasuj University of Medical Sciences (Ethics Committee Reference Number: IR.YUMS.REC.1399.181) on January 20, 2021. The investigators declare that the trial has received ethical approval from the appropriate ethics committee, as described above. Informed written consent will be obtained from all the participants, prior to randomization.

Consent for Publication

Not applicable.

Availability of Data and Materials

The final dataset of the trial will be available upon request from the primary investigator via e-mail at panahande.b@gmail.com, after obtaining permission from the Regional Ethics Committee.

Competing Interests

The authors declare that they have no competing interests.

Funding

This study was funded and supported by Yasuj University of Medical Sciences, Yasuj, Kohgiluyeh and Boyer-Ahmad Province, Iran. The funders did not have a role in the design of the study, the intervention, collection, analysis, interpretation of data and writing the manuscript.

Authors' Contributions

SBP is the Chief Investigator; he conceived the study. SBP and MY led the proposal and protocol development. MY, MRSI, BS, SM and ZS are contributing to data collection, study design and to development of the proposal. SBP and MY are revising the manuscript. MH and AP contributed to statistical interpretations. All authors read and approved the final manuscript.

Acknowledgements

The authors would like to thank the Yasuj University of Medical Sciences for supporting the present research on COVID-19.

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [Additionalfile.pdf](#)