Metabolomic analysis of biosynthesis mechanism of ϵ -polylysine produced by *Streptomyces diastatochromogenes*

Ziyuan Wang

State Key Laboratory of Food Nutrition and Safety, Laboratory of Industrial Fermentation Microbiology, Ministry of Education, Tianjin University of Science and Technology, No 29, 13th, Avenue, Tianjin Economic and Technological Development Area (TEDA), Tia

Fengzhu Guo

State Key Laboratory of Food Nutrition and Safety, Laboratory of Industrial Fermentation Microbiology, Ministry of Education, Tianjin University of Science and Technology, No 29, 13th, Avenue, Tianjin Economic and Technological Development Area (TEDA), Tia

Tianyu Dong

State Key Laboratory of Food Nutrition and Safety, Laboratory of Industrial Fermentation Microbiology, Ministry of Education, Tianjin University of Science and Technology, No 29, 13th, Avenue, Tianjin Economic and Technological Development Area (TEDA), Tia

Zhilei Tan

State Key Laboratory of Food Nutrition and Safety, Laboratory of Industrial Fermentation Microbiology, Ministry of Education, Tianjin University of Science and Technology, No 29, 13th, Avenue, Tianjin Economic and Technological Development Area (TEDA), Tia

Mohamed Abdelraof

Genetic engineering & Biotechnology research Division, National Research Centre, Dokki, 12622, Giza, Egypt

Jiandong Cui (✉ jdcui@tust.edu.cn)

Tianjin University of Science and Technology

Shiru Jia

State Key Laboratory of Food Nutrition and Safety, Laboratory of Industrial Fermentation Microbiology, Ministry of Education, Tianjin University of Science and Technology, No 29, 13th, Avenue, Tianjin Economic and Technological Development Area (TEDA), Tia

Research

Keywords: ϵ -polylysine, *Streptomyces diastatochromogenes*, Biosynthesis mechanism, Metabolomics

Posted Date: June 22nd, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-32778/v2>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

The authors have withdrawn this preprint from Research Square