Biological Risk Factors Predict Transfer to Intensive Care Units and Death in Covid-19 Patients

Chloé Sauzay

CHU Amiens-Picardie, laboratoire de Biochimie

Mailys Le Guyader

CHU Amiens-Picardie, service d'Hématologie Biologique

Ophélie Evrard

CHU Amiens-Picardie, service d'Hématologie Biologique

Rémy Nyga

CHU Amiens-Picardie, Médecine Intensive et Réanimation

Alexis Caulier

CHU Amiens-Picardie, service d'Hématologie Clinique et de Thérapie Cellulaire

Jean-Luc Schmit

CHU Amiens-Picardie, service de Pathologie Infectieuse

Claire Andréjak

CHU Amiens-Picardie, service de Pneumologie

Antoine Galmiche

CHU Amiens-Picardie, laboratoire de Biochimie

Catherine François

CHU Amiens-Picardie, laboratoire de Virologie

Sandrine Castelain

CHU Amiens-Picardie, laboratoire de Virologie

Julien Maizel

CHU Amiens-Picardie, Médecine Intensive et Réanimation

Loïc Garçon

CHU Amiens-Picardie, service d'Hématologie Biologique

Etienne Brochot

CHU Amiens-Picardie, laboratoire de Virologie

Thomas Boyer (✉ boyer.thomas@chu-amiens.fr)

CHU Amiens-Picardie, service d'Hématologie Biologique

Research Article

Keywords: Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), risk factors, laboratory parameters, Covid-19, predictive biomarkers

Posted Date: October 26th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-33161/v2>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.
[Read Full License](#)

Abstract

The authors have requested that this preprint be withdrawn due to erroneous posting.