

Combining External Medical Knowledge for improving Obstetric Intelligent Diagnosis

Kunli Zhang

Zhengzhou University

Linkun Cai

Zhengzhou University <https://orcid.org/0000-0002-9728-8164>

Yu Song (✉ ieysong@zzu.edu.cn)

Zhengzhou University <https://orcid.org/0000-0002-0771-7499>

Tao Liu

Zhengzhou University

Yueshu Zhao

The Third affiliated hospital of Zhengzhou University

Research article

Keywords: Intelligent diagnosis, Obstetric electronic medical record, Medical knowledge, Attention mechanism

Posted Date: July 16th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-41075/v1>

License:   This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

RESEARCH ARTICLE

Combining External Medical Knowledge for improving Obstetric Intelligent Diagnosis

Kunli Zhang^{1†}, Linkun Cai^{1†}, Yu Song^{1*}, Tao Liu¹ and Yueshu Zhao²

*Correspondence:

ieysong@zzu.edu.cn

¹School of Information

Engineering, Zhengzhou

University, Science Avenue,

450001 Zhengzhou, China

Full list of author information is

available at the end of the article

[†]Equal contributor

Abstract

Background: Data-driven medical health information processing has become a new development trend in obstetrics. Electronic medical records (EMRs) are the basis of evidence-based medicine and important information source for intelligent diagnosis. To obtain diagnostic results, doctors combine clinical experience and medical knowledge in their diagnosis process. External medical knowledge provides strong support for diagnosis. Therefore, how to make full use of EMRs and medical knowledge in intelligent diagnosis is worth studying.

Methods: As an EMR usually contains multiple types of diagnostic results, the intelligent diagnosis can be treated as a multi-label classification task. We propose a novel neural network model called Knowledge-aware Hierarchical Diagnosis Model (KHDM) in which Chinese obstetric EMRs and external medical knowledge can be synchronously and effectively used for intelligent diagnostics. In the KHDM, EMRs and external knowledge documents are integrated by the attention mechanism contained in the hierarchical deep learning framework. In this way, we enrich the language model with curated knowledge documents, combining the advantages of both to make a knowledge-aware diagnosis.

Results: We evaluate our model on a real-world Chinese obstetric EMR dataset show that KHDM achieves an accuracy of 0.8929, which exceeds that of the most advanced classification benchmark methods.

Conclusion: In this paper, an improved model combining medical knowledge and an attention mechanism is proposed, which is based on the problem of the diversity of diagnostic results in Chinese EMRs. KHDM can effectively integrate domain knowledge to greatly improve the accuracy of diagnosis, and we also verify the model's interpretability advantage.

Keywords: Intelligent diagnosis; Obstetric electronic medical record; Medical knowledge; Attention mechanism

Background

Intelligent diagnosis is a way to provide clinical decision support for doctors by means of artificial intelligence technology. In the clinic, intelligent diagnosis plays an important role and can be applied to a variety of practical situations. Intelligent diagnosis can help doctors diagnose a patient's condition, significantly improving the efficiency and accuracy of the diagnosis, and the results can also become an important basis for future diagnosis. The continuous development of modern diagnosis and treatment technology has made medical information increasingly complex. Doctors obtain a large amount of clinical diagnostic information every day and need to make comprehensive decisions based on a large amount of data representing clinical information [1].

EMRs are the most detailed and direct form of clinical medical activities [2]. With the rapid growth of EMRs, many methods of intelligent diagnosis using EMRs have become available, enabling significant progress in this field. Early intelligent diagnosis works mainly relied on artificially designed feature templates [3][4] or used single traditional machine learning methods, treating intelligent diagnosis as a classification problem. Ira Goldstein et al. [5] used the I2B2 2008 dataset to train a classifier for each disease category to classify obesity and 15 other complications. Medhekar et al. [6] developed a decision support system based on data mining that used a naive Bayes classifier to model heart disease. ROOPA et al. [7] utilized principal component analysis (PCA) to extract the characteristics of a diabetes dataset and then used a linear regression model to predict whether a patient had diabetes. These methods promoted the application of machine learning and natural language processing in intelligent diagnosis but are still in the early stages, e.g., using relatively simple classification methods and a shallow analysis of the EMRs.

Recently, an increasing number of researchers have focused on neural networks to model intelligent diagnosis and related tasks. Yang et al. [8] proposed a clinical assistant diagnosis method based on a multi-layer convolutional neural network (CNN) [9]. This method uses self-learning to automatically extract the high-level semantic information of EMRs. Chen et al. [10] used an end-to-end hierarchical neural network to investigate breast cancer problems using EMRs. Hao et al. [11] used a deep belief network (DBN) [12] to integrate patients' structured data characteristics to predict the risk of cerebral infarction. When the scale of the training data is limited in a traditional neural network, the advantage of utilizing external knowledge is more obvious. These methods ignore the fact that neural networks and external knowledge can benefit from each other.

The rapid development of computer technology and biotechnology has enabled the rapid growth of biomedical text resources. These resources contain valuable knowledge that can be used to promote the development of medical informatics. The doctors' diagnostic process is a combination of their own clinical experience and general medical knowledge. Therefore, medical knowledge is indispensable in the diagnosis process. Fang et al. [13] proposed a method to diagnose chronic obstructive pulmonary disease (COPD) based on a knowledge graph and integrated models. Liang et al. [1] designed a system framework for the data mining of EMRs based on paediatric diseases. This framework combines medical knowledge with a data-driven model, and logistic regression was used for the disease hierarchical diagnosis. These efforts provide new methods for medical data analysis, but intelligent diagnosis based on EMRs is still hindered by the following problems:

- An EMR usually involves multiple diagnostic results.
- In the aspect of external knowledge, the above methods simply splice the knowledge with the model, which fails to capture the key information well and requires a large number of calculations.
- To achieve the most advanced performance, doctors not only care about the diagnosis results but also need to know what medical knowledge contributed to the diagnosis.

Therefore, in this paper, we design a novel intelligent diagnosis model based on deep learning. Specifically, to capture the important details of the original documents, we use Bi-directional Gated Recurrent Units (Bi-GRU) [14] with a hierarchical attention mechanism to model the correlations among words and sentences of EMRs and knowledge documents. Given an analysis of the correlation between the EMRs and medical knowledge documents, we select the most supportive external knowledge to support intelligent diagnosis. Considering the diversity of diagnostic results, we need to conduct intelligent diagnosis in the multi-label classification paradigm. The major contributions of this paper are summarized as follows:

- (1) KHDM makes full use of the hierarchical deep language model to encode the EMRs and external knowledge documents.
- (2) We enrich the language model with high-quality knowledge, combining the advantages of both to perform a knowledge-aware diagnosis.
- (3) Experimental results on real-word Chinese obstetric EMRs achieve superior performance over baselines. In addition, we discuss the importance and interpretability of external medical knowledge.

Methods

KHDM contains the following steps, as depicted in Fig 1. (1) Enter the EMR into the document encoder to obtain the document embedding e , and concat it with the numerical features n to get the final EMR embedding e' . (2) Input the EMRs and external knowledge documents into the knowledge filter for the preliminary screening of the external knowledge, and send the filtered knowledge documents to the document encoder to obtain the knowledge embedding k . (3) Input the EMR embedding and knowledge embedding jointly into the knowledge aggregator. Through the simultaneous analysis of the EMRs and knowledge documents, our model learns a knowledge-side attention component in order to carefully select the most supportive knowledge document k' from the external knowledge to support intelligent diagnosis. (4) e' and k' are concatenated and passed to a sigmoid classifier for the diagnosis. In this section, we introduce the **document encoder, knowledge attention module** (including the knowledge filter and knowledge aggregator) and **output**.

Document encoder

The purpose of the document encoder is to encode the original EMRs and knowledge documents into continuous low-dimensional embeddings to capture semantic relationships.

EMRs and medical knowledge documents usually have potential hierarchical structures. A document consists of several sentences, and a sentence consists of several words. Intuitively, the document embedding problem can be converted into two sequence embedding problems [15]. Modelling the semantics of the EMR and external knowledge by word-level and sentence-level representations can fully capture the hierarchical laws and dependencies.

The words and sentences in a document provide different information and have different degrees of importance. Inspired by Yang et al. [16], we successively apply the attention mechanism [17] at the word level and sentence level so that it

can differentiate more important information when constructing the document representation. The attention mechanism can not only improve the performance of the deep learning model but also intuitively show the contributions of words and sentences to the classification decision.

We use the Bi-GRU sequence encoder with an attention mechanism to encode the EMRs and knowledge documents. Numerical features, such as physiological indicators and laboratory results, are also important in EMRs. To enable more complete use of the EMRs, we separately extract the numerical features and concat them with EMRs. Next, we introduce the Bi-GRU sequence encoder, attention encoder and numerical features in detail.

Although the word-level and sentence-level encoders can have different structures, we use the same structure here for simplicity, as shown in Fig 2.

Bi-GRU Sequence Encoder

The importance of words and sentences is highly context dependent. In other words, the same words or sentences may have different degrees of importance in different contexts. We model the semantics of EMRs and external knowledge documents by including word-level and sentence-level representations, which can fully capture hierarchical dependencies. Taking the word level as an example, we use Bi-GRU to make a word compilation of the meaning of an entire sentence, where the GRU uses a gate control mechanism to memorize the information of the previous cells.

The GRU has two gates: the reset gate r_t and the update gate z_t . The reset gate is used to determine the degree to which the previous information is forgotten, and the update gate is used to decide which information to forget and which new information to fill in. r_t and z_t jointly control the calculation from hidden state h_{t-1} to hidden state h_t . \tilde{h}_t is a candidate hidden layer. At time t , the GRU is calculated as follows:

$$z_t = \sigma(W_z \cdot [h_{t-1}, x_t]) \quad (1)$$

$$r_t = \sigma(W_r \cdot [h_{t-1}, x_t]) \quad (2)$$

$$\tilde{h}_t = \tanh(W \cdot [r_t \times h_{t-1}, x_t]) \quad (3)$$

$$h_t = (1 - z_t) * h_{t-1} + z_t * \tilde{h}_t \quad (4)$$

where x_t is the sequence vector at time t and σ is the activation *sigmoid* function that converts the values of each cell state into the range of 0 to 1 to act as a gate signal. The reset gate r_t receives the values of h_{t-1} and x_t . If r_t is zero, then the previous state is not saved. In other words, at this time, \tilde{h}_t only contains the information of the current word. Afterwards, the update gate z_t controls how much information needs to be forgotten from the hidden state h_{t-1} at the previous moment and how much hidden layer information \tilde{h}_t needs to be added at the moment. Then, the final hidden layer information h_t can be output.

Bi-GRU uses forward and backward GRUs to encode the sequence in two directions so that the associations between different words (sentences) are taken into

account when encoding. Specifically, consider an EMR $e = [s_1, s_2, \dots, s_L]$, where L is the number of sentences and $s_i (1 \leq i \leq L)$ represents the i^{th} sentence in the document. For each sentence in the document $s_i = [w_{i1}, w_{i2}, \dots, w_{iT}]$, $w_{im} (1 \leq m \leq T)$ represents the m^{th} word in s_i . w_{im} is the embedding representation of w_{im} , and the encoding method is to concatenate the feature representations of Bi-GRU; that is, the forward hidden state \vec{h}_{it} and backward hidden state \overleftarrow{h}_{it} at time t are weighted sums:

$$w_{it} = \left[\vec{h}_{it}, \overleftarrow{h}_{it} \right] \quad (5)$$

Attention Encoder

Not all words have the same effect on the meaning of a sentence, as is the case for sentences within documents. The attention mechanism has become an effective mechanism for mining local differences and highlighting vital elements of data. Therefore, we add an attention mechanism at the word and sentence levels to indicate their importance to the previous level. Compared with the general word-level attention mechanism, the sentence-level attention mechanism plays a more important role in medical documents because certain domain phrases often appear. At the word level, the attention mechanism is introduced to extract those words that are important to the meaning of the sentence, and the representations of these informative words are aggregated to form a sentence vector. The final sentence vector representation s_i is defined as follows:

$$\alpha_{it} = \frac{\exp(w_{it}^T u_w)}{\sum_t \exp(w_{it}^T u_w)} \quad (6)$$

$$s_i = \sum_t \alpha_{it} h_{it} \quad (7)$$

where the weight α_{it} indicates the importance of a word to the meaning of the sentence. The context vector u_w is an attention matrix obtained by a random initialization method. It is a cumulative sum of the different probability weights assigned by the attention mechanism and the performance of each hidden layer state, and it is obtained by normalization using a *softmax* function. We use the same method to obtain the context-level representation of u_s and finally obtain the document vector e :

$$\alpha_i = \frac{\exp(s_i^T u_s)}{\sum_i \exp(s_i^T u_s)} \quad (8)$$

$$e = \sum \alpha_i s_i \quad (9)$$

Numerical Features

Numerical features are very important indicators in Chinese obstetric EMRs. For example, physiological indicators such as the age of the pregnant woman, the number of menopause months, and the uterine height are important factors affecting

the clinical judgement. However, there are some cases where the numerical units of EMRs are not uniform. Taking the number of menopause months as an example, it is generally described as “menopause X months”, but some EMRs also use the description method “menopause Y weeks”. We unified the units of this indicator as months, relying on the equation that “four weeks” is approximately “one month” in the feature extraction. We also need to consider the validity of the data. For example, when extracting the physiological parameters of a pregnant women’s uterine height, if a value is found to be “29 m”, it can be speculated that this data point is incorrect, which will affect the experimental results. This paper determines the accuracy of the data by setting thresholds for each physiological index, and the error data are directly deleted. After extracting the numerical features n , they are concatenated with the document vector e as the final representation of the EMR:

$$e' = \text{concat}[e, n] \quad (10)$$

Knowledge attention module

Integrating all the external knowledge into the model is very time consuming, and not all knowledge has enough discernment to support the final classification. Our knowledge attention module aims to alleviate these problems, ensuring that our model can select reliable and useful knowledge for each candidate. This module consists of a knowledge filter and a knowledge aggregator. The knowledge filter can preliminarily filter out irrelevant knowledge documents, and the knowledge aggregator uses the attention mechanism to select the most supported knowledge. Considering that external knowledge has too much noise, such an attention mechanism explores the correlation between the EMRs and knowledge documents. KHDM mainly utilizes this module to make a knowledge-aware diagnosis.

Knowledge Filter: We consider the task of the knowledge filter to be text similarity calculation. By calculating the similarity between the input EMRs and the medical knowledge documents, the knowledge not related to the input EMRs will be filtered out. Due to the special nature of medical texts, the symptoms and diagnostic methods of different diseases are different. Therefore, we use the term frequency-inverse document frequency (TF-IDF) to extract the text features of the EMRs and external knowledge. Specifically:

$$TF - IDF(x) = TF(x) \times IDF(x) \quad (11)$$

$$TF(x) = \frac{N(x)}{N} \quad (12)$$

where $N(x)$ represents the number of occurrences of word x in the document, N is the total number of words in the document, and D is the total number of documents. $D(x)$ indicates how many documents the word x appears in. Due to professionalism in the medical field, the IDF needs to be smoothed so that domain words that do not appear in all documents can also obtain a suitable IDF value. As shown in formula (13):

$$IDF(x) = \log \frac{D + 1}{D(x) + 1} + 1 \quad (13)$$

The set of documents and knowledges then is viewed as a set of vectors in a vector space. The cosine function is used to measure the similarity between the document and any knowledge. If the similarity score is less than 0.5, we consider these knowledge documents are irrelevant, and vice versa. After that, we use the document encoder mentioned above to encode the relevant knowledge document. Finally, we obtain the relevant knowledge vector representation: $k = [k_1, k_2, \dots, k_j]$.

Knowledge Aggregator: This submodule aims to find further medical knowledge that supports intelligent diagnosis and generate an aggregated knowledge embedding k' . Therefore, we use the attention mechanism to select the key knowledge documents that are the most critical to the task objective. When generating an aggregated knowledge embedding, more attention is paid to the most important knowledge:

$$\alpha_t = \text{softmax}(k_t \cdot e'^T + b_t) \quad (14)$$

$$k' = \sum_{t=1}^k \alpha_t \cdot k_t \quad (15)$$

The attention weight α_t generated by k_t and e' can be regarded as the correlation between the external knowledge and the input EMRs. The top k related knowledge is selected according to the attention weight after sorting. The number of related knowledge documents less than k will be padded with zero vectors.

Output

To make the final diagnosis prediction, we first concatenate the EMR embedding e' and the knowledge embedding k' and feed it into two fully connected layers to generate a new vector, which is then passed to a sigmoid classifier to produce the predicted results. We consider that all diseases with an output probability greater than τ are positive predictions. The input to the first fully connected layer can also be only e' or k' , which means we use only EMRs or external knowledge to make the diagnosis. The loss function for the training is the cross entropy:

$$v = [e', k']$$

$$\hat{y} = \text{sigmoid}(v)$$

$$\text{Loss} = - \sum_{i=1}^N \left(\sum_{l=1}^L y_{il} \log(\hat{y}_{il}) \right) \quad (16)$$

where N is the number of training data, L is the number of diagnosis results, and y_{il} and \hat{y}_{il} are the target and predicted probabilities of diagnosis result l for EMR i .

Results

Dataset details

We collect 24,192 Chinese obstetric EMRs randomly selected by multiple hospitals as the research materials. To protect the privacy of patients, the privacy information,

such the names and ID numbers of patients, was removed [18]. The dataset focuses on inpatient department data and consists primarily of structured and unstructured text data. Structured data include the basic information of the patient, such as the age, ethnicity, and laboratory examination data. Unstructured data mainly refer to the patient's main complaint, admission, and physical examination. Detailed data descriptions are shown in Fig 3. The dataset contains 59 types of disease diagnosis results and is divided into 21,772 training sets and 2,420 test sets according to the results distribution.

For external knowledge, we collect descriptions of medical concepts from the authoritative textbook *Obstetrics and Gynecology* [19] and Medical Encyclopedia. The medical concepts mainly include the disease definition, symptoms, and treatment methods. In the end, we collect a total of 72 medical definition documents that make up our external knowledge.

Hyper-parameter setting

Since all EMRs and external knowledge are written in Chinese, we first use PkuSeg [20] to segment the document and set the maximum document length to 1600. For other neural network models, the pre-trained Glove [21] model embeds a word into a 100-dim vector, and the hidden state size of the GRU is set to 100. For CNN-based models, this article sets the filter width to (2, 3, 4, 5), and each filter size is 25 to maintain consistency. The attribute loss weight α is set to 1. After the connection, the representation size of our model becomes 200. Finally, a $200*c$ fully connected layer is added (c is the number of labels). The prediction threshold τ is set to 0.5. We use Adam [22] as the optimizer and set the learning rate to 0.001 and the batch size to 32.

Performance on obstetric EMR dataset

In multi-label learning, each sample may have multiple category labels. Many evaluation metrics for multi-label learning have been proposed [23]. We use the average precision, one-error, hamming loss, ranking loss, and coverage as evaluation metrics. The following several text classification models were used as baselines for comparison:

Classifier Chains (CC): [24] integrates multiple single classification methods into one model to solve the problem of multi-label classification.

ML-KNN: [25] considers the k instances with the smallest distance from the new instance in the feature space as a set.

Long Short-Term Memory (LSTM): [26] uses the last hidden state as the representation of the whole document.

Bi-LSTM: is a bi-directional LSTM and can obtain long-term context information in the direction of the input.

TextCNN: [9] uses multiple kernels of different sizes to extract the key information in sentences to better capture the local relevance.

All text classification models are trained in the multi-label framework. The experimental results on the Chinese obstetric EMR dataset are summarized in Table1. In each column, the best result is marked in bold.

According to the experimental results, compared with the traditional machine learning methods, the neural network method has achieved better results. The main

reason is that the neural network can capture richer features and deeper semantic information. Considering the structured context information, a bi-directional network can significantly improve the performance. For example, Bi-LSTM gives an average precision of 0.8721, while that of the LSTM is 0.7667. In addition, our model is largely superior to other traditional neural network methods. The TextCNN is usually connected to the pooling layer after the convolution layer. Its operation logic is to retain the strongest features from the feature vectors obtained from a convolution kernel, so it cannot retain the relative position information of the original input, resulting in information loss. LSTM has a sequence dependency problem and does not perform well when the document is too long. Our model uses a hierarchical structure to divide the document into sentences, without the problems of distance dependence and information loss. In general, our model is much better than the other models in all of the evaluation metrics applied, with improvements of 3% to 30%. Making full use of the attention mechanism to integrate external medical knowledge is undoubtedly an important way to improve the effectiveness of intelligent diagnosis.

Performance on public dataset

This paper takes the obstetric intelligent diagnosis problem into multi-label classification framework. Therefore, we test the classification effect on two public datasets: DeliciousMIL [27] and Hep-categories. The former consists of a number of tagged pages on the social bookmarking site "delicious.com", with categories including programming, style, and reference, and the latter is a public multi-label dataset available on Magpie, with subject categories relevant to high-energy physics abstracts, including Astrophysics, Experiment-HEP, Gravitation and Cosmology, Phenomenology-HEP, and Theory-HEP. Table 2 provides a brief description of each dataset.

The external knowledge data for the DeliciousMIL and Hep-categories datasets are derived from Wikipedia entry definitions. Table 3 presents the results. Similar to the results on the obstetric EMR dataset, it can be clearly observed that our model performs best in multi-label text classification, proving that KHDM is universal for text classification tasks.

Discussion

Ablation test

KHDM is a combination of a knowledge attention mechanism and external medical knowledge representation. We conduct an ablation test to assess the contributions of these two components in our model. Tab 4 presents the performance of our model and its ablations on the obstetric EMR dataset. **w/o Knowledge** means only using the EMRs for the intelligent diagnosis, and **w/o Att** means we remove the attention mechanism and all the medical knowledge documents directly concatenated with the EMRs and do not use the knowledge attention module.

From the experimental results, the following can be seen: (1) When the external knowledge is not introduced or the attention mechanism is not used, the model performance deteriorates. (2) The models incorporating knowledge are superior to ordinary text classification models, with a drop to 0.8789 of model **w/o Knowledge** after the supplementary knowledge is removed. The effectiveness of using

external knowledge information is confirmed, and medical knowledge contributes to intelligent diagnosis. (3) When fusing the medical knowledge, the performances of **w/o Att** and **TextCNN + knowledge** significantly increase by simply concatenating the knowledge document. However, these models do not use the knowledge attention mechanism but directly concatenate with the external knowledge, which will introduce a large amount of noise. We can see KHDM improves more than two percentage on most evaluation metrics.

These ablation test results reflect the importance and rationality of using the attention mechanism to capture the interactions between multiple inputs.

Interpretability of the attention mechanism

Interpretability is very important for model evaluation, especially in the medical field, as it allows doctors to understand the rationale behind the diagnosis results.

To verify that our model can capture the most important sentences and words in a document, we first visualize the hierarchical attention mechanism in the document encoder on the Chinese obstetric EMR dataset. As shown in Fig 4, every line is a sentence, and we normalize the sentence weights and word weights to ensure that only the important words in the most important sentences are emphasized. Red denotes the weight of a sentence, and blue denotes the weight of a word, where the darker the colour is, the greater the weight. We know that doctors often diagnose patients by analysing their clinical symptoms and test results. Our model accurately locates the words *abdominal pain* and *no yellow stain* and their corresponding sentences.

Next, we choose a representative example to illustrate the role of the attention mechanism in the knowledge aggregator. We remove all attention values less than 10^{-3} from the visualization. As can be seen from Fig 5, our model pays more attention to the clinical symptom *blood* (red part) and site *cervix*(green part) within the medical knowledge. Similarly, medical concepts are essential in clinical diagnosis, so medical knowledge with a higher attention score through localization of symptoms and sites will be selected.

Conclusion

In this paper, we propose KHDM that synchronously and effectively uses Chinese obstetric EMRs and external knowledge. Particularly, the use of the knowledge attention module to selectively leverage medical knowledge not only improves the performance but also provides a basis for intelligent diagnosis. The experimental results on a real obstetric EMR dataset show that KHDM can effectively utilize external knowledge to enhance the language model, thereby improving the performance.

Another problem that needs to be addressed in achieving intelligent diagnosis based on EMRs is the imbalanced datasets. This paper selects common diseases as the research object. In future work, we will focus on diseases with lower frequency.

Abbreviations

EMRs:electronic medical records; PCA:principal component analysis; CNN:convolutional neural network; DBN:deep belief network; COPD:chronic obstructive pulmonary disease; Bi-GRU:Bi-directional Gated Recurrent Units; CC:Classifier Chains; LSTM:Long Short-Term Memory; TF-IDF:term frequency-inverse document frequency

Declarations

Ethics approval and consent to participate
Not applicable.

Consent for publications
Not applicable.

Availability of data and materials

One of the external obstetrics knowledge sources is available at <https://baike.baidu.com>. The public dataset Hep-categories can be accessed at <https://github.com/inspirehep/magpie>. Our obstetric electronic medical records dataset are not publicly available due to a concern to protect individual patient confidentiality but they are available from the corresponding author on reasonable request.

Competing interests

The authors declare that they have no competing interests.

Funding

This work was supported by the Major Program of National Social Science Foundation of China (Grant No. 18ZDA315) and China Postdoctoral Science Foundation (Grant No. 2019TQ0286), Science and Technique Program of Henan Province (Grant No. 192102210260), Medical Science and Technique Program Co-sponsored by Henan Province and Ministry (Grant No. SB201901021) and Key Scientific Research Program of Higher Education of Henan Province (Grant No. 19A520003, 20A520038). The funding body did not play any roles in the design of the study and collection, analysis, and interpretation of data and in writing the manuscript.

Author's contributions

KLZ, YS and YSZ conceived the study and collected the EMR dataset. YSZ provided medical professional guidance. LKC and TL designed the algorithm and analyzed the results. LKC wrote the initial draft of the manuscript. KLZ, YS and TL gave their guidance during the analysis and wrote processes. All authors have read and approved the final manuscript.

Acknowledgements

Not applicable.

Author details

¹School of Information Engineering, Zhengzhou University, Science Avenue, 450001 Zhengzhou, China. ²The Third Affiliated Hospital of Zhengzhou University, Kangfu Road, 450001 Zhengzhou, China.

References

- Liang, H., Tsui, B.Y., Ni, H., Valentim, C.C., Baxter, S.L., Liu, G., Cai, W., Kermany, D.S., Sun, X., Chen, J., *et al.*: Evaluation and accurate diagnoses of pediatric diseases using artificial intelligence. *Nature medicine* **25**(3), 433–438 (2019)
- Hornberger, J.: Electronic health records: a guide for clinicians and administrators. *JAMA* **301**(1), 110–110 (2009)
- Popescu, M., Khalilia, M.: Improving disease prediction using icd-9 ontological features. In: 2011 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE 2011), pp. 1805–1809 (2011). IEEE
- Piao, M., Lee, H.G., Pok, C., Ryu, K.H.: A data mining approach for dyslipidemia disease prediction using carotid arterial feature vectors. In: 2010 2nd International Conference on Computer Engineering and Technology, vol. 2, pp. 2–171 (2010). IEEE
- Goldstein, I., Uzuner, Ö.: Specializing for predicting obesity and its co-morbidities. *Journal of biomedical informatics* **42**(5), 873–886 (2009)
- Pattekar, S.A., Parveen, A.: Prediction system for heart disease using naïve bayes. *International Journal of Advanced Computer and Mathematical Sciences* **3**(3), 290–294 (2012)
- Roopa, H., Asha, T.: A linear model based on principal component analysis for disease prediction. *IEEE Access* **7**, 105314–105318 (2019)
- Yang, Z., Huang, Y., Jiang, Y., Sun, Y., Zhang, Y., Luo, P.: Clinical assistant diagnosis for electronic medical record based on convolutional neural network. *Scientific reports* **8**(1), 1–9 (2018)
- Kim, Y.: Convolutional neural networks for sentence classification. *arXiv preprint arXiv:1408.5882* (2014)
- Chen, D., Qian, G., Pan, Q.: Breast cancer classification with electronic medical records using hierarchical attention bidirectional networks. In: 2018 IEEE International Conference on Bioinformatics and Biomedicine (BIBM), pp. 983–988 (2018). IEEE
- Hao, Y., Usama, M., Yang, J., Hossain, M.S., Ghoneim, A.: Recurrent convolutional neural network based multimodal disease risk prediction. *Future Generation Computer Systems* **92**, 76–83 (2019)
- Hinton, E., G.: Reducing the dimensionality of data with neural networks. *Science* **313**(5786), 504–507
- Fang, Y., Wang, H., Wang, R., Luand Di, Song, Y.: Diagnosis of copd based on a knowledge graph and integrated model. *IEEE Access* **7**, 46004–46013 (2019)
- Bahdanau, D., Cho, K., Bengio, Y.: Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473* (2014)
- Tang, D., Qin, B., Liu, T.: Document modeling with gated recurrent neural network for sentiment classification. In: Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing, pp. 1422–1432 (2015)

16. Yang, Z., Yang, D., Dyer, C., He, X., Smola, A., Hovy, E.: Hierarchical attention networks for document classification. In: Proceedings of the 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, pp. 1480–1489 (2016)
17. Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A.N., Kaiser, L., Polosukhin, I.: Attention is all you need. In: Advances in Neural Information Processing Systems, pp. 5998–6008 (2017)
18. Zhao, Y., Zhang, K., Ma, H., Li, K.: Leveraging text skeleton for de-identification of electronic medical records. BMC medical informatics and decision making **18**(1), 18 (2018)
19. Obstetrics and Gynecology. people’s Medical Publishing House, BeiJing (2018)
20. Luo, R., Xu, J., Zhang, Y., Ren, X., Sun, X.: Pkuseg: A toolkit for multi-domain chinese word segmentation. arXiv preprint arXiv:1906.11455 (2019)
21. Pennington, J., Socher, R., Manning, C.: Glove: Global vectors for word representation. In: Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP), pp. 1532–1543 (2014)
22. Kingma, D.P., Ba, J.: Adam: A method for stochastic optimization. arXiv preprint arXiv:1412.6980 (2014)
23. Zhang, M., Zhou, Z.: A review on multi-label learning algorithms. IEEE transactions on knowledge and data engineering **26**(8), 1819–1837 (2013)
24. Read, J., Pfahringer, B., Holmes, G., Frank, E.: Classifier chains for multi-label classification. Machine learning **85**(3), 333 (2011)
25. Zhang, M., Zhou, Z.: Ml-knn: A lazy learning approach to multi-label learning. Pattern recognition **40**(7), 2038–2048 (2007)
26. Liu, P., Qiu, X., Huang, X.: Recurrent neural network for text classification with multi-task learning. In: International Joint Conference on Artificial Intelligence (IJCAI), pp. 2873–2879 (2016). IEEE
27. Soleimani, H., Miller, D.J.: Semi-supervised multi-label topic models for document classification and sentence labeling. In: International on Conference on Information Knowledge Managemen, pp. 105–114 (2016). ACM

Figures

Figure 1 The overview of KHDM

Figure 2 Document encoder framework

Figure 3 A chinese obstetric EMR sample

Figure 4 The visualization of attention in document encoder(attention encoder)

Figure 5 The visualization of attention in knowledge aggregator(knowledge attention)

Table 1 Comparative results on Chinese obstetric EMR dataset

Method	average precision	one error	hamming loss	ranking loss	coverage
CC	0.5083	0.4880	0.0308	0.1366	19.7917
ML-KNN	0.6109	0.2488	0.0258	0.0709	10.2347
LSTM	0.8651	0.0836	0.0166	0.0190	4.4612
BiLSTM	0.8721	0.0775	0.0164	0.0186	4.4625
TextCNN	0.8652	0.0961	0.0188	0.0203	4.6035
KHDM	0.8929	0.0713	0.0156	0.0165	4.0833

Table 2 Description of public dataset

Dataset	Field	Instances	Labels
DeliciousMIL	Social networking sites	12234	20
Hep-categories	high-energyphysics	1000	5

Table 3 Comparative results on public dataset

Dataset	Method	average precision	one error	hamming loss	ranking loss	coverage
DeliciousMIL	CC	0.3208	0.8134	0.2054	0.4183	12.9241
	BP-MLL	0.3703	0.7621	0.4748	0.3488	11.0213
	LSTM	0.5813	0.3947	0.1641	0.1518	6.9928
	BiLSTM	0.5968	0.3786	0.1610	0.1615	6.9648
	TextCNN	0.6299	0.3639	0.1760	0.1344	6.0637
	KHDM	0.6386	0.3312	0.1255	0.1284	5.9101
Hep-categories	CC	0.5606	0.6290	0.2982	0.4381	1.9410
	BP-MLL	0.5733	0.5800	0.3460	0.4433	2.2300
	LSTM	0.6807	0.5422	0.2740	0.2437	0.9642
	BiLSTM	0.7055	0.4816	0.2200	0.2251	0.9455
	TextCNN	0.7903	0.3429	0.2420	0.1550	0.6207
	KHDM	0.8233	0.2800	0.1780	0.0858	0.6100

Table 4 Results of the ablation test

Method	average precision	one error	hamming loss	ranking loss	coverage
KHDM	0.8929	0.0713	0.0156	0.0165	4.0833
w/o Knowledge	0.8789	0.1047	0.0184	0.0212	4.2364
w/o Att	0.8519	0.1022	0.0164	0.0181	4.3210
TextCNN	0.8652	0.0961	0.0188	0.0203	4.6035
TextCNN+knowledge	0.8700	0.0912	0.0167	0.0199	4.3516

Figures




Figure 1

The overview of KHDM




Figure 2

Document encoder framework

Title	English content	Chinese content
Sex	female	女
Age	thirty-six years old	三十六岁
Chief complaint	The chief complaint was "more than 6 months after menopause and 4 hours of vaginal bleeding" . This pregnant woman is regular in menstruation, stop menstruating more than 30 days from test urine HCG positive. More than 1 month after menopause, B ultrasound diagnosis of intrauterine early pregnancy. Menopause 40 days, nausea, vomiting and other early pregnancy reactions... ..	以“停经6月余，阴道流血4小时”为主诉入院。该孕妇平素月经规律，停经30余天自测尿HCG阳性。停经1月余行B超检查诊断为宫内早孕。停经40天出现恶心、呕吐等早孕反应... ..
Admitting physical examination	T: 36.6 °C, P: 80/Min, R: 20/Min, BP: 120/80mmHg, normal development, medium nutrition, conscious, mental can, step into the ward, independent posture, physical examination cooperation. The whole body skin mucous membrane ruddy has no stained yellow, the rash, the bleeding spot, has not touched the swelling superficial lymph node... ..	T:36.6°C, P:80次/分, R:20次/分, BP:120/80mmHg, 发育正常, 营养中等, 神志清, 精神可, 步入病房, 自主体位, 查体合作. 全身皮肤粘膜红润无黄染、皮疹、出血点, 未触及肿大的浅表淋巴结... ..
Obstetric practice	Extrapelvic measurements IS: 24.0 cm IC: 27.0 cm EC: 19.0 cm TO: 9.0 cm. Uterine height 29.0 cm abdominal circumference 93.0 cm fetal heart rate 144 times / minute fetal weight 2600 G, no contractions	骨盆外测量IS:24.0cm IC:27.0cm EC:19.0cm TO:9.0cm 宫高29.0cm 腹围93.0cm 胎心144次/分 胎儿估重2600g,无宫缩
Auxiliary examinations	Fetal color doppler ultrasound: BPD: 74.0 mm FL: 53.0 mm Afi: 165.0 mm fetal position: breech position S/D2.2, placental Grade I.	胎儿彩超: BPD:74.0mm FL:53.0mm AFI:165.0mm 胎方位: 臀位S/D 2.2 胎盘I级
Admitting diagnosis	1.threatened premature labor 2.placenta previa (borderline) 3. Intrauterine pregnancy 28+2 weeks 4. G3P1 5.breech presentation 6. placenta previa (marginal)	1.先兆早产 2.前置胎盘(边缘性) 3.宫内孕28+2周 4.孕3产1 5.臀位 6.脐绕颈一周
Diagnostic basis	1. Gestation greater than or equal to 28 weeks and less than 37 weeks 2. Irregular or regular contractions with or without dilation of the internal orifice of the cervix 3. Minor vaginal bleeding	1.妊娠大于等于28周, 小于37周 2.出现不规则或者规律宫缩, 伴或者不伴宫颈内口扩张 3.阴道少量出血

Figure 3

A chinese obstetric EMR sample

以“停经9月余 入院待产”为主诉入院	more than 9 months of menopause and wait for parturition
孕期神志清，体力无明显变化	consciousness during pregnancy without physical changes
定期围产期保健，唐氏筛查	perinatal care and Down's syndrome
出现不规律腹痛	irregular abdominal pain
全身皮肤粘膜红润无黄染	skin and mucosa are ruddy without stained yellow
先露头，胎位枕左	head presentation and left occipitoanterior
彩超提示羊水偏多	colour duplex shows polyhydramnios

Figure 4

The visualization of attention in document encoder(attention encoder)




Figure 5

The visualization of attention in knowledge aggregator(knowledge attention)