

# Impacts of Parental Technoference on Parent-Child Relationships and Child Health and Developmental Outcomes: A Scoping Review Protocol

**Lyndsay Jerusha MacKay**

University of Calgary Faculty of Nursing

**Jelena Komanchuk**

University of Calgary Faculty of Nursing

**K. Alix Hayden**

University of Calgary MacKimmie Library: University of Calgary Libraries and Cultural Resources

**Nicole Letourneau** (✉ [nicole.letourneau@ucalgary.ca](mailto:nicole.letourneau@ucalgary.ca))

Faculty of Nursing, Cumming School of Medicine, Pediatrics, Psychiatry & Community Health Sciences,  
University of Calgary <https://orcid.org/0000-0002-7468-915X>

---

## Protocol

**Keywords:** Technoference, Parent-child relationships, Parent-child interactions, Bonding, Attachment, Child Health and Development, Phubbing, Parent Media Distraction, Technology Use, Smartphone Use

**Posted Date:** April 20th, 2021

**DOI:** <https://doi.org/10.21203/rs.3.rs-430799/v1>

**License:**  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

---

**Version of Record:** A version of this preprint was published at Systematic Reviews on March 17th, 2022.  
See the published version at <https://doi.org/10.1186/s13643-022-01918-3>.

# Abstract

**Background:** With increases in the use of technological devices worldwide, parental technofence is a potential threat to quality of parent-child relationships and children's health and development. Parental technofence refers to disrupted interactions between a parent and child due to a parent's use of a technological device. The aim of this scoping review is to map, describe and summarize existing evidence from published research studies on the impacts of parental technofence on parent-child relationships and children's health and development and to identify limitations in the studies and gaps in the literature.

**Methods:** This scoping review will be conducted in accordance with the Joanna Briggs Institute (JBI) methodology. A search for relevant research studies will be undertaken in APA PsycInfo, MEDLINE, Central, Cochrane Database for Systematic Reviews, JBI EBP and Embase (OVID). CINAHL (Ebsco) and Scopus will also be searched. Grey and popular literature will be excluded. This review will include primary research studies and review papers published in English with no time limit that identify the impacts of technofence on parent-child relationships and child health and developmental outcomes. Parent participants include primary caregivers, either biological, adopted or foster parents, of children under the age of 18 who engage in technofence. Two reviewers will independently screen titles, abstracts and full texts of studies according to inclusion and exclusion criteria. Disagreements will be resolved through discussion with a third researcher. Data will be extracted into a data charting table including; author(s), year of publication, country, research aim, methodology/design, population and sample size, variables/concepts and corresponding measures and main results. Data will be presented in tables and figures accompanied by a narrative summary.

**Discussion:** The goal of this scoping review is to present an overview of the evidence on impacts of parental technofence on parent-child relationships and child and health developmental outcomes, highlighting the current risk of children of today. It will identify gaps in the literature, inform future research, advise recommendations for parents on technological device use and possibly guide the development of interventions aimed at addressing parental technofence.

**Systematic review registration:** Open Science Framework ([10.17605/OSF.IO/QNTS5](https://osf.io/QNTS5))

## Background

Mobile devices are becoming ubiquitous worldwide. In 2018, 88% of Canadians owned a mobile device and 87% had internet access (1). Similarly, in 2019, 96% of Americans owned a cell, of which 81% were smart phones, up from 35% in 2011 (2). Ninety percent of Americans frequently carry their cell phones and 45% rarely turn them off (3). In 2019 86% of the population in Europe subscribed to mobile services and 76% of the connections were via a smartphone (4). In 2018, the overall mobile use among countries in South Asia was 33%, with India at 55%, Bangladesh at 22% and Pakistan at 22% (5). In Southeast Asia in 2018, 42% of the population had smartphones and 28% owned another type of phone (5). Forty-five

percent of the population in sub-Saharan Africa subscribed to mobile services at the end of 2019 (6) and 70% of the population in Latin America were cell phone subscribers by the end of 2019 (7). Globally, mobile device use is soaring, which has resulted in an 'always-on' reality that has caused disruptions to social norms about the appropriateness of diverting one's attention from a relational interaction to a digital encounter (3).

Today's parents spend significant amounts of time on technological devices. In one study, mothers of infants (N = 114) spent an average of 3 hours per day on their smartphones; 16% of mothers reported spending 5–15 hours on their smartphones per day and 6.7% described being addicted to their smartphones (8). The majority of mothers (75%) used their smartphones primarily for entertainment and social-networking purposes (8). Another study among mothers (N = 553) and their children found that mothers spent an average of 4.33 hours per day on a technological device (9). High screen time in mothers was associated with conduct problems, symptoms of hyperactivity/inattention and emotional problems among their children (9). Findings from an observational study of parents (N = 50) use of mobile devices while caring for their children at a playground revealed that 76% of parents used their mobile device an average of 17.2 minutes of the 20 min observation period (10). Parents are spending high amounts of time each day on a technological device, which leads to the question: does parents' high technological device use interfere in regular parenting behaviors and distract them from engaging in optimal parent-child interactions, negatively impacting child health and development?

Parental technofence is defined as regular interruptions to real-time face-to-face communications, interactions or time spent together between family members because of parental use of technology (11, 12). This includes periods of time when a parent checks a technological device during family interactions that creates feelings of intrusion (11). Technofence has become common among families with children (13) and researchers are beginning to identify that extended parental time on technological devices can have negative effects on parent-child relationships and children's health and developmental outcomes (14).

Definitions of parent-child relationships typically refer to qualities of parents' interactions with their children (15, 16), as well as bonding (17) and attachment (18). Optimal parent-child interactions are observed when a child verbalizes, gestures or cries and the parent responds appropriately with verbalization, eye contact or physical touch (15). Parent-child interactions involve how parents and children affect the behavior of one another by a process of bi-directional influences and social interaction (16). Through this process the child and parent learn to adapt and modify their behaviors in response to one another (16). Parents' ability to respond to their children's cues (e.g., crying) and bids for attention (e.g., reaching for parent) in a supportive and responsive manner result in optimal parent-child interactions (19). Supportive parent-child interactions are the single most important factor known to promote optimal child development, including positive emotional, behavioral, psychological and social development (20) and have shown to support children's health (21, 22). Parental technofence can negatively impact parents' interactions with their children of all ages because it reduces parental attention, responsiveness and warmth displayed to their children (23, 24). When parental technofence

was observed in playgrounds and eateries in the United States and Israel, parents' interactions with their children were suboptimal. Such parents regularly ignored their children's bids for attention and were inattentive to their children's emotional and safety needs due to focusing their attention on a mobile device (25).

Bonding refers to a specific relationship between two people that endures over time (17). In reference to parent-child bonding, bonding refers to the emotional tie a mother or father forms with their newborn infant as they become dedicated to caring for their infant and demonstrate behaviors of care, concern and affection towards their infant (e.g., kissing, cuddling and prolonged gaze) (17, 26). Most often, this emotional tie is from the mother towards her infant, not the infant to the mother as is referred to in attachment (27). Attachment refers to children's behavior of seeking or maintaining close proximity to a caregiver that they identify as being safe, able meet their needs and offering protection (18). Children's attachment behaviors to their caregivers are most evident when children feel sick, frightened or fatigued, as demonstrated by their internal motivation to seek comfort from their caregiver (18). Most often the caregiver is the children's mother-figure, but in her absence children can demonstrate attachment towards someone they feel comfortable with or knows well (18).

Childhood is characterized by a sensitive period of brain and biological development, leaving children influenced by the environment in which they live, which can improve or damage their development and health (28, 29). Children's development includes several interdependent domains, including; gross motor (e.g., sitting, standing, walking, running), fine motor (e.g., eating, writing), language (e.g., speaking, gestures), social (e.g., relationships with others, responding to others' feelings) and cognitive (e.g., learning, understanding, problem-solving, reasoning, remembering) (30, 31). Children's health includes biological health (e.g., cardiac, respiratory, endocrine, muscular-skeletal and gastroenteric domains) and psychological health (e.g., mental, emotional and behavioral domains). Parental technofence can interfere with children's health and development, specifically predicting children's externalizing (e.g. hyperactivity, aggression) and internalizing (e.g. anxiety, depression) behavioral problems (24, 32).

A preliminary search of MEDLINE, Cochrane Database for Systematic Reviews and Joanna Briggs Institute (JBI) Evidence Synthesis was conducted. One systematic review was retrieved on the impact of parental smartphone use on parent-child interactions (23). This systematic review excluded children's outcomes other than parent-child interactions. One review on the impacts of parental distraction with phones on parenting and child outcomes was found (13). However, this review did not follow a systematic review method, include impacts on parent-child relationships, nor was a comprehensive search of the literature conducted, all of which we will perform for this scoping review. Finally, a systematic review was retrieved on parents' use of mobile computing devices on caregiving and social and emotional development of children (33). This review included articles that reported parents' use of mobile devices rather than technofence, which considers when parents become distracted from an interaction due to the use of technology. Given that parents may utilize technological devices when they are apart from their children (e.g., while their child is asleep or at school), we will include articles that

identify outcomes in relation to parental technofence and exclude articles that only report parental use of a technological device.

The aim of this scoping review is to map, describe and summarize peer-reviewed evidence on the impacts of parental technofence on parent-child relationships and child health and developmental outcomes. This scoping review will identify the current state of the literature and discover gaps in the literature, which will help inform future research that provides a comprehensive understanding and guides the development of interventions and strategies aimed at buffering children from the harmful impacts of parental technofence.

## **Methods**

### **Review questions**

The primary research question for this review is: What research evidence is available on impacts of parental technofence on parent-child relationships and children's health and developmental outcomes? Sub-questions for this review include: (1) What are the gaps in relevant literature? (2) How is parental technofence defined in the literature? (3) How is parental technofence measured in the literature? and (4) What research designs and methodologies are used to research parental technofence?

### **Protocol design**

The purpose of this review is not to identify the effectiveness of a treatment or practice as is most often the case with systematic reviews (34, 35). Rather, the objective of this review is to identify and map types of available evidence, examine how research was conducted, identify knowledge gaps and synthesize and summarize available evidence on the impacts of parental technofence on parent-child relationships and child health and developmental outcomes, thus, a scoping review methodology was chosen (34, 36). The proposed scoping review will be conducted in accordance with the JBI methodology for scoping reviews (37) and reported in accordance with Preferred Reporting Items for Systematic Reviews (PRISMA) Statement for Scoping Reviews (PRISMA-ScR) (see Additional file 1) (38). It has been registered with the Open Science Framework (registration number: 10.17605/OSF.IO/QNTS5). Any deviations from this protocol will be reported in the final manuscript.

### **Eligibility criteria**

The participant, concept and context (PCC) framework for scoping reviews will be used to inform eligibility of research articles and guide the review process (37) (see Additional File 2).

### **Participants**

This review will consider studies that include parents who engage in technofence and their children. Parents must be the primary caregivers, including married, unmarried, divorced, separated, biological, adoptive and foster parents. Children do not have to reside in the same home as their parental caregivers. Parents of all ages will be included, such as older parents and teenage parents. Children must be under the age of 18 and can be identified as health or with a disability/disease of any kind.

## **Concept**

This review will consider studies that explore technofence among parents. Technofence is defined as parents' use of technological devices that interferes with or interrupts everyday normal family relations and interactions, including but not limited to: face-to-face conversations, mealtimes and leisurely time together. Technological devices include any technological device that distracts parental attention from their child/children, such as a: cell phone, smart phone or tablet, excluding watching a television.

Parent-child relationships reflect the nature of interactions between parents and their child/children. This can include but is not limited to; parent-child interaction quality (e.g., sensitivity and responsiveness), attachment and bonding.

Child health involves biological and psychological health. Biological health includes, but is not limited to: cardiac, respiratory, muscular-skeletal, endocrine and gastroenteric domains. Psychological health includes, but is not limited to: mental, emotional and behavioral domains.

Child development includes, but is not limited to: gross motor, fine motor, language, social and cognitive domains.

## **Context**

Technofence can occur in any context with no limits on cultural factors, geographic location, specific setting or racial and gender-based interests.

## **Types of sources**

This scoping review will consider both experimental and quasi-experimental study designs including randomized controlled trials, non-randomized controlled trials, before and after studies and interrupted time-series studies. In addition, analytical observational studies including prospective and retrospective cohort studies, case-control studies and analytical cross-sectional studies will be considered for inclusion. This review will also consider descriptive observational study designs including case series, individual case reports and descriptive cross-sectional studies for inclusion, along with systematic reviews, meta-analysis and scoping reviews. Qualitative studies will also be considered including, but not limited to, designs such as phenomenology, grounded theory, ethnography, qualitative description, action research and feminist research. In addition, conference abstracts, reviews and dissertations that meet the inclusion criteria will also be considered. Grey literature, popular literature, letters, editorials and opinions will be excluded. Studies published in English will be included with no specific date limit.

## **Search strategy**

The search strategy will aim to locate published studies. An initial discovery search of APA PsycInfo will be undertaken to identify articles on the topic. The text words contained in the titles and abstracts of relevant articles, and the index terms used to describe the articles, will be used to develop a full search strategy focusing on two main concepts: parental technoference and children's outcomes. As we are interested in child health and development outcomes, we will not search this concept to be sure that we do not potentially miss important outcomes (39). The search strategy, including all identified keywords and index terms, will be adapted for each included database and/or information source. A draft search strategy for APA PsycInfo is provided in Additional file 3. The reference list of all included sources of evidence will be screened for additional studies.

Ovid databases to be searched include the following: APA PsycInfo, MEDLINE(R) and Epub Ahead of Print, In-Process & Other Non-Indexed Citations and Daily, Cochrane Central Register of Controlled Trials (Central), Cochrane Database for Systematic Reviews, JBI EBP Database, and Embase. CINAHL Plus with Full Text (Ebsco) and Scopus will also be searched.

## **Study/Source of evidence selection**

Following the search, all identified records will be uploaded into Covidence (40) and duplicates removed. Two reviewers (LM and JK) will pilot eligibility criteria on 50 random titles and abstracts to gain a minimum of 90% inter-rater reliability. Following the calibration exercise, titles and abstracts will then be screened by two independent reviewers (LM and JK) for assessment against the inclusion criteria for the review. Potentially relevant studies will be retrieved in full text and uploaded to Covidence. The full texts will be assessed in detail against the inclusion criteria by two independent reviewers (LM and JK). Reasons for exclusion of sources of evidence at full text that does not meet the inclusion criteria will be recorded and reported in the scoping review. Any disagreements that arise between the reviewers at each stage of the selection process will be resolved through discussion, or with an additional reviewer (NL). The results of the search and the study inclusion process will be reported in full in the final scoping review through a PRISMA-ScR flow diagram (38).

## **Data extraction**

Data will be extracted from papers using a modified version of the JBI data extraction instrument (37) (see Additional file 4). Extracted data will include specific details about the authors, year of publication, country, participants, concept, context, study methods and key findings relevant to the review questions. The data extraction form will be piloted by two reviewers on five research studies and cross checked by a third reviewer. Necessary adjustments will be made to the data extraction form. If the data extraction instrument is modified during the process of extracting data, this will be detailed in the scoping review. Data will be independently extracted by one researcher and validity of the extracted data will be ensured by a second researcher cross checking extracted data. If appropriate, authors of papers will be contacted to request missing or additional data.

## **Critical assessment of evidence**

Critical appraisal is not mandatory within JBI methodology for scoping reviews, however, such appraisal is useful to report the risk of bias in scoping reviews (37). The Newcastle-Ottawa Scale (NOS) will be used to assess the quality of nonrandomized studies (41), the Consolidated Criteria for Reporting Qualitative Studies (COREQ) will be used to assess quality of qualitative studies (42) and the Consolidated Standards of Reporting Trials (CONSORT) will be used to assess quality of randomized controlled trials (43). Assessment of each study will be assessed by two independent researchers (LM and JK). If disagreements arise a third researcher will be utilized to come to consensus (NL). Critical assessment of evidence will be included on the data extraction form, presented in tables and figures and addressed in the narrative summary.

## **Data analysis and presentation**

Data will be descriptively mapped with simple frequency counts of concepts, populations and characteristics if such data are available. Tables and figures will present distribution of articles by period of publication, county of origin, type of outcome (e.g., parent-child interactions, child health and/or child development), technoference measurement tool, age of children (e.g., early childhood, childhood and adolescence) and research method. A narrative summary of the study findings will accompany tables and figures that describe the impacts of technoference on parent-child interactions and child health and developmental outcomes from the literature.

## **Discussion**

The concept of technoference is a relatively new term. It has recently emerged as researchers and scholars begin to recognize the negative effects parental technoference can have on parent-child relationships and children's health and development. This scoping review will provide a descriptive overview of the available evidence on the impacts of parental technoference on parent-child relationships and children's health and development.

This scoping review will result in tables and figures that map the year, authors, ages of children, setting, study design and outcomes measures used in relevant studies, along with a supporting narrative summary. It will also identify gaps in existing literature, including areas that require further investigation. The various assessment tools used to measure parental technoference will be identified along with definitions of parental technoference. The above will help inform future research aimed at increasing understanding and knowledge of the impacts of parental technoference on parent-child relationships and children's health and developmental outcomes and aid in the development of programs and interventions that buffer children from the harmful effects of parental technoference and reduce parental technoference.

It is hoped that by publishing this protocol and the subsequent scoping review results practitioners, researchers, scholars, policy makers and parents of today will become aware of and begin discussing the implications that parental technoference has for children. Results of this scoping review will be disseminated through peer-reviewed publications and presented at international, national and local

conferences. The findings will be used in discussion with policy makers and practitioners to inform policy and practice on recommendations made to parents regarding their technological device use when in the presence of their children.

Although rigor has been applied to this scoping review protocol, potential limitations may occur. There may be studies published in languages other than English that are relevant and not included. Evidence published in grey literature, such as government reports, may not be captured. Protocol amendments will be documented and captured in the final publication of the scoping review results.

## **Declarations**

### **Ethics approval and consent to participate**

Not applicable

### **Consent for publication**

Not applicable

### **Availability of data and materials**

Not applicable

### **Competing interests**

The authors declare that they have no competing interests

### **Funding**

No funding has been received to perform this scoping review.

### **Authors' contributions**

MacKay led the drafting and writing of the protocol, reviewed and edited the final version and submitted the manuscript. Komanchuk assisted in drafting the protocol and reviewed and edited the final version. Hayden guided the methodology of the protocol, designed the search strategy and reviewed and edited the final version. Letourneau is the senior author, formulated study conception, assisted in drafting the protocol and reviewed and edited the final version. All authors have made substantive intellectual contributions to the development of this protocol and approved the final version of the manuscript.

### **Acknowledgements**

None

### **Conflict of Interest**

The authors declare no conflict of interest

## References

1. The Canadian Radio-Television and Telecommunications Commission. Communications monitoring report 2018. Ottawa, ON; 2019.
2. Pew Research Center. Mobile fact sheet Washington, DC: Pew Research Center; 2019 [Available from: <https://www.pewresearch.org/internet/fact-sheet/mobile/>].
3. Rainie L, Zickuhr K. Americans' views on mobile etiquette. 2015.
4. GSMA Association. The mobile economy 2021 [Available from: <https://www.gsma.com/mobileeconomy/europe/>].
5. GeoPoll. Mobile penetration in South Asia and Southeast Asia 2020 [Available from: <https://www.geopoll.com/blog/mobile-penetration-asia-south-asia-southeast-asia/>].
6. GSMA Association. The mobile economy Sub-Saharan Africa 2020. 2020.
7. Association G. The mobile economy Latin America 2020. 2020.
8. Ali RA, Alnuaimi KM, Al-Jarrah IA. Examining the associations between smartphone use and mother-infant bonding and family functioning: A survey design. *Nurs Health Sci.* 2020;22:235-42.
9. Poulain T, Ludwig J, Hiemisch A, Hilberta A, Kiess W. Media use of mothers, media use of children, and parent-child interaction are related to behavioral difficulties and strengths of children. *Int J Env Res Public Health.* 2019;16:4651-64.
10. Mangan E, Leavy JE, Jancey J. Mobile device use when caring for children 0-5 years: A naturalistic playground study. *Health Promot J Austr.* 2017;29:337-43.
11. McDaniel BT, Coyne SM. "Technoference": The interference of technology in couple relationships and implications for women's personal and relational well-being. *Psychology of Popular Media Culture.* 2016;5(1):85-98.
12. Qiao L, Liu Q. The effect of technoference in parent-child relationships on adolescent smartphone addiction: The role of cognitive factors. *Children and Youth Services Review.* 2020;118:1-9.
13. McDaniel BT. Parent distraction with phones, reasons for use, and impacts on parenting and child outcomes: A review of the emerging research. *Human Behavior & Emerging Technology.* 2019;1:72-80.
14. Stockdale LA, Porter CL, Coyne SM, Essig LW, Booth M, Keenan-Kroff S, et al. Infants' response to a mobile phone modified still-face paradigm: Links to maternal behaviors and beliefs regarding technoference. *Infancy.* 2020;25:571-92.
15. Center of the Developing Child at Harvard University. Serve and return 2021 [Available from: <https://developingchild.harvard.edu/science/key-concepts/serve-and-return/>].
16. NCAST Programs. Caregiver/parent-child interaction teaching manual. Oxford M, Findlay D, editors. Seattle, WA.: University of Washington; 2013.

17. Kennell J, McGrath S. Starting the process of mother-infant bonding. *ACTA Paediatrica*. 2005;94:775-8.
18. Bowlby J. *A secure base: Parent-child attachment and healthy human development*. New York: Basic Books; 1988.
19. Sumner G, Spietz A. *NCAST caregiver/parent-child interaction teaching manual*. Seattle, WA: NCAST Publications, University of Washington; 1994.
20. National Academies of Sciences Engineering and Medicine. *Vibrant and health kids: Aligning science, practice, and policy to advance health equity*. Washington, DC; 2019.
21. Anderson SE, Keim SA. Parent-child interaction, self-regulation, and obesity prevention in early childhood. *Current Obesity Reports*. 2016;5(2):192-200.
22. Letourneau N, Kozyrskyj A, Cosic N, Ntanda H, Anis L, Hart M, et al. Maternal sensitivity and social support protect against childhood atopic dermatitis. *Allergy Asthma Immunol Res*. 2017;13(1):1-14.
23. Knitter B, Zemp M. Digital family life: A systematic review of the impact of parental smartphone use on parent-child interactions. *Digital Psychology*. 2020.
24. McDaniel BT, Radesky J. Technoference: Parent distraction with technology and associations with child behavior problems. *Child Dev*. 2018;89(1):100-9.
25. Elias N, Lemish D, Dalyot S, Floesgel D. "Where are you?" An observational exploration of parental technoference in public places in the US and Israel. *Journal of Children and Media* 2020.
26. Klaus M, Kennell JH. *Parent-infant bonding*. St. Louis: Mosby; 1982.
27. Kinsey CB, Hupcey JE. State of the science of maternal-infant bonding: A principle-based concept analysis. *Midwifery*. 2014;29(12):1-14.
28. Hertzman C. The state of child development in Canada: Are we moving toward, or away from, equity from the start? *Paediatr Child Health*. 2009;14(10):673-6.
29. Keating DP, Hertzman C. *Developmental Health and the Wealth of Nations: Social, Biological, and Educational Dynamics*. Keating DP, Hertzman C, editors. New York, NY.: The Guilford Press; 1999.
30. Grantham-McGregor S, Cheung YB, Cueto S, Glewwe P, Richter L, Strupp B. Developmental potential in the first 5 years for children in developing countries. *The Lancet*. 2007;369(9555):60-70.
31. *Caring for Kids. Your child's development: What to expect*: Canadian Paediatric Society; 2019 [
32. McDaniel BT, Radesky JS. Technoference: Longitudinal associations between parent technology use, parenting stress, and child behavior problems. *Pediatr Res*. 2018;84:210-8.
33. Beamish N, Fisher J, Rowe H. Parents' use of mobile computing devices, caregiving and the social and emotional development of children: A systematic review of the evidence. *Australasian Psychiatry*. 2019;27(2):132-43.
34. Munn Z, Peters MDJ, Stern C, Tufanaru C, McArthur A, Aromataris E. Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. *BMC Med Res Methodol*. 2018;18:143-50.

35. Arksey H, O'Malley L. Scoping Studies: Towards a methodological framework. *Int J Soc Res Methodol.* 2005;8(1):19-32.
36. Levac D, Colquhoun H, O'Brien KK. Scoping studies: Advancing the methodology. *Implement Sci.* 2010;5(1):69-78.
37. Peters MDJ, Godfrey C, Mclnerney P, Munn Z, Tricco AC, Khalil H. Chapter 11: Scoping Reviews. In: Aromataris E, Munn Z, editors. *JBI Manual for Evidence Synthesis*: JBI; 2020.
38. Tricco AC, Lillie E, Zarin E, O'Brien KK, colquhoun H, Levac D, et al. PRISMA extension for Scoping Reviews (PRISMA-ScR): Checklist and explanation. *Ann Intern Med.* 2018;169(7):467-73.
39. Frandsen TF, Nielsen MFB, Lindhardt CL, Eriksen MB. Using the full PICO model as a search tool for systematic reviews resulted in lower recall for some PICO elements. *J Clin Epidemiol.* 2020;127:69-75.
40. Veritas Health Innovation. Covidence systematic review software 2020 [Available from: [www.covidence.org](http://www.covidence.org)].
41. Wells GA, Shea B, O'Connell D, Peterson J, Welch V, Losos M, et al. The Newcastle-Ottawa Scale (NOS) for assessing the quality of nonrandomised studies in meta-analysis: The Ottawa Hospital Research Institute; 2021 [Available from: [http://www.ohri.ca/programs/clinical\\_epidemiology/oxford.asp](http://www.ohri.ca/programs/clinical_epidemiology/oxford.asp)].
42. Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): A 32-item checklist for interviews and focus groups. *Int J Qual Health Care.* 2007;19(6):349-57.
43. Schulz KF, Altman DG, Moher D, the CONSORT group. CONSORT Statement: Updated guidelines for reporting parallel group randomised trials. *BMC Med.* 2010;8(18):1-9.

## Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [Additionalfile1.PRISMAChecklist.pdf](#)
- [Additionalfile2.PCCframeworkdefiningeligibility.docx](#)
- [Additionalfile3.DraftsearchstrategyforAPAPsychInfo.docx](#)
- [Additionalfile4.Dataextractiontable.docx](#)