COVID-19 vaccine acceptance, barriers and facilitators among healthcare workers in Pakistan

Khalid Rehman (✉ drkhalid.iph@kmu.edu.pk)

Khyber Medical University

Muhammad Hakim

Khyber Medical University

Nauman Arif

Khyber Medical University

Siraj Ul Islam

Lady Reading Hospital

Abdul Saboor

Khyber Medical University

Muhammad Asif

Khyber Medical University

Michael Ramharter

Bernhard Nocht Institute for Tropical Medicine

Research Article

Keywords: COVID-19, vaccine acceptance, Health care workers, Khyber Pakhtunkhwa, Pakistan

Posted Date: April 26th, 2021

DOI: <https://doi.org/10.21203/rs.3.rs-431543/v2>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License. [Read Full License](#)

Abstract

Background

Vaccines are one of the main cornerstones in the global initiatives to control the COVID-19 pandemic. National vaccination programs largely depend on vaccine availability and acceptance by a large proportion of the population to confer a measurable impact on SARS-CoV-2 transmission. In this study we determine the acceptance, barriers and facilitators of COVID-19 vaccination amongst healthcare workers (HCWs) in Pakistan

Methods

A structured and validated questionnaire was used in an online cross-sectional study. Health care workers residing in Pakistan were invited between 31st January to 9th February to participate in this survey

Results

A total of 436 health-care workers took part in this survey and among those 327 (75%) were doctors. 260 (60%) health-care workers indicated that they would accept vaccination against COVID-19. 308 (71%) were completely confident or confident in using USA, UK manufactured COVID-19 vaccine. The acceptance concerning a potential Chinese vaccine was 267 (61%). 292 (67%) strongly agreed or agreed that they are concerned about the efficacy of COVID-19 vaccination while the concerns for safety were 293 (67%)

Conclusions

About a third of HCWs, a group generally biased towards early acceptance of health interventions – expressed concerns or refusal of vaccination against COVID-19 in this survey. A dedicated communication plan and information campaign addressing the issues of efficacy, quality, logistics and religious concerns is needed to address these hurdles to allow for a successful national vaccination campaign.

Background

The recent pandemic of COVID-19 caused by severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) is a major threat globally and particularly to Southeast Asian countries (1,2). The pandemic demands for intervention on many fronts, from prevention to testing to treatment. Vaccines are among the most effective public health interventions in preventing morbidity, mortality and public health costs caused by infectious diseases (3) and are therefore a cornerstone in the control measures of the global COVID-19 pandemic.

Since the very beginning of COVID-19 pandemic, researchers around the globe have been working tirelessly on countermeasures to contain the pandemic. While it was not yet possible to identify particular highly efficacious antiviral drugs, there was significant progress in the development of a vaccine to fight the disease (4). Several different vaccines, all with promising efficacy and protection, are produced at a record pace of less than a year after the pandemic begins (5). Arguably, vaccine hesitancy and rejection by a majority of the population are among the prime concerns for a successful vaccination campaign aiming at achieving herd immunity (6). Studies from different countries including affluent nations have shown discouraging results on the effectiveness of vaccination programs (7). It is therefore of high importance to identify potential barriers to vaccine uptake early on in the fight against COVID-19.

Pakistan has a history of problems with vaccine uptake and acceptability (8–10). Low coverage rates of regular immunization programs and the large number of individuals who fail to vaccinate their children in polio immunization campaigns, despite stringent by-laws and vigorous anti-polio drives, highlight this reality.

Healthcare workers (HCWs) are particularly exposed to and a main source of nosocomial transmission of COVID-19, which makes them an important target group for vaccination (11). It is based on this understanding that HCW will constitute the

priority group for the national COVID-19 vaccination program in Pakistan. This program is conceived as a multi-phase program due to shortage of available vaccines. Vaccine uptake and addressing of concerns observed in the first vaccinated groups will prove crucial for the further success of the vaccination program as HCW may act as main influencers of the general public in adapting any healthy behavior. This study therefore set out to investigate the acceptance, perceptions and concerns of HCW in Pakistan about the imminent national COVID-19 vaccine program.

Methods

A cross-sectional study was conducted inviting healthcare workers in Pakistan during January 2021 via online social media platforms. The target population was healthcare workers aged ≥ 21 years with a valid registration in Pakistan with their respective regulatory body. The survey was advertised via three social media platforms (Facebook, WhatsApp and Twitter). Data was collected using self-reported, structured questionnaire adapted from Lin Y et al (12). Data were collected via an online Google forms. The survey was open for response between 31st January to 9th February. The identity of health care personnel validated by their registration number, which was kept confidential.

Data analysis:

Data were extracted from the online Google forms, transferred and analyzed by using STATA Version 14. All the categorical variables (gender, professional role, vaccine acceptance etc) were described as frequencies and percentages. Group-testing was performed using chi square test with $p \leq 0.05$ considered significance.

Results

A total of 436 responses were received in the two weeks period. Of these, 327 (75%) were medical doctors, 34 (7.80%) were nurses, 39 (8.94%) were paramedical staff and 36 (8.26%) were other health staff (Table 1).

The respondents belong to all provinces and regions of Pakistan but the majority participated from the province Khyber Pakhtunkhwa (KPK) 335 (77%). 47 (11%), 27 (6%), 12 (3%), 11 (3%) were from Punjab, Sindh, Federal and Baluchistan respectively. Two third of the respondents were in the age category 19-39 years, $n=293$ (67%). The most frequently reported category for years of experience was 0 – 5 years reported by, $n=176$ (40%). Most of them $n=180$, (41%) worked in tertiary care hospitals while $n=99$ (23%), $n=44$ (10%), $n=44$ (10%) worked in secondary care hospital, primary care hospitals and emergency operation centers respectively. Respondent's further details on the characteristics are provided in Table 1.

Out of 436 respondents, $n=133$ (31%) had tested COVID-19 positive. Total 68 (16%) respondents have an existing chronic disease such as cardiovascular disease, diabetes and chronic respiratory tract disease. When asked, about if they had adequate information regarding the COVID-19 vaccine, only 202 (46%) of the health-care workers agreed with having adequate information.

260 (60%) health-care workers responded that they would accept receiving vaccine against COVID-19 if available, 136 (31%) would wait & see and 16 (4%) would categorically refuse vaccination. 308 (71%) were completely confident or confident in using USA, UK manufactured COVID-19 vaccine, whereas 267 (61%) were completely confident or confident in using China manufactured COVID-19 vaccine.

326 (75%) strongly agreed or agreed that they will feel less worried about getting COVID-19 if vaccinated. 329 (75%) acknowledged that vaccination decreases their risk of contracting COVID-19 and its complications. 174 (40%) indicated that they are worried about possible side effects of COVID-19 vaccination.

Total 292 (67%) strongly agreed or agreed that they are concerned about the efficacy of COVID-19 vaccination whereas 293 (67%) are concerned about the safety of COVID-19 vaccination including 238 (54.5%) voicing concerns about potential fake and faulty COVID-19 vaccine.

320 (73.3%) indicated concerns about the cold chain maintenance of COVID-19 vaccine and 125 (28.6%) about the permissibility of COVID-19 vaccine on religious ground. 128 participants (29.3%) assumed that there might be hidden motives behind eagerness of authorities to administer / provide COVID-19 vaccine free. Respondent's further details on the respondent's characteristics are provided in Table 02(a-c).

The majority of respondents were from the KPK province of Pakistan. Further details of the KPK respondent's characteristics are provided in Table 03(a-c)

A separate analysis was run for total 133 respondents who were COVID-19 positive among which a majority were doctors and working at tertiary care hospitals 67(50%) of Pakistan.

72 (54%) responded that they are willing to take a COVID-19 vaccine if available. 95 (71%) strongly agreed or agreed that they would feel less worried of contracting COVID-19 if vaccinated. 31 (23%) were concerned about permissibility of COVID-19 vaccine on religious grounds. The details given in Table 04.

Discussion

Knowledge, attitude and practices of HCWs is important to understand to guide vaccination programs. Pakistan is a particularly complex region for population based vaccination programs due to a history of vaccine hesitancy in the past. This survey therefore aimed to address proactively the major barriers for vaccine acceptance to help guide information management to effectively accompany the national COVID-19 response.

Importantly, about one third of health care workers in our survey indicated to postpone or refuse taking a COVID-19 vaccine. Given that these individuals are HCW, disproportionately young and well educated this seems a rather high proportion. This group of respondents is thought to be rather geared towards acceptance of evidence based interventions, which makes the significant proportion of hesitant individuals even more important. In similar studies done in health workers of other countries vaccine acceptance has been reported to be within a broad range from 28% in DRC, 40% in Hong Kong, 61% in Israel, 63% Hong Kong, up to 77% in France (6,13–16). Interestingly, HCWs showed a trend towards more trust in US/UK manufactured vaccines than on a Chinese vaccine. This is important for the Pakistani context as two Chinese vaccines (Sinopharm, CanSino) are planned to be the main vaccines for the national control program. Concerns regarding logistics and quality assurance are justified concerns that need to be addressed both on the operation level as well as should be included in information campaigns. Importantly, one third of respondents also indicated issues with religious permissibility as a concern. This particular topic requires further investigation and engagement with religious leaders to potentially overcome this important hurdle in the effective implementation of the national COVID-19 vaccination program.

As mentioned above, this survey is probably not fully representative for the Pakistani population as it significantly over-represents young male HCWs with high education from one part of Pakistan. Nevertheless, it is important information from a country with history of vaccine hesitancy and a region with multiple health issues to tackle.

Conclusion

In summary, this survey indicates the overall acceptance of an anti-COVID-19 vaccination program and highlights important aspects to be included in engagement with national stakeholders and to be communicated in national information campaigns. Religious beliefs also need to be taken into account while planning a communication strategy.

List Of Abbreviations

HCW Health care workers

KPK Khyber Pakhtunkhwa

Declarations

Ethical approval

Ethical approval has been taken from the ethics committee of Khyber Medical University.

Consent

Consent from participants was taken, once they agreed only then the survey went further.

Availability of data

All the collected data is available with the corresponding author.

Competing interests

The authors declare that they have no competing interests.

Funding

No funding was received for this research.

Authors contributions

KR, conceived the idea, contributed to the design, proposal development, writing of the manuscript and approved the submitted version of the manuscript.

MH, helped in proposal development, data analysis, writing of manuscript and approved the submitted version of the manuscript.

NA, analyzed, interpreted the data and approved the submitted version of the manuscript.

SI, helped in data collection, writing of manuscript and approved the submitted version of the manuscript.

AS, helped in writing the proposal, data collection, ethical approval and approved the submitted version of the manuscript.

MA, helped in proposal development, finalizing the data collection tool and approved the submitted version of the manuscript.

MR, helped data analysis, interpretation, substantively revised manuscript and approved the submitted version of the manuscript.

Acknowledgements

Dr. Zohaib Khan.

Director ORIC. Khyber Medical University. Peshawar. Pakistan.

Dr. Zeeshan Kibria.

Deputy Director ORIC. Peshawar. Pakistan. Khyber Medical University.

Authors information

KR has a PhD in Public Health from Medical University of Vienna, Austria.

He is working as assistant professor of public health in Khyber Medical University, Peshawar.

References

1. Bhutta ZA, Basnyat B, Saha S, Laxminarayan R. Covid-19 risks and response in South Asia. British Medical Journal Publishing Group; 2020.
2. Lim W, Liang C, Assantachai P, Auyeung TW, Kang L, Lee W, et al. COVID-19 and older people in Asia: Asian Working Group for Sarcopenia calls to action. *Geriatr Gerontol Int*. 2020;20(6):547–58.
3. (CDC C for DC and P. Ten great public health achievements–United States, 1900-1999. *MMWR Morb Mortal Wkly Rep*. 1999;48(12):241–3.
4. Dutta AK. Vaccine Against Covid-19 Disease–Present Status of Development. *Indian J Pediatr*. 2020;1–7.
5. Walsh EE, Frenck Jr RW, Falsey AR, Kitchin N, Absalon J, Gurtman A, et al. Safety and immunogenicity of two RNA-based Covid-19 vaccine candidates. *N Engl J Med*. 2020;383(25):2439–50.
6. Dror AA, Eisenbach N, Taiber S, Morozov NG, Mizrahi M, Zigran A, et al. Vaccine hesitancy: the next challenge in the fight against COVID-19. *Eur J Epidemiol*. 2020;35(8):775–9.
7. Grech V, Gauci C, Agius S. Vaccine hesitancy among Maltese healthcare workers toward influenza and novel COVID-19 vaccination. *Early Hum Dev*. 2020;105213.
8. Khattak FA, Rehman K, Shahzad M, Arif N, Ullah N, Kibria Z, et al. Prevalence of Parental refusal rate and its associated factors in routine immunization by using WHO Vaccine Hesitancy tool: A Cross sectional study at district Bannu, KP, Pakistan. *Int J Infect Dis*. 2021;104:117–24.
9. Murakami H, Kobayashi M, Hachiya M, Khan ZS, Hassan SQ, Sakurada S. Refusal of oral polio vaccine in northwestern Pakistan: a qualitative and quantitative study. *Vaccine*. 2014;32(12):1382–7.
10. Jamal D, Zaidi S, Husain S, Orr DW, Riaz A, Farrukhi AA, et al. Low vaccination in rural Sindh, Pakistan: A case of refusal, ignorance or access? *Vaccine*. 2020;38(30):4747–54.
11. Haviari S, Bénet T, Saadatian-Elahi M, André P, Loulergue P, Vanhems P. Vaccination of healthcare workers: a review. *Hum Vaccin Immunother*. 2015;11(11):2522–37.
12. Lin Y, Hu Z, Zhao Q, Alias H, Danaee M, Wong LP. Understanding COVID-19 vaccine demand and hesitancy: A nationwide online survey in China. *PLoS Negl Trop Dis*. 2020;14(12):e0008961.
13. Kabamba Nzaji M, Kabamba Ngombe L, Ngoie Mwamba G, Banza Ndala DB, Mbidi Miema J, Luhata Lungoyo C, et al. Acceptability of Vaccination Against COVID-19 Among Healthcare Workers in the Democratic Republic of the Congo. *Pragmatic Obs Res [Internet]*. 2020 Oct 29;11:103–9. Available from: <https://pubmed.ncbi.nlm.nih.gov/33154695>
14. Wang K, Wong ELY, Ho KF, Cheung AWL, Chan EYY, Yeoh EK, et al. Intention of nurses to accept coronavirus disease 2019 vaccination and change of intention to accept seasonal influenza vaccination during the coronavirus disease 2019 pandemic: A cross-sectional survey. *Vaccine [Internet]*. 2020;38(45):7049–56. Available from: <https://www.sciencedirect.com/science/article/pii/S0264410X20311750>
15. Kwok KO, Li K-K, WEI WI, Tang A, Wong SYS, Lee SS. Influenza vaccine uptake, COVID-19 vaccination intention and vaccine hesitancy among nurses: A survey. *Int J Nurs Stud [Internet]*. 2021;114:103854. Available from: <https://www.sciencedirect.com/science/article/pii/S002074892030345X>
16. Gagneux-Brunon A, Detoc M, Bruel S, Tardy B, Rozaire O, Frappe P, et al. Intention to get vaccinations against COVID-19 in French healthcare workers during the first pandemic wave: a cross-sectional survey. *J Hosp Infect [Internet]*. 2021;108:168–73. Available from: <https://www.sciencedirect.com/science/article/pii/S0195670120305442>

Tables

Table 01: Demographic information of Health Care Workers, participated in the survey.							
VARIABLE	CATEGORIES	HEALTH CARE GROUPS					P-value
		DOCTORS N=327 (75.00%)	NURSES N=34 (7.80%)	PARAMEDICS N=39 (8.94%)	OTHERS N=36 (8.26%)	Total N=436 (100%)	
Location	Khyber Pakhtunkhwa	242(74.01)	29(85.29)	37(94.87)	27(75.00)	335(76.83)	0.70
	Punjab	38(11.62)	3(8.82)	0(0.00)	6(16.67)	47(10.78)	
	Sindh	23(7.03)	2(5.88)	1(2.56)	1(2.78)	27(6.19)	
	Baluchistan	10(3.06)	0(0.00)	0(0.00)	1(2.78)	11(2.52)	
	Azad Jammu & Kashmir	3(0.92)	0(0.00)	0(0.00)	0(0.00)	3(0.69)	
	Federal	10(3.06)	0(0.00)	1(2.56)	1(2.78)	12(2.75)	
	Gilgit Baltistan	1(0.31)	0(0.00)	0(0.00)	0(0.00)	1(0.23)	
Gender	Female	72(22.02)	19(55.88)	5(12.82)	5(13.89)	101(23.17)	<0.001
	Male	255(77.98)	15(44.12)	34(87.18)	31(86.11)	335(76.83)	
Category of age	19-39	200(61.16)	32(94.12)	30(76.92)	31(86.11)	293(67.20)	<0.001
	40-60	116(35.47)	2(5.88)	8(20.51)	5(13.89)	131(30.05)	
	61-81	11(3.36)	0(0.00)	1(2.56)	0(0.00)	12(2.75)	
Category of work experience in years	0-5 Years	117(35.78)	21(61.76)	22(56.41)	16(44.44)	176(40.37)	<0.001
	6-10 Years	76(23.24)	10(29.41)	5(12.82)	14(38.89)	105(24.08)	
	Above 10 Years	134(40.98)	3(8.82)	12(30.77)	6(16.67)	155(35.55)	
Working at which health care level?	COVID-19 Facility/Hospitals	3(0.92)	0(0.00)	6(15.38)	1(2.78)	10(2.29)	<0.001
	Emergency Operation Center(National, provincials and districts)	50(15.29)	0(0.00)	1(2.56)	3(8.33)	54(12.39)	
	Primary Health Care Facility	34(10.40)	0(0.00)	9(23.08)	1(2.78)	44(10.09)	
	Secondary Health Care Facility	71(21.71)	14(41.18)	7(17.95)	7(19.44)	99(22.71)	
	Tertiary Health Care Facility	143(43.73)	18(52.94)	10(25.64)	9(25.00)	180(41.28)	
	Other	26(7.95)	2(5.88)	6(15.38)	15(41.67)	49(11.24)	
Are you working at facility/ward dedicated for COVID-19 patients?	No	153(46.79)	11(32.35)	17(43.59)	20(55.56)	201(46.10)	0.01
	Yes	109(33.33)	16(47.06)	20(51.28)	6(16.67)	151(34.63)	
	Both	65(19.88)	7(20.59)	2(5.13)	10(27.78)	84(19.27)	

02 c: COVID-19 vaccine acceptance, barriers and facilitators amongst health care workers of Pakistan

BLES	CATEGORIES	HEALTH CARE GROUPS					P-value
		DOCTORS N=327 (75.00%)	NURSES N=34 (7.80%)	PARAMEDICS N=39 (8.94%)	OTHERS N=36 (8.26%)	Total N=436 (100%)	
concerned about Cold Chain maintenance of COVID-19 vaccine?	Agree	148(45.26)	17(50.00)	15(38.46)	14(38.89)	194(44.50)	0.12
	Disagree	21(6.42)	2(5.88)	2(5.13)	2(5.56)	27(6.19)	
	Neutral	58(17.74)	9(26.47)	10(25.64)	9(25.00)	86(19.72)	
	Strongly agree	99(30.28)	6(17.65)	10(25.64)	11(30.56)	126(28.90)	
	Strongly disagree	1(0.31)	0(0.00)	2(5.13)	0(0.00)	3(0.69)	
concerned about availability of COVID-19 vaccine on various grounds?	Agree	56(17.13)	12(35.29)	10(25.64)	10(27.78)	88(20.18)	0.005
	Disagree	121(37.00)	9(26.47)	7(17.95)	11(30.56)	148(33.94)	
	Neutral	83(25.38)	12(35.29)	12(30.77)	8(22.22)	115(26.38)	
	Strongly agree	24(7.34)	1(2.94)	8(20.51)	4(11.11)	37(8.49)	
	Strongly disagree	43(13.15)	0(0.00)	2(5.13)	3(8.33)	48(11.01)	
might be 1 motives 1 eagerness of ities to ister/provide e free for all workers?	Agree	47(14.37)	16(47.06)	9(23.08)	11(30.56)	83(19.04)	<0.001
	Disagree	111(33.94)	4(11.76)	9(23.08)	8(22.22)	132(30.28)	
	Neutral	83(25.38)	8(23.53)	10(25.64)	7(19.44)	108(24.77)	
	Strongly agree	26(7.95)	6(17.65)	8(20.51)	5(13.89)	45(10.32)	
	Strongly disagree	60(18.35)	0(0.00)	3(7.69)	5(13.89)	68(15.60)	

2 a: COVID-19 Vaccine acceptance, barriers and facilitators amongst health care workers of Pakistan

QUESTIONS	CATEGORIES	HEALTH CARE GROUPS					
		DOCTORS N=327 (75.00%)	NURSES N=34 (7.80%)	PARAMEDICS N=39 (8.94%)	OTHERS N=36 (8.26%)	Total N=436 (100%)	P-value
Have you ever tested for COVID-19?	No	223(68.20)	22(64.71)	30(76.92)	28(77.78)	303(69.50)	0.42
	Yes	104(31.80)	12(35.29)	9(23.08)	8(22.22)	133(30.50)	
Do you have any chronic disease such as Hypertension, Diabetes, Respiratory disease?	No	268(81.96)	32(94.12)	36(92.31)	32(88.89)	368(84.40)	0.09
	Yes	59(18.04)	2(5.88)	3(7.69)	4(11.11)	68(15.60)	
Do you believe you have enough information regarding COVID-19 vaccines?	I am not sure	103(31.50)	14(41.18)	15(38.46)	11(30.56)	143(32.80)	0.31
	No	71(21.71)	9(26.47)	3(7.69)	8(22.22)	91(20.87)	
	Yes	153(46.79)	11(32.35)	21(53.85)	17(47.22)	202(46.33)	
What are your barriers against COVID-19 infection? (Select all that are applicable) Would you get vaccinated if it were available?	I am not sure	17(5.20)	3(8.82)	2(5.13)	2(5.56)	24(5.50)	0.24
	I will wait and see	96(29.36)	14(41.18)	12(30.77)	14(38.89)	136(31.19)	
	No	10(3.06)	1(2.94)	1(2.56)	4(11.11)	16(3.67)	
	Yes	204(62.39)	16(47.06)	24(61.54)	16(44.44)	260(59.63)	
What is your confidence in the efficacy of COVID-19 vaccines?	Completely confident	64(19.57)	6(17.65)	12(30.77)	12(33.33)	94(21.56)	<0.001
	Completely not confident	23(7.03)	11(32.35)	4(10.26)	5(13.89)	43(9.86)	
	Confident	178(54.43)	10(29.41)	15(38.46)	11(30.56)	214(49.08)	
	Not confident	62(18.96)	7(20.59)	8(20.51)	8(22.22)	85(19.50)	
What is your confidence in the safety of COVID-19 vaccine?	Completely confident	50(15.29)	3(8.82)	16(41.03)	11(30.56)	80(18.35)	<0.001
	Completely not confident	27(8.26)	10(29.41)	3(7.69)	5(13.89)	45(10.32)	
	Confident	145(44.34)	15(44.12)	14(35.90)	13(36.11)	187(42.89)	
	Not confident	105(32.11)	6(17.65)	6(15.38)	7(19.44)	124(28.44)	

Table 02 b: COVID-9 vaccine acceptance, barriers and facilitators amongst health care workers of Pakistan							
VARIABLES	CATEGORIES	HEALTH CARE GROUPS					P-value
		DOCTORS N=327 (75.00%)	NURSES N=34 (7.80%)	PARAMEDICS N=39 (8.94%)	OTHERS N=36 (8.26%)	Total N=436 (100%)	
Vaccination is a good idea because I feel less worried about getting COVID-19?	Agree	149(45.57)	16(47.06)	18(46.15)	15(41.67)	198(45.41)	0.12
	Disagree	11(3.36)	0(0.00)	1(2.56)	1(2.78)	13(2.98)	
	Neutral	67(20.49)	11(32.35)	3(7.69)	6(16.67)	87(19.95)	
	Strongly agree	95(29.05)	7(20.59)	15(38.46)	11(30.56)	128(29.36)	
	Strongly disagree	5(1.53)	0(0.00)	2(5.13)	3(8.33)	10(2.29)	
Vaccination decreases my chance of getting COVID-19 or its Complications?	Agree	171(52.29)	12(35.29)	22(56.41)	14(38.89)	219(50.23)	<0.001
	Disagree	15(4.59)	1(2.94)	1(2.56)	6(16.67)	23(5.28)	
	Neutral	57(17.43)	15(44.12)	3(7.69)	5(13.89)	80(18.35)	
	Strongly agree	83(25.38)	6(17.65)	11(28.21)	10(27.78)	110(25.23)	
	Strongly disagree	1(0.31)	0(0.00)	2(5.13)	1(2.78)	4(0.92)	
I am worried that the possible side effects of COVID-19 vaccination would interfere with my routine activities?	Agree	92(28.13)	18(52.94)	17(43.59)	12(33.33)	139(31.88)	0.009
	Disagree	83(25.38)	3(8.82)	7(17.95)	5(13.89)	98(22.48)	
	Neutral	117(35.78)	10(29.41)	9(23.08)	10(27.78)	146(33.49)	
	Strongly agree	24(7.34)	3(8.82)	2(5.13)	6(16.67)	35(8.03)	
	Strongly disagree	11(3.36)	0(0.00)	4(10.26)	3(8.33)	18(4.13)	
I am concerned about the efficacy of the COVID-19 vaccination?	Agree	167(51.07)	14(41.18)	20(51.28)	19(52.78)	220(50.46)	0.04
	Disagree	30(9.17)	3(8.82)	0(0.00)	1(2.78)	34(7.80)	
	Neutral	70(21.41)	15(44.12)	10(25.64)	7(19.44)	102(23.39)	
	Strongly agree	56(17.13)	2(5.88)	7(17.95)	7(19.44)	72(16.51)	
	Strongly disagree	4(1.22)	0(0.00)	2(5.13)	2(5.56)	8(1.83)	
I am concerned about the safety of the COVID-19 vaccination?	Agree	150(45.87)	18(52.94)	17(43.59)	19(52.78)	204(46.79)	0.10
	Disagree	37(11.31)	2(5.88)	4(10.26)	1(2.78)	44(10.09)	
	Neutral	69(21.10)	12(35.29)	6(15.38)	4(11.11)	91(20.87)	
	Strongly agree	66(20.18)	2(5.88)	10(25.64)	11(30.56)	89(20.41)	
	Strongly disagree	5(1.53)	0(0.00)	2(5.13)	1(2.78)	8(1.83)	
I am concerned of the faulty/fake COVID-19 vaccination?	Agree	126(38.53)	4(11.76)	12(30.77)	15(41.67)	157(36.01)	<0.001
	Disagree	61(18.65)	12(35.29)	13(33.33)	6(16.67)	92(21.10)	
	Neutral	66(20.18)	15(44.12)	5(12.82)	1(2.78)	87(19.95)	
	Strongly agree	64(19.57)	2(5.88)	6(15.38)	9(25.00)	81(18.58)	
	Strongly disagree	10(3.06)	1(2.94)	3(7.69)	5(13.89)	19(4.36)	

02 c: COVID-19 vaccine acceptance, barriers and facilitators amongst health care workers of Pakistan

BLES	CATEGORIES	HEALTH CARE GROUPS					P-value
		DOCTORS N=327 (75.00%)	NURSES N=34 (7.80%)	PARAMEDICS N=39 (8.94%)	OTHERS N=36 (8.26%)	Total N=436 (100%)	
concerned about Cold Chain maintenance of COVID-19 vaccine?	Agree	148(45.26)	17(50.00)	15(38.46)	14(38.89)	194(44.50)	0.12
	Disagree	21(6.42)	2(5.88)	2(5.13)	2(5.56)	27(6.19)	
	Neutral	58(17.74)	9(26.47)	10(25.64)	9(25.00)	86(19.72)	
	Strongly agree	99(30.28)	6(17.65)	10(25.64)	11(30.56)	126(28.90)	
	Strongly disagree	1(0.31)	0(0.00)	2(5.13)	0(0.00)	3(0.69)	
concerned about availability of COVID-19 vaccine on various grounds?	Agree	56(17.13)	12(35.29)	10(25.64)	10(27.78)	88(20.18)	0.005
	Disagree	121(37.00)	9(26.47)	7(17.95)	11(30.56)	148(33.94)	
	Neutral	83(25.38)	12(35.29)	12(30.77)	8(22.22)	115(26.38)	
	Strongly agree	24(7.34)	1(2.94)	8(20.51)	4(11.11)	37(8.49)	
	Strongly disagree	43(13.15)	0(0.00)	2(5.13)	3(8.33)	48(11.01)	
might be in motives of eagerness of facilities to register/provide vaccine free for all health workers?	Agree	47(14.37)	16(47.06)	9(23.08)	11(30.56)	83(19.04)	<0.001
	Disagree	111(33.94)	4(11.76)	9(23.08)	8(22.22)	132(30.28)	
	Neutral	83(25.38)	8(23.53)	10(25.64)	7(19.44)	108(24.77)	
	Strongly agree	26(7.95)	6(17.65)	8(20.51)	5(13.89)	45(10.32)	
	Strongly disagree	60(18.35)	0(0.00)	3(7.69)	5(13.89)	68(15.60)	

Table 03(a): Demographic information of Respondents from Province Khyber Pakhtunkhwa Pakistan							
VARIABLE	CATEGORIES	HEALTH CARE GROUPS					P-value
		DOCTORS N=242 (72.24%)	NURSES N=29 (8.66 %)	PARAMEDICS N=37 (11.04 %)	OTHERS N=27 (8.06 %)	Total N=335 (100%)	
Gender	Female	41(16.94)	15(51.72)	3(8.11)	3(11.11)	62(18.51)	<0.001
	Male	201(83.06)	14(48.28)	34(91.89)	24(88.89)	273(81.49)	
Category of age	19-39	166(68.60)	28(96.55)	28(75.68)	25(92.59)	247(73.73)	0.01
	40-60	68(28.10)	1(3.45)	8(21.62)	2(7.41)	79(23.58)	
	61-81	8(3.31)	0(0.00)	1(2.70)	0(0.00)	9(2.69)	
Category of work experience in years	0-5 Years	100(41.32)	19(65.52)	21(56.76)	15(55.56)	155(46.27)	0.006
	6-10 Years	62(25.62)	8(27.59)	4(10.81)	9(33.33)	83(24.78)	
	Above 10 Years	80(33.06)	2(6.90)	12(32.43)	3(11.11)	97(28.96)	
Working at which health care level?	COVID-19 Facility/Hospitals	3(1.24)	0(0.00)	6(16.22)	1(3.70)	10(2.99)	<0.001
	Emergency Operation Center(National, provincials and districts)	26(10.74)	0(0.00)	1(2.70)	2(7.41)	29(8.66)	
	Primary Health Care Facility	29(11.98)	0(0.00)	9(24.32)	0(0.00)	38(11.34)	
	Secondary Health Care Facility	60(24.79)	11(37.93)	7(18.92)	3(11.11)	81(24.18)	
	Tertiary Health Care Facility	106(43.80)	16(55.17)	9(24.32)	7(25.93)	138(41.19)	
	Other	18(7.44)	2(6.90)	5(13.51)	14(51.85)	39(11.64)	
Are you working at facility/ward dedicated for COVID-19 patients?	No	109(45.04)	10(34.48)	15(40.54)	15(55.56)	149(44.48)	0.03
	Yes	87(35.95)	13(44.83)	20(54.05)	4(14.81)	124(37.01)	
	Both	46(19.01)	6(20.69)	2(5.41)	8(29.63)	62(18.51)	

Table 03(b) COVID-19 Vaccine Acceptance, barriers and facilitators amongst health care workers of Province of Khyber Pakhtunkhwa Pakistan

VARIABLES	CATEGORIES	HEALTH CARE GROUPS					
		DOCTORS N=242 (72.24%)	NURSES N=29 (8.66 %)	PARAMEDICS N=37 (11.04 %)	OTHERS N=27 (8.06 %)	Total N=335 (100%)	P-value
Have you ever tested Positive for COVID-19?	No	166(68.60)	19(65.52)	28(75.68)	20(74.07)	233(69.55)	0.74
	Yes	76(31.40)	10(34.48)	9(24.32)	7(25.93)	102(30.45)	
Do you have an existing chronic disease such as cardiovascular disease, diabetes, Chronic Respiratory tract disease?	No	203(83.88)	28(96.55)	34(91.89)	24(88.89)	289(86.27)	0.18
	Yes	39(16.12)	1(3.45)	3(8.11)	3(11.11)	46(13.73)	
You believe you have Adequate information regarding the Covid19 Vaccine?	I am not sure	82(33.88)	12(41.38)	14(37.84)	10(37.04)	118(35.22)	0.40
	No	53(21.90)	8(27.59)	3(8.11)	5(18.52)	69(20.60)	
	Yes	107(44.21)	9(31.03)	20(54.05)	12(44.44)	148(44.18)	
If vaccine against COVID-19 infection is available would You take it?	I am not sure	13(5.37)	3(10.34)	2(5.41)	1(3.70)	19(5.67)	0.35
	I will wait and see	75(30.99)	12(41.38)	11(29.73)	12(44.44)	110(32.84)	
	No	8(3.31)	1(3.45)	1(2.70)	3(11.11)	13(3.88)	
	Yes	146(60.33)	13(44.83)	23(62.16)	11(40.74)	193(57.61)	
Rate your confidence in using UK,USA manufactured (imported) COVID-19 vaccine?	Completely confident	47(19.42)	6(20.69)	11(29.73)	7(25.93)	71(21.19)	0.002
	Completely not confident	20(8.26)	10(34.48)	4(10.81)	5(18.52)	39(11.64)	
	Confident	131(54.13)	8(27.59)	14(37.84)	8(29.63)	161(48.06)	
	Not confident	44(18.18)	5(17.24)	8(21.62)	7(25.93)	64(19.10)	
Rate your confidence in Using China manufactured COVID-19 vaccine?	Completely confident	39(16.12)	3(10.34)	15(40.54)	7(25.93)	64(19.10)	<0.001
	Completely not confident	21(8.68)	9(31.03)	3(8.11)	5(18.52)	38(11.34)	
	Confident	107(44.21)	13(44.83)	14(37.84)	8(29.63)	142(42.39)	
	Not confident	75(30.99)	4(13.79)	5(13.51)	7(25.93)	91(27.16)	

Table 03(c) COVID-19 Vaccine Acceptance, barriers and facilitators amongst health care workers of Province of Khyber Pakhtunkhwa Pakistan

VARIABLES	CATEGORIES	HEALTH CARE GROUPS					P-value
		DOCTORS N=242 (72.24%)	NURSES N=29 (8.66 %)	PARAMEDICS N=37 (11.04 %)	OTHERS N=27 (8.06 %)	Total N=335 (100%)	
Vaccination is a good idea because I feel less worried about getting COVID-19?	Agree	112(46.28)	15(51.72)	17(45.95)	10(37.04)	154(45.97)	0.30
	Disagree	6(2.48)	0(0.00)	1(2.70)	1(3.70)	8(2.39)	
	Neutral	49(20.25)	7(24.14)	3(8.11)	5(18.52)	64(19.10)	
	Strongly agree	70(28.93)	7(24.14)	14(37.84)	8(29.63)	99(29.55)	
	Strongly disagree	5(2.07)	0(0.00)	2(5.41)	3(11.11)	10(2.99)	
Vaccination decreases my chance of getting COVID-19 or its Complications?	Agree	123(50.83)	12(41.38)	20(54.05)	10(37.04)	165(49.25)	0.002
	Disagree	12(4.96)	1(3.45)	1(2.70)	6(22.22)	20(5.97)	
	Neutral	42(17.36)	10(34.48)	3(8.11)	3(11.11)	58(17.31)	
	Strongly agree	64(26.45)	6(20.69)	11(29.73)	7(25.93)	88(26.27)	
	Strongly disagree	1(0.41)	0(0.00)	2(5.41)	1(3.70)	4(1.19)	
I am worried that the possible side effects of COVID-19 vaccination would interfere with my routine activities?	Agree	66(27.27)	16(55.17)	16(43.24)	9(33.33)	107(31.94)	0.07
	Disagree	58(23.97)	3(10.34)	7(18.92)	3(11.11)	71(21.19)	
	Neutral	90(37.19)	7(24.14)	9(24.32)	9(33.33)	115(34.33)	
	Strongly agree	18(7.44)	3(10.34)	2(5.41)	3(11.11)	26(7.76)	
	Strongly disagree	10(4.13)	0(0.00)	3(8.11)	3(11.11)	16(4.78)	
I am concerned about the efficacy of the COVID-19 vaccination?	Agree	128(52.89)	10(34.48)	20(54.05)	14(51.85)	172(51.34)	0.02
	Disagree	23(9.50)	3(10.34)	0(0.00)	1(3.70)	27(8.06)	
	Neutral	48(19.83)	14(48.28)	9(24.32)	6(22.22)	77(22.99)	
	Strongly agree	40(16.53)	2(6.90)	6(16.22)	4(14.81)	52(15.52)	
	Strongly disagree	3(1.24)	0(0.00)	2(5.41)	2(7.41)	7(2.09)	
I am concerned about the safety of the COVID-19 vaccination?	Agree	113(46.69)	14(48.28)	17(45.95)	14(51.85)	158(47.16)	0.20
	Disagree	24(9.92)	2(6.90)	4(10.81)	1(3.70)	31(9.25)	
	Neutral	52(21.49)	11(37.93)	5(13.51)	3(11.11)	71(21.19)	
	Strongly agree	50(20.66)	2(6.90)	9(24.32)	8(29.63)	69(20.60)	
	Strongly disagree	3(1.24)	0(0.00)	2(5.41)	1(3.70)	6(1.79)	
I am concerned of the faulty/fake COVID-19 vaccination?	Agree	88(36.36)	2(6.90)	11(29.73)	11(40.74)	112(33.43)	<0.001
	Disagree	47(19.42)	12(41.38)	13(35.14)	4(14.81)	76(22.69)	
	Neutral	50(20.66)	12(41.38)	5(13.51)	1(3.70)	68(20.30)	
	Strongly agree	50(20.66)	2(6.90)	5(13.51)	6(22.22)	63(18.81)	
	Strongly disagree	7(2.89)	1(3.45)	3(8.11)	5(18.52)	16(4.78)	

Table 03(d) COVID-19 Vaccine Acceptance, barriers and facilitators amongst health care workers of Province of Khyber Pakhtunkhwa Pakistan

VARIABLES	CATEGORIES	HEALTH CARE GROUPS					
		DOCTORS N=242 (72.24%)	NURSES N=29 (8.66 %)	PARAMEDICS N=37 (11.04 %)	OTHERS N=27 (8.06 %)	Total N=335 (100%)	P- value
I am concerned about the Cold Chain maintenance of COVID-19 vaccine?	Agree	109(45.04)	13(44.83)	14(37.84)	12(44.44)	148(44.18)	0.32
	Disagree	14(5.79)	2(6.90)	2(5.41)	2(7.41)	20(5.97)	
	Neutral	45(18.60)	8(27.59)	10(27.03)	7(25.93)	70(20.90)	
	Strongly agree	73(30.17)	6(20.69)	9(24.32)	6(22.22)	94(28.06)	
	Strongly disagree	1(0.41)	0(0.00)	2(5.41)	0(0.00)	3(0.90)	
I am concerned about permissibility of COVID-19 vaccine on religious grounds?	Agree	42(17.36)	10(34.48)	10(27.03)	7(25.93)	69(20.60)	0.03
	Disagree	84(34.71)	9(31.03)	6(16.22)	8(29.63)	107(31.94)	
	Neutral	70(28.93)	9(31.03)	11(29.73)	7(25.93)	97(28.96)	
	Strongly agree	17(7.02)	1(3.45)	8(21.62)	2(7.41)	28(8.36)	
	Strongly disagree	29(11.98)	0(0.00)	2(5.41)	3(11.11)	34(10.15)	
There might be hidden motives behind eagerness of authorities to administer/provide vaccine free for all health workers?	Agree	40(16.53)	14(48.28)	9(24.32)	8(29.63)	71(21.19)	0.001
	Disagree	81(33.47)	3(10.34)	7(18.92)	6(22.22)	97(28.96)	
	Neutral	63(26.03)	7(24.14)	10(27.03)	6(22.22)	86(25.67)	
	Strongly agree	20(8.26)	5(17.24)	8(21.62)	2(7.41)	35(10.45)	
	Strongly disagree	38(15.70)	0(0.00)	3(8.11)	5(18.52)	46(13.73)	