CircRNA UBAP2 Serves as a Sponge of miR-1294 to Increase Tumorigenesis in Hepatocellular Carcinoma through Regulating c-Myc Expression

Min-Cheng Yu

Zhongshan Hospital Fudan University

Guang-Yu Ding

Zhongshan Hospital Fudan University

Pei-Yao Fu

Zhongshan Hospital Fudan University

Peng Ma

Zhongshan Hospital Fudan University

Xiao-Dong Zhu

Zhongshan Hospital Fudan University

Jia-Bin Cai

Zhongshan Hospital Fudan University

Ying-Hao Shen

Zhongshan Hospital Fudan University

Jian Zhou

Zhongshan Hospital Fudan University

Jia Fan

Zhongshan Hospital Fudan University

Hui-Chuan Sun

Zhongshan Hospital Fudan University

Ming Kuang

Zhongshan Hospital Fudan University

Cheng Huang (✉ huang.cheng@zs-hospital.sh.cn)

Zhongshan Hospital Fudan University

Research

Keywords: Circular RNA, Hepatocellular carcinoma, miRNA, c-Myc

Posted Date: August 13th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-49281/v2>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at Carcinogenesis on January 1st, 2021. See the published version at <https://doi.org/10.1093/carcin/bgab068>.

The authors have withdrawn this preprint from Research Square