

# Application of Robotics UV-light Device In Averting The Spread of Coronavirus.

**Damian Benneth Nwoye Nnadi**

University of Nigeria Faculty of Engineering

**Timothy Oluwaseun Araoye** (✉ [timothy.araoye@unn.edu.ng](mailto:timothy.araoye@unn.edu.ng))

University of Nigeria Faculty of Engineering <https://orcid.org/0000-0002-8405-465X>

**Sochima Vincent Egoigwe**

University of Nigeria Faculty of Engineering

**Deborah Ahuoiza Vincent**

University of Nigeria

---

## Research Article

**Keywords:** Coronavirus pandemic, ultra-violet light, Electromagnetic light, Robotic, SARS-CoV-2, sanitizer

**Posted Date:** June 21st, 2021

**DOI:** <https://doi.org/10.21203/rs.3.rs-568749/v1>

**License:** © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

---

# Application of Robotics UV-light Device in averting the spread of coronavirus.

Damian Benneth Nwoye Nnadi<sup>1</sup>, Timothy Oluwaseun Araoye<sup>2</sup>, Sochima Vincent Egoigwe<sup>3</sup> and Deborah Ahuoiza Vincent<sup>4</sup>

<sup>1</sup>Department of Electrical Engineering, University of Nigeria, Nsukka, Nigeria

<sup>2,3</sup>Department of Mechatronics Engineering, University of Nigeria, Nsukka, Nigeria

<sup>4</sup>Department of Industrial Technical Education, University of Nigeria, Nsukka, Nigeria

*Corresponding Name:* Timothy Oluwaseun Araoye

*Corresponding email:* timothy.araoye@unn.edu.ng

**Abstract:** This research focused on *robotic ultraviolet light (RUV light) for sanitizing the environment due to the outbreak of the Coronavirus pandemic devastating the whole world. The prototype Robotics UV-light device was proposed in this research to relieve mankind of sanitization of the ecosystem since SARS-CoV-II is highly infectious. The robotic Ultra-violet system was developed using perception subsystems as well as cognition subsystems, all linked together to perform the needed functions. Nine perceptions recognition subsystems were deployed with a remote controller for the driving as well as monitoring of the system for optimum performance while in operation. The Robotics was built with four lamps of ultra-violet lights such that while in operation, the targeted environment gets sanitized at the same time. An extra lamp was attached at the top end of the robotic device which is used to fumigate the upper part of the wards where the other lights could not reach. One of the inbuilt perception subsystems collects information on the extent of sanitization and then via the cognition subsystem shuts down the system automatically. If by chance a novice approaches the ward(s) where the robotic system is working, another perception subsystem will perceive human presences and through the cognitive device raises a mimic human tone programmed, "this place is not safe now, quickly shift". If within ten nano-seconds and the novice still resist the warning, then the machine shutdown automatically. The performance of this electromagnetic light has an efficiency of 99.99 percent over both bacteria and viruses including Covid-19.*

**Keywords:** Coronavirus pandemic, ultra-violet light, Electromagnetic light, Robotic, SARS-CoV-2, sanitizer.

## 1. Introduction:

The world over is witnessing another serious pandemic since the last H1N1 virus pandemic in the year 1918 followed by H2N2 pandemic of 1957-1958. This recent pandemic called covid-19 by World Health Organization on March 11<sup>th</sup>, 2020, raised its ugly head in Wuhan Laboratory China by December 2019, though it has not spread to other places. At the onset of the outbreak WHO and other scientists gave the pandemic an interim name as 2019-nCoV (Laboratory testing of coronavirus, 2020)(Novel Coronavirus, 2019)(Novel Coronavirus, 2020). It was later that organization called the International Committee on Taxonomy of Virus renamed the pandemic as SARS-CoV-II. On further research was done by (World health organization 2019), the research came to terms with earlier researchers that the virus is a respiratory disease activated by unembellished acute respiratory syndrome coronavirus II, hence, in support of the name SARS-CoV-II. The infectiousness of COVID-19 ranges from mild with no symptom(s) to severe ailment that may lead to the death of its victim. The symptoms seen with severe COVID-19 patients range from high fever, general body weakness, acute cough to a sore throat. Other signs include headaches and body pains, a state of anosmia, ageusia as well as vitiligo, diarrhea and finally may lead to dyspnea. To checkmate the blowout of the disease which spread like a wildfire, several efforts from different health specialists were made but to no avail. Many unlucky persons still fall under the cold hands of that wicked disease. Funny enough the disease is a respecter of no man, neither color, race, age nor social status; it only the immunity level in its victim does it respect. All activities ongoing previously in the world were brought to a standstill instantly; be it social, economic, or even global activities. To that effect, many nation's economies both giants and weaklings were capsized.

As in the case of most contagious diseases, the transmissibility of SARS-CoV-II – the beta version of coronavirus that caused COVID-19 happened by one-on-one interaction with the carrier or any object touched by the carrier and also by airborne routes. Hence, from research, SARS-CoV-2 was been destroyed or destabilized by aerosols within a short span of at least 3hours (Van et al, 2020). The news of the high rate of mortalities as a result of Covid-19, all hands were on deck to combat the nemeses ravaging the world over. So many measures were adopted to minimize the wild spread, some of such measures were, use of liquid disinfectants either to wash hands or just to spray in the hands, masking of mouth and nose, staying 6 feet apart


54 in any public gatherings including other personal hygiene practices. On the other hand, some drugs were  
55 recommended for anybody that contacts the deadly disease. Such drugs include Paracetamol tablets, Vitamin C  
56 natural or synthesized D<sub>3</sub>, and B complex natural or synthesized, Vapor or capsules for the stream,  
57 hydroxychloroquine tablets or chloroquine tablets, and dexamethasone. Other devices recommended for the  
58 intensive care unit (ICU) were Oximeter, oxygen cylinder, and breathing exercise. In addition to the sanitary  
59 measures, social distancing, Moez Guettari, (2020) advocated for environmental fumigation, thorough testing of  
60 individuals, and quarantine of any alleged person for two weeks. Furthermore, two genetically engineered  
61 antibody from a single clone were made available for treatments (Bamlanivimab, was a product from Eli Lilly;  
62 with a combination of Casirivimab and Imdevimab, manufactured by Regeneron company) were given  
63 emergency endorsement for use by the American Food and Drug Administration (FDA) in November 2020.  
64 In the event of environmental disinfection, Otto et al, (2011), mojarad et al, (2017) and Darnella el al, (2004)  
65 classified the cleansing procedures into chemical and physical types. According to references above ecological  
66 factors like temperature if  $\geq 65^{\circ}\text{C}$  deactivates the virus. It was also observed that alkalinity ( $\text{pH} >$   
67  $12$ ) or acidity ( $\text{pH} < 3$ ) incapacitates the virus. Other factors to be considered for effective fumigation were  
68 the quantity of calcium and magnesium dissolved in water, the quantity of soluble and particulate organic  
69 matter, topographical space, other chemical compounds available in the liquid indicates the decontamination  
70 tactics to adopt. Moez Guettari, (2020), opined that chemical decontamination tactics contain some reagents  
71 grouped based on their nature: (1) acidic nature: acetic acid and citric acid; (2) alcoholic nature: C<sub>2</sub>H<sub>6</sub>O or  
72 CH<sub>3</sub>CH<sub>2</sub>OH and C<sub>3</sub>H<sub>8</sub>O or CH<sub>3</sub>CHOHC; (3) aldehydic nature: formaldehyde and gluteraldehyde; (4) alkalic  
73 nature: NaOH or Al(OH)<sub>3</sub>, Na<sub>2</sub>CO<sub>3</sub>, and Ca(OH)<sub>2</sub>; (5) biguanides nature: chlorhexidine; (6) halogenic nature: Cl  
74 or I<sub>2</sub> composites; (7) oxidizing agents; and (8) quaternary ammonium compounds.

75 Of recent, many companies have produced vaccines in curtailing the wild spread of the virus, though not yet  
76 accepted by many people. Debates are still ongoing as regards the vaccines' effectiveness and efficacy. Hence,  
77 this project was conceived to investigate the effectiveness of ultra-violet light in curbing this dreaded virus. Bai  
78 et al (2020) opined that since the pandemic is a more or less airborne virus a more pragmatic approach is  
79 adopted in pursuit of it. Hence, this research then adopted spraying ultra-violet light by machine, thereby  
80 minimizing the spread. Six species of human coronaviruses were in existence from literature, though a species  
81 mutated to give additional new strain. As opined by some academicians that four of the six human coronaviruses  
82 have mild symptoms, though still under dispute (King and Anthony, 1971). Such species of human  
83 coronaviruses include (King and Anthony, 1971) OC43 (HCoV - OC43) called  $\beta - \text{CoV}$ , human coronavirus  
84 type HKU1 (HCoV-HKU1) or is called  $\beta - \text{CoV}$ . Another human coronavirus species is 229E (HCoV-229E  
85 also called  $\alpha - \text{CoV}$ , the last of them all is human coronavirus NL63 (HCoV-63) called  $\alpha - \text{CoV}$ . Some  
86 possibly severe symptoms that three human coronaviruses produce were "mid-east respiratory syndrome-related  
87 coronavirus" known as (MERS-CoV) or  $\beta$ -CoV, severe acute respiratory syndrome-related coronavirus called  
88 (SARS-CoV) or  $\beta$ -CoV, severe acute respiratory syndrome coronavirus II (SARS-CoV-II) or  $\beta$ -CoV.


89 Even though several regulatory procedures had been put in place, yet the virus continued to spread like a  
90 wildfire unabated. This reason gave the research the impetus to look into robotic UV light as a means of  
91 averting the menacing of this pandemic. The light from electromagnetic waves can efficaciously neutralize  
92 microbes or viruses in the air that spread SARS COV-1. It is on record that sickness like measles, tuberculosis,  
93 eczema, acne, and psoriasis, etc., were been caused by some of these microbes like bacteria, fungi, pathogens,  
94 parasites, viruses, spores, dust mite, which for some decades ago, UV-light has been proved to have reduced the  
95 spread of them. Therefore, UV-light efficacy needed to be appraised in the deactivating of Covid-19 growth.

96 UV radiation has been adopted in some healthcare units to sanitize surfaces, objects, water, air, and sterilize  
97 microorganisms. There are different wavelengths of radiation, UV-light which has much energy, and smaller  
98 wavelength when compared with radio waves or visible light. On the contrary, either X-radiation or  $\gamma$ -rays have  
99 more energy than UV-light. The spectrum of UV-light showed its three regions - the near-ultraviolet (NUV)-  
100 closest to optical light and is visible to some insects, birds, dogs, etc., the far-ultraviolet (FUV) has 122-200  
101 nanometer, and the extreme ultraviolet (EUV) 10 - 124 nanometer. Man can receive UV light naturally using  
102 sunlight or via a man-made device like tanning beds. Lucas (2017) discussed UV-light as electromagnetic  
103 radiation, capable of terminating the microbes at the formation stage thereby thwarting its procreation. The  
104 scholar further stressed that the origin of the radiation was from the sun, though conveyed as waves at various  
105 wavelengths and frequencies. Other sources can generate UV-light other than the sun, fluorescent and

106 incandescent bulbs, mercury vapor light, halogen light, lasers, discharge lamps, etc. UV-light was further  
 107 classified by Derraik et al, (2020) into three types namely, ultraviolet A (UVA) having wavelengths of 320-  
 108 400nm, ultraviolet B (UVB)- 280 – 320 nanometer, and ultraviolet C (UVC) – 200 – 280 nanometers. UV-light  
 109 according to Hebling et al (2020) could be utilized in sanitizing ecosystems and their environs due to its  
 110 sensitive nature. Then the actions of the light thereby mitigate the spread of coronaviruses. Referring to Figure  
 111 1, (ASHRAE 2019)(UVC LED Disinfection 2013) showcased that smaller wavelengths of UVC not only  
 112 incapacitate viruses, bacteria, and fungi but also make them un-procreative or even cause sickness.  
 113 The efficacy of UV-light was further confirmed by Kowalski (2009) which shows the ability to destroy fungi,  
 114 bacteria, and viruses in hundreds of laboratory studies. Another scholar showed the vulnerability of SARS-CoV-  
 115 2 to UV-light, the virus showed high weakness when exposed to UV-light (Heilingloh et al, 2020). The  
 116 observation of Narita et al, (2018) from Figure 2 revealed that ultraviolet light within the wavelength range of  
 117 207 – 222 nanometers is highly effective in conventional germicidal ultraviolet light employed in destroying  
 118 microbes.  
 119



120  
 121 Figure 1: **Electromagnetic Spectrum** (UVC LED Disinfection, 2013)  
 122



123  
 124 Figure 2: Comparison of germicidal efficiency ultraviolet wavelengths of much (or average) and lower-pressure  
 125 ultra-violet lamps with germicidal effectiveness for E. coli, (Luckiesh 1946)(IESNA, 2000).  
 126

127 Of course, Kitagawa et al (2020) discovered that ultraviolet light of wavelength 222 nanometer, even though  
 128 safe for human life but it still deactivates coronaviruses. The researchers experimentally exposed the covid-19  
 129 virus to 222 nanometers UV-light at 0.1 Mw per cm<sup>2</sup> and observed that after 30 seconds viruses were all dead.  
 130 Hence, the wavelength of UV light matters much in achieving the desired result. A contradictory result arose as  
 131 some researchers showcased that ultraviolet B produced better results in deactivating viruses.

132 Some inherent disadvantages of ultraviolet lights when exposed to include skin burn, skin cancer, more so it  
 133 produces wrinkles on the body, age spots, eye burn, it is also capable of causing damages in genetics or DNA,  
 134 hence resulting in a mutation in the victim(s) (Trevisan et al, 2006)(Zafna et al, 2012)(Setlow et al,  
 135 1993)(Balasubramanian et al, 2000).

136 The human risks involved in the use of UV-light do not affect its efficacies in the sanitization of environs,  
 137 personal protective equipment (PPE), treatment of water, and as well as sterilization of medical equipment.  
 138 Even though UV light has these advantages to its credit, caution should be employed while in use even though it  
 139 is a good approach for microbes to be exposed to ultraviolet light (Kowalski, 2009), and also such exposures  
 140 combat seriously with various strains of viruses thereby incapacitating them (Budowsky et al, 1981). Of recent  
 141 xenon lamps which generate broad ultraviolet spectrum were now employed for germicidal Naunovic et al,  
 142 (2008); but farhad et al (2010) claimed that for “scrubbing” health care environs, equipment and lab UV  
 143 germicidal irradiation (UVGI) has been utilized for years now.

## 144 2. The operational mechanism of the prototype ultra-violet robotic device,

145 The prototype Robotic UV-light system was implemented using nine perception subsystems as well as cognition  
 146 subsystems. The main element in the perception subsystem is the sensors. Six of the sensors were in charge of  
 147 the robotic movement, where the other three remain performed different assignments for the effective  
 148 performance of the device. One of the other three remaining perception subsystems monitors the degree of  
 149 sanitization of the environs of which within 15-25 minutes the fumigation will be over. At this point, the  
 150 cognition subsystem will then determine the next action to be taken by the robot. The second perception  
 151 subsystem in conjunction with the cognition subsystem perceives human presence when the sanitization process  
 152 is ongoing, a mimic human tone programmed, "this place is not safe now, quickly shift", will then be initialized.  
 153 Waiting for 0.12 seconds and such individual respond not to the warning, the cognition subsystem then activates  
 154 stoppage of the device on its own. The third perception subsystem with its counterpart in the cognition  
 155 subsystem monitors ultraviolet at the upper/head of the robotic device for the sanitization of the upper part of  
 156 the wards where the fumigation is taking place.

157 The UV light was designed to look like a lamp with a shining surface that reflects all the light intensity at an  
 158 angle of 180° frontwards. There are four of these lamps around the robotic device, which cover all the environs  
 159 to fumigate. As soon as the robot system gets to its target place of work, through the remote controller, the  
 160 device will be set to work making some movements appropriately. Then, the perception and cognition  
 161 subsystems monitor as well as taking decisions determine the degree of fumigation takes appropriate action at  
 162 the due time. Figure 3 depicted the prototype ultraviolet light system.

## 164 3. UVC light models.

165 In modeling of ultraviolet-light, Chick (1908) in his work gave the fundamental rate model of sanitization and  
 166 the formula is as shown in Eq. (1)

$$167 \frac{d\Xi}{dt} = -m\Xi \quad (1)$$

168 where  $\Xi$  is the number of the microbes at time t(sec) and m is the rate of observed sanitization. Furthermore,  
 169 following the work of Kamiko et al (1989), Eq. (1) is transformed to be Eq (2);

$$170 \frac{d\Xi}{dt} = Y\zeta\Xi \quad (2)$$

171 here  $\zeta$  depicted the ultraviolet intensity measured in ( $\mu\text{W per cm}^2$ ) and Y is the microbes vulnerability factor  
 172 measured in ( $\text{cm}^2\mu^{-1}\text{Ws}^{-1}$ ). The vulnerability constraints fluctuate with ecological situations, such as  
 173 atmospheric relative humidity (Ko et al, 2000)(Mcdevitt, 2012). From observation, ultraviolet C efficacy  
 174 declines with growing atmospheric relative humidity (Mcdevitt, 2012).

175  
 176 The drive current of ultraviolet intensity,  $\zeta$  ( $\mu\text{W per cm}^2$ ) was given in Eq. (3)

$$177 \zeta = \left( \frac{\log_e \left( \frac{B_{262}^0}{B_{262}} \right)}{\tau} \right) \times \left( \frac{\kappa}{2.303 \times 1000 \times \Xi_{262} \times \varphi} \right) (\mu\text{W per cm}^2) \quad (3)$$




Figure 3: (a) The prototype robotics ultraviolet-Light System, (b) UV sterilisation robot ( Chanprakon et al. 2019).

where  $B_{262}^0$  and  $B_{262}$  is the solution absorbance of actinometer which occur before and after being irradiated at 262 nm,  $\frac{\log_e\left(\frac{B_{262}^0}{B_{262}}\right)}{\tau}$  (per second), is the gradient linear trendline of the curve of  $\log_e\left(\frac{B_{262}^0}{B_{262}}\right)$  with time,  $\tau$  is time measured in seconds,  $\aleph$  is the photo emitted energy at 275 nanometers is  $7.23 \exp(19)$ , the result gives the energy per mol of the photon ( $JE^{-1}$ ) when multiplied by Avogadro's number;  $\exists_{262}$  is  $8 \times 10^3$  measured in (per mole, per cm) depicts the molar annihilation uridine coefficient at 262 nm (Cataldo 2017) and  $\varphi$  is the quantum yield (number of events/number of the photon absorbed) of uridine photohydration which is  $0.016$  ( $\text{mol}E^{-1}$ ) (Kuhn, 2004) and  $2.303$  is  $\log_e 10$ . The model assumed that throughout the ultraviolet exposures the quantum yield remains constant.

Having determined the ultraviolet intensity  $\zeta$ , the ultraviolet fluence ( $\psi$ ) measured in ( $\mu Jcm^{-2}$ ) irradiated over each exposure time can be calculated using Eq. (4), taking into account changes in the effective dose caused by impurities which reduce the effective dose to the organism:

$$\psi = \zeta \times \frac{1 - 10^{-B_{275} \times r}}{B_{275} \times r \times \ln(10)} \times \tau = \zeta \tau \quad (\mu Jcm^{-2}) \quad (4)$$

where  $r$  represents the radius of the reactor bowl measured in centimeter

The Power  $\chi$  ( $\mu W$ ), of the discharged ultraviolet Clamp, determines the dose received by surface unity at a given distance  $v$  in centimeter from the sanitizer which was Eq. (5) (Owens et al, 2005).

$$\psi = \frac{\chi \tau}{2\pi \lambda v} \quad (\mu Jcm^{-2}) \quad (5)$$

where  $\lambda$  is measured in centimeter and  $\tau$  time in seconds were respectively the length of the lamp and the exposure time, so the exposure time can be estimated according to Eq. (6):

202 
$$\tau = \frac{2\pi\lambda\nu}{\chi} \text{ (seconds)} \quad (6)$$

203

204 **4. Mathematical Model of the Robotic device**

205 This research work focused on robotics ultraviolet light systems due to the effect of ultraviolet light on human  
 206 health if not used with care. With this prototype ultraviolet light, human direct involvement in the sanitization of  
 207 environs will no longer be there. The only thing needed is to notify individuals when and where the sanitizations  
 208 will take place and at the same time the duration of the exercise by pasting a notice there. It was expected that  
 209 the robotic device was built with four ultraviolet light lamps around the robotic device for the purification  
 210 exercise hence the device modeling will consist of the physical behavior of the system, based on cinematic and  
 211 kinematic energy.

212 The body movement without taking note of the force/torque that was pressing on its body or causing the  
 213 movement is regarded as kinematics to the robotic mechanism. The procedure of plotting a robot manipulator  
 214 from Joint-space to Cartesian-space (sometimes known as task space) can be regarded as forward kinematics.  
 215 This action can easily be determined by the transformation of the data generated from the kinematic of the  
 216 robotic device's joint-space to the Cartesian space. The coordinate of a robot end-sensory conversion matrix to  
 217 the base frame generally can be obtained by the use of Hartenberg Denavit's s method (Jazar, 2010). At this  
 218 juncture, it is worthy to note that the D-H method is concerned with the transformation amongst two end-to-end  
 219 coordinate settings. Conventionally, when the D-H method is applied, the synchronize settings  $\varpi_i$  is converted

220 from the synchronize settings to  $\varpi_{i-1}$  by the homogenous transformation matrix  ${}^{i-1}\lambda_i$  (Wee, 2014);

221 
$${}^{i-1}\lambda_i = \begin{bmatrix} {}^{i-1}\eta_i & {}^{i-1}V_i \\ 0 & 1 \end{bmatrix} = \begin{bmatrix} \cos \phi_i & -\sin \phi_i \cos \mathcal{G}_i & \sin \phi_i \sin \mathcal{G}_i & \mathcal{G}_i \cos \phi_i \\ \sin \phi_i & \cos \phi_i \cos \mathcal{G}_i & -\cos \phi_i \sin \mathcal{G}_i & \mathcal{G}_i \sin \phi_i \\ 0 & \sin \mathcal{G}_i & \cos \mathcal{G}_i & V_i \\ 0 & 0 & 0 & 1 \end{bmatrix} \quad (7)$$

222 where  ${}^{i-1}\eta_i$  represent a 3 x 3 matrix portraying spinning and  ${}^{i-1}V_i$  was a 3 x 1 vector depicting to and fro  
 223 motion. Also, the inverse transformation equation to convert the synchronize setting  $\varpi_i(a_i, b_i, c_i)$  to  
 224 synchronize setting  $\varpi_{i-1}(a_{i-1}, b_{i-1}, c_{i-1})$  was

225 
$$\begin{bmatrix} a_{i-1} \\ b_{i-1} \\ c_{i-1} \\ 1 \end{bmatrix} = i-1\lambda_i \begin{bmatrix} a_i \\ b_i \\ c_i \\ 1 \end{bmatrix} \quad (8)$$

226 Solving the forward location kinematics of a joint coordinate from the standpoint of the base frame can easily  
 227 be achieved using a combined transformation matrix as depicted in Eq. (9)

228 
$${}^0\lambda_n = {}^0\lambda_1(\partial_1) {}^1\lambda_2(\partial_2) {}^2\lambda_3(\partial_3) \dots \dots \dots {}^{n-1}\lambda_n(\partial_n)$$

229 
$$= \begin{bmatrix} Z_{11} & Z_{12} & Z_{13} & Z_{14} \\ Z_{21} & Z_{22} & Z_{23} & Z_{24} \\ Z_{31} & Z_{32} & Z_{33} & Z_{34} \\ Z_{41} & Z_{42} & Z_{43} & Z_{44} \end{bmatrix} \quad (9)$$

230 For  $z_{ij} = z_{ji}(\partial_\sigma)$ ,  $\sigma = 1, 2, \dots, n$

231 where n denotes the degree of freedom.

232 The rotational matrix for the three a-b-c axes were as shown in Eq. (10) – (12).

233 
$$\eta_a(\phi) = \begin{bmatrix} 1 & 0 & 0 \\ 0 & \cos \phi & -\sin \phi \\ 0 & \sin \phi & \cos \phi \end{bmatrix} \quad (10)$$

234 
$$\eta_b(\phi) = \begin{bmatrix} \cos \phi & 0 & \sin \phi \\ 0 & 1 & 0 \\ -\sin \phi & 0 & \cos \phi \end{bmatrix} \quad (11)$$

235 
$$\eta_c(\phi) = \begin{bmatrix} \cos \phi & -\sin \phi & 0 \\ \sin \phi & \cos \phi & 0 \\ 0 & 0 & 1 \end{bmatrix} \quad (12)$$

236 **5. Discussion**

237 The prototype robotic device comprises four ultraviolet lamps which were fixed centrally in the body of the  
238 machine device with one lamp on top with numerous sensors. The robotic device has to master its environment  
239 via a mapping process. For this action to take place, light detection and ranging sensors of robotics system  
240 played a major role in it surveying the environs and develops an appropriate digital map. Through the help of  
241 inbuilt affections in the device, the robot responds impulsively to any stimuli within its environs quickly on its  
242 own. Whenever the device is in operation if it senses the presence of any human being via one of the sensors, an  
243 inbuilt alarm will be triggered. The alarm is the form of a recorded voice which goes thus, "move out from here,  
244 it is unsafe for you" if such a person couldn't move out within 10 nanoseconds, the sensor then triggered  
245 shutdown switch of the ultraviolet light automatically. Normally, 15 to 25 minutes were required to sanitize the  
246 award/apartment. With the wavelength of 254-nanometer light, microbes were incapacitated to the tune of  
247 99.99% in few a minutes when the robot ultraviolet light discharges  $20 \text{ Jm}^{-2}\text{s}^{-1}$  (Magda et al, 2021). Hence,  
248 the involvement of this prototype is better than human cleansing because it will eradicate the hazard that can  
249 affect human health. Therefore, applying robotic ultraviolet light minimizes the spread of covid-19 like a  
250 wildfire which is the global pandemic drowning the entire world to a halt.

251

252 **6. Conclusion.**

253 Necessity is the mother of invention, the inception COVID-19 pandemic enhanced innovation on all spheres of  
254 life; both public, societal, and medical alike. Deploying robotic devices for decontamination of hospital  
255 sensitive equipment as well as its environs and other related surroundings has a greater potential in the future. If  
256 appropriately utilized more especially in the health sector, the Robotic ultraviolet light will assist in reducing the  
257 health hazards of using improperly sterilized equipment.

258

259 **Authors' Contributions**

260 T.O Araoye and D.B Nnadi works on design and analysis of the robotic system, Validation of the design was  
261 done by D.A Vincent and S.V Egoigwe. Writing Review and Editing was done by T.O Araoye and D.B Nnadi,  
262 Project Administration was done by S.V Egoigwe and D.A Vincent, Formal Analysis was done by D.B Nnadi  
263 and T.O Araoye,. Writing -original draft preparation was done by D.B Nnadi  
264 All authors carried out the analysis and contributed to writing of the paper.

265

266 **Acknowledgment**

267 The authors would like to appreciate Energy and Sustainable Research Group (ESRG) for their technical  
268 support.

269

270 **Funding**

271 This research received no external funding

272

273 **Compliance with ethical standards**

274 **Competing interests:** The authors declare no conflict of interest

275 **Ethical approval:** Not applicable

276 **Consent to participate:** The authors have consent to participate

277 **Consent to publish:** The authors have consent to publish.

278 **Availability of data and materials:** Not applicable

279

280 **References**

- 281 ASHRAE (2019) Ultraviolet Air and Surface Treatment, ASHRAE Handbook - HVAC Applications (SI), Pp  
282 61.  
283 Balasubramanian, D. (2000).Ultraviolet radiation and cataract. J. Ocul. Pharmacol. Ter. 16(3), 285–97  
284 Bai, Y. et al. (2020). Presumed asymptomatic carrier transmission of covid-19. JAMA,  
285 Budowsky, E. I. et al. (1981). Principles of selective inactivation of the viral genome. I. UV-induced  
286 inactivation of influenza virus. Arch. Virol. 68(3-4), 239–47.

287 Cataldo, F. Uridine as Photochemical Actinometer: (2017) Application to UV-LED Reactors. Eur. Chem. Bull.  
288 6, 405–409.

289 Chanprakon, P.; Sae-Oung, T.; Treebupachatsakul, T.; Hannanta-Anan, P.; Piyawattanametha, W. (2019). An  
290 Ultra-violet sterilization robot for disinfection. In Proceedings of the 2019 5th International Conference  
291 on Engineering, Applied Sciences and Technology (ICEAST), Luang Prabang, Laos, 2–5 ; pp. 1–4

292 Chick H,( 1908) An investigation of the laws of disinfection. JHyg 8: 092–158.

293 Darnella MER, Subbaraob K, Feinstonea SM, Taylora DR (2004) Inactivation of the coronavirus that induces  
294 severe acute respiratory syndrome, SARS-CoV. J Virol Methods 121:85–91. [https://doi.org/  
295 10.1016/j.jviromet.2004.06.006](https://doi.org/10.1016/j.jviromet.2004.06.006)

296 Derraik, J. G. B, Anderson, W. A, Connelly, E. A & Anderson, Y. C. (2020). Rapid Review of SARS-CoV-1  
297 and SARS-CoV-2 Viability, Susceptibility to Treatment, and the Disinfection and Reuse of PPE,  
298 Particularly Filtering Facepiece Respirators, *Int. J. Environ. Res. Public Health*, 17, (6117), 1-33,  
299 doi:10.3390/ijerph17176117.

300 Farhad Memarzadeh, Ph.D., PE, a Russell N. Olmsted, MPH, CIC,b and Judene M. Bartley, MS, MPH, CICc  
301 Bethesda, Maryland; Ann Arbor, Michigan; and Beverly Hills, Michigan, (2010)."Applications of  
302 ultraviolet germicidal irradiation disinfection in health care facilities: Effective adjunct, but not stand-alone  
303 technology", *American Journal of Infection Control* pp. S13- S24. doi:10.1016/j.ajic. 2010.04.208

304 Hebling M., Hones K., Vatter, P & Lingenfelder C. (2020). Ultraviolet Irradiation Doses for Coronavirus  
305 Inactivation – Review and Analysis of Coronavirus Photoinactivation Studies, *GMS Hygiene, and  
306 Infection Control*, 15, I-8

307 Heilingloh, C. S., Aufderhorst, U. W., Schipper, L., Dittmer, U., Witzke, O., Yang, D., Zheng, X., Sutter, K.,  
308 Trilling, M., Steinmann, E & Krawczyk, A. (2020). Susceptibility of SARS-CoV-2 to UV irradiation,  
309 *American Journal of Infection Control*, 48 (10) 1273–1275. <https://doi.org/10.1016/j.ajic.2020.07.031>.

310 IESNA. (2000). Lighting Handbook: Reference & Application IESNA HB-9-2000. New York: Illumination  
311 Engineering Society of North America.

312 Jazar R. N., Theory of Applied: Robotics, Kinematics, Dynamics and control, Book Springer 2010

313 Kamiko N, Ohgaki S, Rna coliphage (1989) as a bioindicator of the ultraviolet disinfection efficiency. *Waf Sci-  
314 Tech* 21:227–231,

315 King, Anthony "An uncommon cold". *New Scientist* (1971). 246 (3280): 32– [10.1016/S0262-  
316 4079\(20\)308629](https://doi.org/10.1016/S0262-4079(20)308629). ISSN 02624079.35. DOI: [PMC 7252012](https://doi.org/10.1016/S0262-4079(20)308629). [PMID 32501321](https://doi.org/10.1016/S0262-4079(20)308629) (2020-05-02).

317 Kitagawa, H, Nomura, T, Nazmul, T, Omori, K, Shigemoto, T & Ohge, H. (2020). Effectiveness of 222 nm  
318 Ultraviolet Light ON DISINFECTING Sars-Cov-2 Surface Contamination, *American Journal of Infection  
319 Control*, Doi: 10.1016/j.ajic.2020.08.022.

320 Kowalski W. (2009) Ultraviolet Germicidal Irradiation Handbook. UVGI for Air and Surface Disinfection, New  
321 York: Springer.

322 Ko G, First MW (2000) Burge HA, Influence of relative humidity on particle size and UV sensitivity of *Serratia  
323 marcescens* and *Mycobacterium Bovis BCG* aerosols. *Tuber Lung Dis* 80:217–228.  
324 <https://doi.org/10.1054/tuld.2000.0249>

325 Kuhn, H.; Braslavsky, S.; Schmidt, E. (2004) Chemical actinometry (IUPAC technical report). *Pure Appl.  
326 Chem.* 76, 2105–2146.

327 Laboratory testing of human suspected cases of novel coronavirus (nCoV) infection. Interim guidance, 10  
328 January 2020" (PDF). Archived (PDF) from the original on 2020-01-20. Retrieved 2021-01-14.

329 Lucas, J. What is Ultraviolet Light? (2017). Retrieved online from [livescience.com  
330 04/02/2021](https://www.livescience.com/71111-uv-light.html).

331 Luckiesh M. 1946. Applications of Germicidal, Erythemal, and Infrared Energy. New York: D. Van Nostrand  
332 Co.

333 Magda Diab-El Schahawi, Walter Zingg, Margreet Vos, Hilary Humphreys, Lorena Lopez-Cerero, Astrid  
334 Fueszl, Jean Ralph Zahar (2021). Ultraviolet disinfection robots to improve hospital cleaning: Real promise  
335 or just a gimmick. *Antimicrobial Resistance & Infection Control*

336 Mcdevitt JJ, Rudnick SN, Radanovich L, (2012). Aerosol susceptibility of influenza virus to UV-C light. *Appl  
337 Environ Microbiol* 78:1666–1669. <https://doi.org/10.1128/AEM.06960-11>.

338 Moez Guettari & Ines Gharbi & Samir Hamza, (2020). UVC disinfection robot, Environmental Science and  
339 Pollution Research <https://doi.org/10.1007/s11356-020-11184-2>, Springer-Verlag GmbH Germany, part of  
340 Springer Nature.

341 Mojarad N, Khalili Z, Aalaei S (2017) A Comparison of the efficacy of mechanical, chemical, and microwave  
342 radiation methods in disinfecting complete dentures. Dent Res J (Isfahan) 14:131–136;

343 Naunovic, Z., Lim, S. & Blatchley, E. R. III. (2008) Investigation of microbial inactivation efficiency of a UV  
344 disinfection system employing an excimer lamp. Water Res. 42(19), 4838–46.

345 Narita, K., Asano, K., Morimoto, Y., Igarashi, T., Hamblin, M., Dai, T & Nakane, A. (2018). Disinfection and  
346 Healing Effect of 222NM UVC light on Methicillin-Resistant Staphylococcus Aureus Infection in Mouse  
347 Wounds, *J. Photochemistry, and Photobiology*, 178, 10-18,  
348 <https://doi.org/10.1016/j.jphotobiol.2017.10.030>.

349 Novel Coronavirus 2019, Wuhan, China. *www.cdc.gov (CDC)*. 2020-01-23. Archived from the original on  
350 2020-01-20. Retrieved 07-02-2021.

351 Novel Coronavirus infection (Wuhan, China) (2019): Outbreak update". *Canada.ca*. Retrieved 07-02-2021.

352 Otto C, Zahn S, Rost F, Zahn P, Jaros D, Rohm H (2011) Physical methods for cleaning and disinfection of  
353 surfaces. Food Eng Rev 3:171–188. <https://doi.org/10.1007/s12393-011-9038-4>;

354 Owens MU, Deal DR, Shoemaker MO, Knudson GB, Janet E, Deal JL (2005) High-dose ultraviolet C light  
355 inactivates spores of *Bacillus subtilis* var. *niger* and *Bacillus anthracis* Sterne on non-reflective surfaces.  
356 *Appl Biosaf* 10:240–247. <https://doi.org/10.1177/153567600501000406>

357 Setlow, R. B. et al. (1993). Wavelengths effective in induction of malignant melanoma. *Proc. Natl Acad. Sci.*  
358 *USA* 90(14), 6666–70.

359 Trevisan, A. et al. (2006). Unusual high exposure to ultraviolet-C radiation. *Photochem. Photobiol.* 82(4), 1077–  
360 9.

361 *UVC LED disinfection*. (2013). Green Island, NY: Crystal IS.

362 Van Doremalen, N. et al. (2020). Aerosol and surface stability of sars-cov-2 as compared with sars-cov-1. *N.*  
363 *Engl. J. Med*

364 Wee Teck Chew, Design and Control of a Humanoid Robot, Thesis submitted in partial fulfillment of the  
365 requirements for the degree of Doctor of Philosophy, in the subject of Robotics and Control Systems  
366 Control and Power Research Group, Department of Electrical and Electronic Engineering Imperial College  
367 London, June 2014.

368 World Health Organization. Coronavirus Disease (Covid-19) situation reports, Retrieved online from  
369 <https://www.who.int/emergencies/diseases/novel-coronavirus-2019/situation-reports>. 10/02/2021.

370 Zafna, S. et al.(2012) Accidental exposure to UV radiation produced by germicidal lamp: case report and risk  
371 assessment. *Photochem. Photobiol.* 88(4), 1001–4.

372

373

374