Comparison between Natural Drainage Group and Negative Drainage Group after Cervical Laminoplasty: A retrospective STROBE-compliant cohort study

Fulin Guan

The 1st affiliated hospital of Harbin medical university

Hongna Yin

2nd affiliated hospital of heilongjiang university of chinese medicine

Lin Zhu

Harbin Medical University

Zhizhuang Zhang

1st affiliated hospital of harbin medical university

Qichang Gao

1st affiliated hospital of harbin medical university

Tuo Shao

1st affiliated hospital of harbin medical university

Weilong Tang

1st affiliated hospital of harbin medical university

Guofa Guan

1st affiliated hospital of harbin medical university

Ming Chen

1st affiliated hospital of harbin medical university

Zhiyong Chi

1st affiliated hospital of harbin medical university

Jiaao Gu (✉ jiaaogu@outlook.com)

The 1st affiliated hospital of harbin medical university <https://orcid.org/0000-0002-2823-1447>

Zhang Yu

1st affiliated hospital of harbin medical university

Research article

Keywords: Retract

Posted Date: December 4th, 2019

DOI: <https://doi.org/10.21203/rs.2.15671/v2>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.
[Read Full License](#)

The authors have withdrawn this preprint from Research Square