

Burnout and Job Satisfaction of Psychiatrists in China: A Nationwide Survey

Hao Yao

Shanghai Mental Health Center

Peicheng Wang

Tsinghua University

Yi-Lang Tang

Mental Health Service Line, Atlanta VA Medical Center

Yuanli Liu

Chinese Academy of Medical Sciences & Peking Union Medical College

Tingfang Liu

Institute for Hospital Management of Tsinghua University

Huanzhong Liu

Chaohu Hospital of Anhui Medical University

Yanhua Chen

Tsinghua University

Feng Jiang

Shanghai Jiao Tong University

Jiming Zhu (✉ jimingzhu@tsinghua.edu.cn)

Tsinghua University

Research Article

Keywords: Burnout, Job satisfaction, Psychiatrists, China

Posted Date: June 22nd, 2021

DOI: <https://doi.org/10.21203/rs.3.rs-639930/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License. [Read Full License](#)

Version of Record: A version of this preprint was published at BMC Psychiatry on November 24th, 2021. See the published version at <https://doi.org/10.1186/s12888-021-03568-6>.

Abstract

Background

Despite a significant shortage of psychiatrists in China, an ever-increasing amount of psychiatrists in China are experiencing burnout and job dissatisfaction and considering leaving their jobs. Yet, to our knowledge, there have been no nationwide studies to date that examined both burnout and job dissatisfaction of psychiatrists in China. Therefore, this study evaluated burnout and job dissatisfaction of psychiatrists in China, and identified relevant characteristics.

Methods

We conducted a nationwide, cross-sectional survey in March 2019. Psychiatrists from all tertiary psychiatric hospitals in China were invited to participate. The Maslach Burnout Inventory-Human Service Survey and the short version of the Minnesota Satisfaction Questionnaire were used to measure burnout and job satisfaction. Data on socio-demographic and occupational characteristics were collected. Multivariate logistic regression was conducted to identify socio-demographic and occupational characteristics associated with burnout and job satisfaction.

Results

In total, 4520 psychiatrists from tertiary psychiatric hospitals in China completed the questionnaire. Overall, 38.4% of respondents met the criteria for burnout and 35.6% were dissatisfied with their jobs. Being male, more years of practice, having no leadership role, and longer working hours per week were significantly associated with burnout and job dissatisfaction. Lower monthly pay was significantly associated with job dissatisfaction but not burnout. Moreover, burnout was significantly associated with job dissatisfaction.

Conclusions

Our data suggest a high rate of burnout and job dissatisfaction among psychiatrists in China. In order to preserve and strengthen the mental health workforce, proactive measures are urgently needed to improve job morale of psychiatrists in China.

Background

With an estimated 173 million people living with mental disorders currently in China [1], China accounts for the largest percentage (17%) of the global mental, neurological, and substance use disorder burden [2]. In the last three decades, the prevalence of mental disorders in China has increased significantly from 1.3% in 1982 to 16.6% in 2015 [3]. And the total annual costs of mental disorders in China has quadrupled for the entire society from 2005 (\$21.0 billion) to 2013 (\$88.8 billion) [4]. However, there is still a lack of mental health professionals in China. Nowadays, the total number of psychiatrists in China is ~ 40000 [5], indicating that there are less than 3 psychiatrists per 100000 population. Moreover, most of these psychiatrists are working in the more socioeconomically developed eastern coastal region of China [5].

With the mental health care demand still rising, it is imperative that China's government takes proactive measures to develop and strengthen its mental health workforce. In 2015, the General Office of China's State Council issued the *2015–2020 National Mental Health Work Plan* [6] which proposed a package of measures to develop and strengthen the mental health workforce in China. The measures included encouraging regions and higher education institutions to provide medical bachelor's degrees specializing in psychiatry, allowing non-psychiatrist physicians to switch their clinical specialties to psychiatry after receiving training in psychiatry, and improving the level of remuneration for mental health professionals. However, the effectiveness of these measures has been inadequately evaluated and the number of psychiatrists in China is still far less than needed [7]. In addition, most of these efforts till now have been focused on recruiting more psychiatrists, with the retention issues of psychiatrists largely neglected. In fact, it was reported that an ever-increasing amount of psychiatrists in China are experiencing burnout and job dissatisfaction [8] and considering leaving their jobs [9]. Till now, most studies of burnout among psychiatrists were conducted in high-income countries (HICs) and a high rate of burnout was consistently reported among psychiatrists in HICs [10]. In order to stabilize the mental health workforce in China, it is of great importance to investigate the prevalence of burnout and job dissatisfaction among psychiatrists in China comprehensively, as well as the risk factors for burnout and job dissatisfaction. Yet, to our knowledge, there have been no nationwide studies in China to date that have achieved these purposes.

In China, a vast majority (~ 80%) of psychiatrists are working at psychiatric hospitals, whereas those working at other mental health service providers, such as general hospitals, rehabilitation hospitals, and community health centers, account for only a small percentage [5]. Psychiatric hospitals in China can be further classified into two tiers: secondary psychiatric hospitals (SPHs), which tend to be affiliated with a medium size city, county or district; and tertiary psychiatric hospitals (TPHs), which are often situated in provincial capitals or major cities. In the absence of a well-developed referral system, people with mental health conditions in China have the freedom to choose where they want to obtain specialist mental health services from, and most of them prefer TPHs [11]. Moreover, in addition to providing specialist mental health

services for larger geographical areas than SPHs, TPHs are also responsible for providing guidance and support to all other mental health service providers, including SPHs, in the corresponding areas [12]. Therefore, Chinese psychiatrists working at TPHs are often burdened with much heavier workloads and faced with an even grimmer crisis of burnout [13, 14]. Considering the central roles that TPHs play in China's mental health care system, more attention should be focused on burnout and job dissatisfaction among psychiatrists working at TPHs in China.

In this study, we aimed to investigate the prevalence of burnout and job dissatisfaction among psychiatrists from all tertiary psychiatric hospitals in China, to identify socio-demographic and occupational factors associated with burnout and job satisfaction, and to examine the relationship between burnout and job satisfaction among psychiatrists.

Methods

Study design and participants

We conducted a nationwide, cross-sectional survey in March 2019 to investigate the prevalence of burnout and job dissatisfaction among psychiatrists at TPHs in China. All psychiatrists ($n = 6986$) from 41 TPHs in China were invited to participate in our survey. In total, there were 40435 psychiatrists in China by the end of 2018, so approximately one sixth psychiatrists in China were included in our survey. To cover all the psychiatrists working at TPHs in China, we collaborated with each province's Health Commission to issue a notice about this survey to all the TPHs situated in the corresponding province, and then the hospital administrators of these TPHs organized and facilitated the psychiatrists working at their hospitals to participate in this survey. Each psychiatrist completed a smartphone-based questionnaire anonymously and voluntarily throughout the process. The research protocol was approved by the Ethics Committee of Chaohu Hospital of Anhui Medical University (No.201903-kyxm-02) and an electronic consent form was obtained from each participant.

Questionnaires

The questionnaire consisted of three parts. Clear instructions were provided to participants before each section. Part 1 involved socio-demographic and occupational characteristics, i.e., age, gender (male or female), marital status (single, married, or other), site of practice (Eastern China, Central China, Western China, and Northeast China), years of practice, monthly pay in previous year, working hours per week, and having a leadership role or not.

In Part 2, the Maslach Burnout Inventory-Human Service Survey (MBI-HSS) [15] was used to measure burnout among psychiatrists in China. The Chinese version of MBI-HSS has already been validated in many studies [16–18]. It is a 22-item scale scoring the following three domains of burnout: emotional exhaustion (EE), involving nine items; depersonalization (DP), involving five items; and reduced personal accomplishment (PA), involving eight items. These items are scored on a 7-point scale from 0 to 6 according to the frequency of symptoms. Participants with high EE (≥ 27) or DP (≥ 10) scores were defined as having burnout [17, 19–22].

In Part 3, the short version of the Minnesota Satisfaction Questionnaire (MSQ) was used to measure job satisfaction among psychiatrists in China. The Chinese version of MSQ has been widely used and demonstrated sound reliability and validity [23, 24]. MSQ has twenty items scored on a 5-point scale ranging from 1, very dissatisfied, to 5, very satisfied. The average score of these twenty items was calculated for each participant and participants with an average score of ≥ 3 were defined as being satisfied with their jobs in general [25]. In addition, MSQ includes two subscales: (1) intrinsic job satisfaction, which refers to whether people feel satisfied with the factors related to the nature of their jobs; and (2) extrinsic job satisfaction, which refers to whether people feel satisfied with the factors related to the working conditions that are external to their jobs [26]. The subscale scores were calculated as the average scores of subscale items, and participants with an average subscale score of ≥ 3 were defined as being satisfied with intrinsic or extrinsic factors of their jobs.

Statistical analysis

Continuous variables with normal distribution were reported as mean (standard deviation [SD]), and differences between groups were compared using t-tests. Continuous variables with skewed distribution were reported as median (interquartile range [IQR]) and compared using the Mann–Whitney U test. Categorical variables were presented as the number (percentage) and compared using chi-square test or unidirectional ordered chi-square test. Multivariate logistic regression was conducted to explore potential risk factors of burnout and job satisfaction. Odds ratios (ORs) for different variables and corresponding 95% confidence intervals (CIs) were reported. Statistical analyses were performed using SAS 9.4 (SAS Institute, Cary, NC, USA). Two-tailed p values of less than 0.05 were considered statistically significant.

Results

Socio-demographic and occupational characteristics of respondents

In total, there were 6986 psychiatrists working at 41 TPHs in China in 2019, and they were all invited to participate in this study. Of them, 4520 psychiatrists completed the questionnaire (completion rate, 64.7%). Table 1 shows data on their socio-demographic and occupational characteristics. 2626 respondents (58.1%) were female, and 2207 (48.8%) were aged between 30 and 39. Most respondents (81.2%) were married. About two thirds had a bachelor's degree or less. 992 respondents (44.5%) had been practicing psychiatry for less than 5 years. 954 respondents (21.1%) had leadership roles in their workplaces, with males more likely (28.7%; 543/1892 vs 15.6%; 1349/2628; $P < .001$). The median (IQR) monthly pay of our sample was 7000 (5000–10000) RMB, and males reported significantly higher monthly pay compared with their female counterparts ($P = .003$). The mean (SD) working hours per week was 53.0 (16.1) hours, with 4259 (94.2%) reporting for more than 40 hours per week, and males reported significantly longer working hours than their female counterparts ($P = .012$).

Table 1
Socio-demographic and occupational characteristics of 4520 psychiatrists in China who participated in the study, n(%)

Characteristic	All (n = 4520)	Male (n = 1892)	Female (n = 2628)	P
Gender				
Male	1892 (41.9)	-	-	-
Female	2628 (58.1)	-	-	-
Site of practice				
Eastern China	1631 (36.1)	653 (34.5)	978 (37.2)	.003
Central China	948 (21.0)	423 (22.4)	525 (20.0)	
Western China	1197 (26.5)	472 (24.9)	725 (27.6)	
Northeast China	744 (16.5)	344 (18.2)	400 (15.2)	
Age, years				
≤29	602 (13.3)	163 (8.6)	439 (16.7)	< .001
30–39	2207 (48.8)	844 (44.6)	1363 (51.9)	
40–49	1082 (23.9)	510 (27.0)	572 (21.8)	
≥50	629 (13.9)	375 (19.8)	254 (9.7)	
Marital status				
Married	3668 (81.2)	1610 (85.1)	2058 (78.3)	< .001
Single	690 (15.3)	221 (11.7)	469 (17.8)	
Other	162 (3.6)	61 (3.2)	101 (3.8)	
Education				
Associate degree or less	123 (2.7)	69 (3.6)	54 (2.1)	< .001
Bachelor's degree	2866 (63.4)	1287 (68.0)	1579 (60.1)	
Master's degree	1257 (27.8)	425 (22.5)	832 (31.7)	
Doctorate degree	274 (6.1)	111 (5.9)	163 (6.2)	
Years of practice, years				
≤5	992 (21.9)	308 (16.3)	684 (26.0)	< .001
6–10	1023 (22.6)	358 (18.9)	665 (25.3)	
11–20	1405 (31.1)	634 (33.5)	771 (29.3)	
≥21	1100 (24.3)	592 (31.3)	508 (19.3)	
Leadership role				
Yes	954 (21.1)	543 (28.7)	1349 (51.6)	< .001
No	3566 (78.9)	411 (71.3)	2217 (84.4)	
Monthly pay in previous year, RMB ^a				
<5000	720 (16.5)	278 (14.7)	442 (16.8)	< .001
5000–7999	1604 (36.7)	636 (33.6)	968 (36.8)	
8000–11999	1395 (31.9)	615 (32.5)	780 (29.7)	
≥12000	649 (14.9)	310 (16.4)	339 (12.9)	

a. Ratio of US dollar to Chinese yuan (RMB) = 6.47

Characteristic	All (n = 4520)	Male (n = 1892)	Female (n = 2628)	P
Working hours per week, hours				
≤40	261 (5.8)	124 (6.6)	137 (5.2)	.026
41–50	1976 (43.7)	794 (42.0)	1182 (45.0)	
51–60	781 (17.3)	314 (16.6)	467 (17.8)	
≥61	1502 (33.2)	660 (34.9)	842 (32.0)	
a. Ratio of US dollar to Chinese yuan (RMB) = 6.47				

Prevalence of burnout and job dissatisfaction

Table 2 shows data on burnout and job dissatisfaction in our sample. 1146 (25.4%) respondents reported a high level of EE, 1485 (32.9%) reported a high level of DP, and 935 (20.7%) reported a low level of PA. Overall, 1735 (38.4%) respondents met the criteria of burnout. Moreover, males in our sample had a slightly higher rate of burnout (39.6%; 750/1892) compared with females (37.5%; 985/2628), but the difference was not statistically significant (P = .141).

Table 2
Prevalence of burnout and job satisfaction in a sample of 4520 psychiatrists in China, n(%)

	All (n = 4520)	Male (n = 1892)	Female (n = 2628)	P
Burnout				
Yes	1735 (38.4)	750 (39.6)	985 (37.5)	.141
No	2785 (61.6)	1142 (60.4)	1643 (62.5)	
Emotional exhaustion				
Low	2419 (53.5)	1019 (53.9)	1400 (53.3)	.634
Mid	955 (21.1)	387 (20.5)	568 (21.6)	
High	1146 (25.4)	486 (25.7)	660 (25.1)	
Depersonalization				
Low	1538 (34.0)	606 (32.0)	932 (35.5)	.029
Mid	1497 (33.1)	630 (33.3)	867 (33.0)	
High	1485 (32.9)	656 (34.7)	829 (31.5)	
Personal accomplishment				
Low	2555 (56.5)	1099 (58.1)	1456 (55.4)	.146
Mid	1030 (22.8)	407 (21.5)	623 (23.7)	
High	935 (20.7)	386 (20.4)	549 (20.9)	
General Job Satisfaction				
Yes	2911 (64.4)	1127 (59.6)	1784 (67.9)	< .001
No	1609 (35.6)	765 (40.4)	844 (32.1)	
Intrinsic Job Satisfaction				
Yes	3136 (69.4)	1212 (64.1)	1924 (73.2)	< .001
No	1384 (30.6)	680 (35.9)	704 (26.8)	
Extrinsic Job Satisfaction				
Yes	2362 (52.3)	983 (52.0)	1175 (44.7)	< .001
No	2158 (47.7)	909 (48.0)	1453 (55.3)	

Overall, 1609 respondents (35.6%) were dissatisfied with their jobs in general, and males reported a higher rate of general job dissatisfaction than females (59.6%; 765/1892 vs 67.9%; 844/2628; $P < .001$). Interestingly, males were more likely to be dissatisfied with intrinsic factors of their jobs than females (35.9%; 680/1892 vs 26.8%; 704/2628; $P < .001$) but less likely to be dissatisfied with extrinsic factors than females (48.0%; 909/1892 vs 55.3%; 1454/2628; $P < .001$).

Factors associated with burnout and job dissatisfaction

We examined the associations between respondent characteristics and burnout (Table 3, also see **Supplementary Table 1** in **Additional File 1**). It was found that being male (OR 1.20, 95% CI 1.05–1.37), 11–20 years of practice (OR 1.42, 95% CI 1.10–1.84; reference: ≤5 years), having no leadership role (OR 1.60, 95% CI 1.32–1.95), and longer working hours per week (41–50 hours: OR 1.47, 95% CI 1.08–2.01; 51–60 hours: OR 2.39, 95% CI 1.71–3.34; ≥61 hours: OR 3.09, 95% CI 2.25–4.25; reference: ≤40 hours) were significantly associated with burnout. There were no significant associations between monthly pay and burnout (5000–7999 RMB: OR 0.90, 95% CI 0.74–1.09; 8000–11999 RMB: OR 0.88, 95% 0.71–1.10; ≥12000 RMB: OR 0.77, 95% CI 0.58–1.03; reference: <5000 RMB) after adjusting for other variables.

Table 3

Effects of respondent characteristics on burnout and general job satisfaction in a sample of 4520 psychiatrists in China

		Burnout		General Job Satisfaction		
		All	Male	Female	All	Male
		odds ratio (95% CI)		odds ratio (95% CI)		
Gender						
Female	Reference	-	-	Reference	-	-
Male	1.20 (1.05–1.37)**	-	-	0.66 (0.58–0.76)***	-	-
Site of practice						
Eastern China	Reference	Reference	Reference	Reference	Reference	Reference
Central China	0.98 (0.82–1.17)	0.88 (0.67–1.16)	1.07 (0.84–1.35)	0.99 (0.83–1.19)	1.01 (0.77–1.32)	0.97 (0.76–1.24)
Western China	0.92 (0.77–1.10)	0.99 (0.75–1.31)	0.89 (0.71–1.12)	0.98 (0.82–1.17)	1.02 (0.77–1.34)	0.93 (0.73–1.18)
Northeast China	0.83 (0.67–1.04)	0.93 (0.67–1.3)	0.74 (0.55–1.00)	1.29 (1.03–1.61)*	1.45 (1.05–2.01)*	1.14 (0.85–1.55)
Age, years						
≤29	Reference	Reference	Reference	Reference	Reference	Reference
30–39	1.09 (0.83–1.42)	1.00 (0.63–1.61)	1.14 (0.82–1.58)	0.89 (0.67–1.17)	1.00 (0.63–1.61)	0.82 (0.58–1.15)
40–49	1.07 (0.75–1.51)	1.02 (0.57–1.81)	1.10 (0.70–1.72)	0.78 (0.54–1.11)	1.00 (0.57–1.77)	0.62 (0.39–0.99)*
≥50	0.76 (0.49–1.18)	0.62 (0.32–1.22)	0.94 (0.51–1.72)	0.92 (0.59–1.43)	1.17 (0.60–2.27)	0.76 (0.41–1.42)
Marital status						
Married	Reference	Reference	Reference	Reference	Reference	Reference
Single	1.19 (0.96–1.47)	1.16 (0.81–1.66)	1.23 (0.95–1.59)	0.88 (0.71–1.10)	0.91 (0.63–1.30)	0.87 (0.67–1.14)
Other	1.28 (0.91–1.79)	1.15 (0.66–2.01)	1.36 (0.89–2.08)	0.75 (0.54–1.05)	0.73 (0.43–1.26)	0.76 (0.49–1.17)
Education						
Associate degree or less	Reference	Reference	Reference	Reference	Reference	Reference
Bachelor's degree	0.97 (0.63–1.47)	0.98 (0.57–1.71)	0.98 (0.51–1.91)	0.75 (0.50–1.14)	0.95 (0.56–1.61)	0.55 (0.28–1.10)
Master's degree	1.01 (0.64–1.58)	1.05 (0.57–1.93)	1.00 (0.50–2.00)	0.73 (0.47–1.13)	0.93 (0.52–1.68)	0.53 (0.26–1.08)
Doctorate degree	0.73 (0.43–1.22)	0.75 (0.36–1.56)	0.72 (0.33–1.56)	0.87 (0.52–1.46)	1.08 (0.53–2.19)	0.65 (0.29–1.46)
Years of practice, years						
≤5	Reference	Reference	Reference	Reference	Reference	Reference
6–10	1.14 (0.90–1.45)	1.45 (0.98–2.15)	1.00 (0.74–1.34)	0.77 (0.60–0.98)*	0.68 (0.46–1.01)	0.85 (0.62–1.16)
11–20	1.42 (1.10–1.84)**	1.59 (1.06–2.39)*	1.34 (0.96–1.86)	0.56 (0.43–0.73)***	0.54 (0.36–0.82)**	0.59 (0.42–0.83)**

Notes: * P < .05; ** P < .01; *** P < .001

	Burnout			General Job Satisfaction		
≥21	1.17 (0.81–1.70)	1.56 (0.89–2.74)	0.94 (0.57–1.55)	0.58 (0.40–0.85)**	0.53 (0.30–0.92)*	0.66 (0.40–1.11)
Leadership role						
Yes	Reference	Reference	Reference	Reference	Reference	Reference
No	1.60 (1.32–1.95)***	1.75 (1.34–2.3)***	1.42 (1.07–1.88)*	0.54 (0.44–0.65)***	0.58 (0.44–0.75)***	0.49 (0.37–0.67)***
Monthly pay in previous year, RMB						
<5000	Reference	Reference	Reference	Reference	Reference	Reference
5000–7999	0.90 (0.74–1.09)	1.02 (0.75–1.39)	0.81 (0.63–1.04)	1.06 (0.87–1.29)	0.94 (0.69–1.27)	1.14 (0.88–1.48)
8000–11999	0.88 (0.71–1.10)	0.86 (0.61–1.22)	0.89 (0.67–1.18)	1.50 (1.20–1.87)***	1.51 (1.07–2.13)*	1.47 (1.10–1.97)**
≥12000	0.77 (0.58–1.03)	0.75 (0.49–1.16)	0.79 (0.54–1.14)	1.92 (1.44–2.56)***	1.59 (1.04–2.43)*	2.32 (1.57–3.45)***
Working hours per week, hours						
≤40	Reference	Reference	Reference	Reference	Reference	Reference
41–50	1.47 (1.08–2.01)	1.35 (0.86–2.12)	1.57 (1.01–2.43)*	0.87 (0.65–1.16)	1.01 (0.67–1.52)	0.72 (0.47–1.10)
51–60	2.39 (1.71–3.34)***	2.23 (1.37–3.63)**	2.56 (1.61–4.06)***	0.70 (0.51–0.96)*	0.82 (0.52–1.29)	0.58 (0.37–0.92)*
≥61	3.09 (2.25–4.25)***	2.97 (1.87–4.71)***	3.22 (2.07–5.03)***	0.60 (0.44–0.81)***	0.72 (0.47–1.1)	0.49 (0.31–0.75)**

Notes: * P < .05; ** P < .01; *** P < .001

The associations between socio-demographic characteristics and job satisfaction were also examined (Table 3, also see **Supplementary Table 2 in Additional File 1**). It was found that being male (OR 0.66, 95% CI 0.58–0.76), working in Northeast China (OR 1.29, 95% CI 1.03–1.61; reference: Eastern China), more years of practice (6–10 years: OR 0.77, 95% CI 0.6–0.98; 11–20 years: OR 0.56, 95% CI 0.43–0.73; ≥21 years: OR 0.58, 95% CI 0.4–0.85; reference: ≤5 years), having no leadership role (OR 0.54, 95% CI 0.44–0.65), lower monthly pay (8000–11999 RMB: OR 1.50, 95% CI 1.20–1.87; ≥12000 RMB: OR 1.92, 95% CI 1.44–2.56; reference: <5000 RMB), and longer working hours per week (51–60 hours: OR 0.70, 95% CI 0.51–0.96; ≥61 hours: OR 0.60, 95% CI 0.44–0.81; reference: ≤40 hours) were significantly associated with job dissatisfaction in general.

Relationship between burnout and job satisfaction

The prevalence of job satisfaction among respondents with and without burnout is shown in Fig. 1. 750 respondents (43.2%) with burnout were satisfied with their jobs in general, while 2140 respondents (77.6%) without burnout were satisfied. As shown in Table 4, burnout was negatively associated with general job satisfaction (OR 0.23, 95% CI 0.20–0.26, P < .001), after adjustment for gender, age, marital status, education, site of practice, years of practice, having a leadership role or not, monthly pay, and working hours per week. Similarly, respondents with burnout were significantly more likely to report dissatisfaction with intrinsic factors of their jobs (OR 0.25, 95% CI 0.21–0.28, P < .001), as well as extrinsic factors (OR 0.25, 95% CI 0.22–0.29, P < .001).

Table 4
Effects of burnout on job satisfaction in a sample of 4520 psychiatrists in China

Job Satisfaction									
	General Job Satisfaction			Intrinsic Job Satisfaction			Extrinsic Job Satisfaction		
	All ^a	Male ^b	Female ^b	All ^a	Male ^b	Female ^b	All ^a	Male ^b	Female ^b
	odds ratio (95% CI)				odds ratio (95% CI)			odds ratio (95% CI)	
Burnout									
No	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference
Yes	0.23 (0.20– 0.26)	0.23 (0.19– 0.29)	0.22 (0.18– 0.26)	0.25 (0.21– 0.28)	0.23 (0.18– 0.28)	0.25 (0.21– 0.30)	0.25 (0.22– 0.29)	0.25 (0.21– 0.31)	0.24 (0.2– 0.30)
Emotional exhaustion									
Low	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference
Mid	0.33 (0.28– 0.4)	0.35 (0.27– 0.45)	0.32 (0.26– 0.41)	0.33 (0.28– 0.38)	0.34 (0.26– 0.44)	0.32 (0.25– 0.39)	0.38 (0.32– 0.46)	0.38 (0.29– 0.49)	0.39 (0.30– 0.50)
High	0.12 (0.10– 0.14)	0.11 (0.08– 0.14)	0.12 (0.10– 0.16)	0.12 (0.10– 0.15)	0.11 (0.08– 0.14)	0.13 (0.10– 0.16)	0.15 (0.12– 0.18)	0.14 (0.11– 0.19)	0.15 (0.12– 0.19)
Depersonalization									
Low	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference
Mid	0.5 (0.42– 0.60)	0.48 (0.37– 0.62)	0.51 (0.40– 0.65)	0.5 (0.43– 0.58)	0.52 (0.41– 0.66)	0.47 (0.39– 0.58)	0.5 (0.41– 0.60)	0.45 (0.34– 0.59)	0.53 (0.42– 0.69)
High	0.19 (0.16– 0.22)	0.19 (0.14– 0.24)	0.18 (0.14– 0.23)	0.2 (0.17– 0.24)	0.20 (0.15– 0.25)	0.20 (0.16– 0.25)	0.20 (0.17– 0.24)	0.20 (0.15– 0.26)	0.20 (0.15– 0.25)
Personal accomplishment									
Low	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference	Reference
Mid	2.46 (2.09– 2.90)	2.96 (2.29– 3.82)	2.12 (1.71– 2.64)	1.97 (1.69– 2.29)	2.07 (1.62– 2.63)	1.92 (1.57– 2.35)	2.73 (2.29– 3.26)	3.18 (2.43– 4.16)	2.37 (1.87– 2.99)
High	5.57 (4.51– 6.88)	6.02 (4.42– 8.22)	5.43 (4.06– 7.27)	3.76 (3.16– 4.48)	3.79 (2.91– 4.94)	3.91 (3.08– 4.95)	6.5 (5.12– 8.24)	6.06 (4.36– 8.44)	7.27 (5.13– 10.31)

a. After adjustment for gender, site of practice, age, marital status, education, years of practice, having a leadership role or not, monthly pay, and working hours per week.

b. After adjustment for site of practice, age, marital status, education, years of practice, having a leadership role or not, monthly pay, and working hours per week.

Notes: The P values of all results were < .001.

Discussion

Our study was the first nationwide survey that comprehensively investigated the prevalence of burnout and job satisfaction among psychiatrists in China. The sample of >4000 psychiatrists, covering all the TPHs in China, represents the largest study of psychiatrist burnout in the literature.

We found a high rate of burnout (38.4%) among psychiatrists working at TPHs in China. This rate was concordant with those reported in HICs such as the US (36.9%) [27] and Japan (40.0%) [28]. More specifically, our study found that 25.4% of psychiatrists in China had high levels of

EE, 32.9% had high levels of DP, and 20.7% had low levels of PA. These rates were also consistent with the overall estimated pooled prevalence for high levels of EE, higher levels of DP, and low levels of PA among mental health professionals [10]. There are many causes that may lead to burnout among psychiatrists in China, such as widespread stigma towards mental illness [29], heavy workload [30], low salary [31], and poor physician-patient relationships [32–35]. Interestingly, although the prevalence of burnout among psychiatrists in China is comparable to those in HICs, the percentage of job satisfaction among psychiatrists in China is much lower than those reported in HICs [36–38]. For example, 88% of Australian psychiatrists were satisfied with their work and proud of their profession [38]. In contrast, only 64.4% of respondents in our study were satisfied with their jobs in general. For those experiencing burnout, the percentage of psychiatrists reporting job satisfaction was even lower (43.2%). Despite the fact that burnout and job dissatisfaction are closely interrelated, this finding supports the view that burnout and job dissatisfaction are two distinct indicators of job morale with different etiologies [39].

Our study suggests that male psychiatrists in China seem to be at higher risk of burnout and job dissatisfaction. This is inconsistent with the findings from HICs, e.g., the US [40], Austria [41], and France [42]. One possible interpretation is that psychiatrists in China often have to live with unsatisfactory payment [31] and deep-rooted stigmatization towards mental health professionals [29], which conflicts with the expectations attached to males in China to gain more wealth and higher status. We also found that early-career psychiatrists reported lower rates of burnout and job dissatisfaction, which was again inconsistent with the findings in North American psychiatrists [40] and European psychiatrists [43]. There may be two explanations. Firstly, because of relatively low tuition costs, medical students in China rarely rely on student loans to finish their medical schools. So, unlike many early-career psychiatrists in HICs, their counterparts in China are often not burdened with medical school debts after graduation and are therefore faced with less financial stress. Indeed, several studies have found strong associations between medical school debts and burnout among early-career physicians [44, 45]. Secondly, most psychiatrists in China start residency training immediately after receiving medical bachelor's degrees, as demonstrated in Table 1. Therefore, early-career psychiatrists in China are usually much younger than those in many HICs, which makes them to some extent freed from household debts, as well as other family responsibilities.

Till now, there have been an enormous body of evidence suggesting that longer working hours [42, 43, 46, 47] and less control over one's job [40] can lead to burnout and job dissatisfaction. Similarly, our study also reported that longer working hours were significantly associated with both burnout and job dissatisfaction. Regarding job control, it should be noted that our study asked its respondents whether they had leadership roles in their workplaces instead of asking directly how much control they had over their jobs. However, team leaders are often considered to have more control over their jobs. Accordingly, our data suggest that having leadership roles in the workplace was significantly associated with less burnout and more job satisfaction among psychiatrists in China.

It is often reported that psychiatrists have a lower rate of burnout compared with other specialists [27, 48, 49]. Our study also showed a lower rate of burnout (38.4%) among psychiatrists than those among other specialists, such as neurologists (53.2%) [50], anesthesiologists (69%) [16], and oncologists (51%) [17], in China. There are several possible explanations for this finding. Firstly, psychiatrists may be more aware of their own emotional and psychological needs than other specialists. Also, psychiatrists may be more skilled at stress relieving and have better access to mental health services.

Our study had several limitations. First, we utilized self-report measures of burnout and job satisfaction. Although both MBI and MSQ were well validated in China and in other countries, their self-report nature makes their validity still questionable. Second, our study included psychiatrists working in psychiatric hospitals but not those working in other health care settings such as primary care facilities. However, according to the official data from China's National Health Commission, 80.2% of mental health professionals in China worked in psychiatric hospitals [5]. Accordingly, our study can still stand out as being of crucial importance to landscape and investigate job morale among psychiatrists in China. Third, the cross-sectional survey method does not allow assessment of the direction of effect for the associations described in this study.

Conclusions

In summary, our study suggested that psychiatrists in China experienced a high rate of burnout and job dissatisfaction. Although the prevalence of burnout among them was similar with those reported in HICs, a much lower rate of job satisfaction was found in psychiatrists in China. Although China's government has made much effort to attract and recruit new psychiatrists since the release of the *2015–2020 National Mental Health Work Plan* [6], our study suggests that at least as much attention should be paid to the crisis of burnout and job satisfaction in psychiatrists in China which will sabotage workforce retention [51]. In order to preserve and strengthen the workforce in mental health, proactive measures are urgently needed to improve job morale of psychiatrists in China. On the organizational level, staff care and wellbeing programs, such as mindfulness, stress management, and small group discussions [52], should be developed and provided for psychiatrists. A culture of mutual support should also be created and advocated in mental health care facilities [53]. On the national level, new investments should be encouraged in mental health care and particularly for mental health workforce retention. With low salary as an important contributor to job dissatisfaction, the salary and compensation system at psychiatric hospitals needs to be reformed. To better

remunerate Chinese psychiatrists, a workload-based salary scheme should be adopted [31]. On the societal level, it is of great importance to destigmatize mental health problems and to improve public attitudes towards psychiatry and psychiatrists [54].

List Of Abbreviations

HIC, high-income country; SPH, secondary psychiatric hospital; TPH, tertiary psychiatric hospital; MBI-HSS, Maslach Burnout Inventory-Human Service Survey; EE, emotional exhaustion; DP, depersonalization; PA, personal accomplishment; MSQ, Minnesota Satisfaction Questionnaire; SD, standard deviation; IQR, interquartile range; OR, odds ratio; CI, confidence interval.

Declarations

Ethical approval and consent to participate

This study was performed in accordance with the Declaration of Helsinki and was approved by the Ethics Committee of Chaohu Hospital of Anhui Medical University (No.201903-kyxm-02). Following a detailed description of the study, an electronic informed consent was obtained from all participants.

Consent for publication

Not applicable.

Availability of data and materials

Additional data available from the corresponding author at jimingzhu@tsinghua.edu.cn.

Competing interests

The authors declare that they have no competing interests.

Funding

This study was funded by the China's National Health Commission. The funder had no role in study design, data collection, data analysis, data interpretation, or writing of the manuscript.

Author's contributions

YT, YL, FJ and JZ designed the study and take responsibility for all aspects of it. HY, PW, YC and JZ carried out the data management and analysis. HY and PW wrote the first draft. YT and JZ did the major revision. All the authors provided comments and suggestions and approved the final version.

Acknowledgement

Not applicable.

References

1. Phillips MR, Zhang J, Shi Q, Song Z, Ding Z, Pang S, et al. Prevalence, treatment, and associated disability of mental disorders in four provinces in China during 2001–05: an epidemiological survey. *The Lancet*. 2009;373:2041–53.
2. Charlson FJ, Baxter AJ, Cheng HG, Shidhaye R, Whiteford HA. The burden of mental, neurological, and substance use disorders in China and India: a systematic analysis of community representative epidemiological studies. *The Lancet*. 2016;388:376–89.
3. Huang Y, Wang Y, Wang H, Liu Z, Yu X, Yan J, et al. Prevalence of mental disorders in China: a cross-sectional epidemiological study. *Lancet Psychiatry*. 2019;6:211–24.
4. Xu J, Wang J, Wimo A, Qiu C. The economic burden of mental disorders in China, 2005–2013: implications for health policy. *BMC Psychiatry*. 2016;16. doi:10.1186/s12888-016-0839-0.
5. Shi C, Ma N, Wang L, Yi L, Wang X, Zhang W, et al. Study of the mental health resources in China. *Chinese Journal of Health Policy*. 2019;12:51–7.
6. XIONG W, PHILLIPS MR. Translated and annotated version of the 2015–2020 National Mental Health Work Plan of the People's Republic of China. *Shanghai Arch Psychiatry*. 2016;28:4–17.

7. Liang D, Mays VM, Hwang W-C. Integrated mental health services in China: challenges and planning for the future. *Health Policy Plan*. 2018;33:107–22.
8. Zhang Y, Feng X. The relationship between job satisfaction, burnout, and turnover intention among physicians from urban state-owned medical institutions in Hubei, China: a cross-sectional study. *BMC Health Serv Res*. 2011;11:235.
9. Jiang F, Hu L, Rakofsky J, Liu T, Wu S, Zhao P, et al. Sociodemographic Characteristics and Job Satisfaction of Psychiatrists in China: Results From the First Nationwide Survey. *PS*. 2018;69:1245–51.
10. O'Connor K, Muller Neff D, Pitman S. Burnout in mental health professionals: A systematic review and meta-analysis of prevalence and determinants. *Eur Psychiatry*. 2018;53:74–99.
11. Yu W, Li M, Nong X, Ding T, Ye F, Liu J, et al. Practices and attitudes of doctors and patients to downward referral in Shanghai, China. *BMJ Open*. 2017;7:e012565.
12. Zhang W, Li X, Lin Y, Zhang X, Qu Z, Wang X, et al. Pathways to psychiatric care in urban north China: a general hospital based study. *International Journal of Mental Health Systems*. 2013;7:22.
13. Hu Y, Zhang Z. Skilled doctors in tertiary hospitals are already overworked in China. *The Lancet Global Health*. 2015;3:e737.
14. Zhang C, Hu L, Ma J, Wu S, Guo J, Liu Y. Factors determining intention to leave among physicians in tertiary hospitals in China: a national cross-sectional study. *BMJ Open*. 2019;9. doi:10.1136/bmjopen-2018-023756.
15. Maslach C, Jackson SE, Leiter MP. *Maslach Burnout Inventory: Third edition*. In: *Evaluating stress: A book of resources*. Lanham, MD, US: Scarecrow Education; 1997. p. 191–218.
16. Li H, Zuo M, Gelb AW, Zhang B, Zhao X, Yao D, et al. Chinese Anesthesiologists Have High Burnout and Low Job Satisfaction: A Cross-Sectional Survey. *Anesth Analg*. 2018;126:1004–12.
17. Ma S, Huang Y, Yang Y, Ma Y, Zhou T, Zhao H, et al. Prevalence of Burnout and Career Satisfaction Among Oncologists in China: A National Survey. *Oncologist*. 2019;24:e480–9.
18. Zheng H, Shao H, Zhou Y. Burnout Among Chinese Adult Reconstructive Surgeons: Incidence, Risk Factors, and Relationship With Intraoperative Irritability. *The Journal of Arthroplasty*. 2018;33:1253–7.
19. Thomas NK. Resident burnout. *JAMA*. 2004;292:2880–9.
20. Dyrbye LN, West CP, Shanafelt TD. Defining burnout as a dichotomous variable. *J Gen Intern Med*. 2009;24:440; author reply 441.
21. Shanafelt TD, Bradley KA, Wipf JE, Back AL. Burnout and self-reported patient care in an internal medicine residency program. *Ann Intern Med*. 2002;136:358–67.
22. Schaufeli WB, Bakker AB, Hoogduin K, Schaap C, Kladler A. on the clinical validity of the maslach burnout inventory and the burnout measure. *Psychol Health*. 2001;16:565–82.
23. Wang J, Zhao Q, Yuan L, Pan Z. Survey on work satisfaction among general practitioners in Shanghai. *Chinese Journal of General Practitioners*. 2017;16:921–5.
24. Liu Z, Wei W, Wang L, Cui H, Li Y, Zhang F. The relationship among job satisfaction, work engagement and organizational citizenship behavior of nurses. *Chinese Journal of Behavioral Medicine and Brain Science*. 2017;26:747–50.
25. Xiao Y, Wang J, Chen S, Wu Z, Cai J, Weng Z, et al. Psychological distress, burnout level and job satisfaction in emergency medicine: A cross-sectional study of physicians in China. *Emerg Med Australas*. 2014;26:538–42.
26. Spector P. *Job Satisfaction: Application, Assessment, Causes, and Consequences*. Thousand Oaks, California; 1997. doi:10.4135/9781452231549.
27. Shanafelt TD, West CP, Sinsky C, Trockel M, Tutty M, Satele DV, et al. Changes in Burnout and Satisfaction With Work-Life Integration in Physicians and the General US Working Population Between 2011 and 2017. *Mayo Clinic Proceedings*. 2019;94:1681–94.
28. Tateno M, Jovanović N, Beezhold J, Uehara-Aoyama K, Umene-Nakano W, Nakamae T, et al. Suicidal ideation and burnout among psychiatric trainees in Japan. *Early Interv Psychiatry*. 2018;12:935–7.
29. Yin H, Wardenaar KJ, Xu G, Tian H, Schoevers RA. Mental health stigma and mental health knowledge in Chinese population: a cross-sectional study. *BMC Psychiatry*. 2020;20. doi:10.1186/s12888-020-02705-x.
30. Fu Y, Schwebel DC, Hu G. Physicians' Workloads in China: 1998–2016. *Int J Environ Res Public Health*. 2018;15. doi:10.3390/ijerph15081649.
31. Zhang C, Liu Y. The salary of physicians in Chinese public tertiary hospitals: a national cross-sectional and follow-up study. *BMC Health Services Research*. 2018;18:661.
32. Lancet T. Violence against doctors: Why China? Why now? What next? *The Lancet*. 2014;383:1013.
33. Wu D, Wang Y, Lam KF, Hesketh T. Health system reforms, violence against doctors and job satisfaction in the medical profession: a cross-sectional survey in Zhejiang Province, Eastern China. *BMJ Open*. 2014;4. doi:10.1136/bmjopen-2014-006431.

34. Cai R, Tang J, Deng C, Lv G, Xu X, Sylvia S, et al. Violence against health care workers in China, 2013–2016: evidence from the national judgment documents. *Human Resources for Health*. 2019;17:103.
35. Shi J, Wang S, Zhou P, Shi L, Zhang Y, Bai F, et al. The Frequency of Patient-Initiated Violence and Its Psychological Impact on Physicians in China: A Cross-Sectional Study. *PLOS ONE*. 2015;10:e0128394.
36. Baumgardt J, Moock J, Rössler W, Kawohl W. Aspects of Sustainability: Cooperation, Job Satisfaction, and Burnout among Swiss Psychiatrists. *Front Public Health*. 2015;3. doi:10.3389/fpubh.2015.00025.
37. Heponiemi T, Aalto A-M, Puttonen S, Vänskä J, Elovainio M. Work-related stress, job resources, and well-being among psychiatrists and other medical specialists in Finland. *Psychiatric Services (Washington, DC)*. 2014;65:796–801.
38. Rey JM, Walter G, Giuffrida M. Australian psychiatrists today: proud of their profession but stressed and apprehensive about the future. *Aust N Z J Psychiatry*. 2004;38:105–10.
39. Sabitova A, McGranahan R, Altamore F, Jovanovic N, Windle E, Priebe S. Indicators Associated With Job Morale Among Physicians and Dentists in Low-Income and Middle-Income Countries: A Systematic Review and Meta-analysis. *JAMA Netw Open*. 2020;3:e1913202.
40. Summers RF, Gorrindo T, Hwang S, Aggarwal R, Guille C. Well-Being, Burnout, and Depression Among North American Psychiatrists: The State of Our Profession. *Am J Psychiatry*. 2020;:appiajp202019090901.
41. Rössler W. Stress, burnout, and job dissatisfaction in mental health workers. *Eur Arch Psychiatry Clin Neurosci*. 2012;262 Suppl 2:S65-69.
42. Nuss P, Tessier C, Masson M, Fossati P, Gaillard R, Lapidus N, et al. Factors Associated With a Higher Score of Burnout in a Population of 860 French Psychiatrists. *Front Psychiatry*. 2020;11:371.
43. Jovanović N, Podlesek A, Volpe U, Barrett E, Ferrari S, Rojnic Kuzman M, et al. Burnout syndrome among psychiatric trainees in 22 countries: Risk increased by long working hours, lack of supervision, and psychiatry not being first career choice. *Eur Psychiatry*. 2016;32:34–41.
44. West CP, Shanafelt TD, Kolars JC. Quality of life, burnout, educational debt, and medical knowledge among internal medicine residents. *JAMA*. 2011;306:952–60.
45. Pisaniello MS, Asahina AT, Bacchi S, Wagner M, Perry SW, Wong M-L, et al. Effect of medical student debt on mental health, academic performance and specialty choice: a systematic review. *BMJ Open*. 2019;9:e029980.
46. Chan MK, Chew QH, Sim K. Burnout and associated factors in psychiatry residents: a systematic review. *Int J Med Educ*. 2019;10:149–60.
47. Nimmawitt N, Wannarit K, Pariwatcharakul P. Thai psychiatrists and burnout: A national survey. *PLoS ONE*. 2020;15:e0230204.
48. Shanafelt TD, Boone S, Tan L, Dyrbye LN, Sotile W, Satele D, et al. Burnout and Satisfaction With Work-Life Balance Among US Physicians Relative to the General US Population. *Arch Intern Med*. 2012;172:1377–85.
49. Shanafelt TD, Hasan O, Dyrbye LN, Sinsky C, Satele D, Sloan J, et al. Changes in Burnout and Satisfaction With Work-Life Balance in Physicians and the General US Working Population Between 2011 and 2014. *Mayo Clin Proc*. 2015;90:1600–13.
50. Zhou X, Pu J, Zhong X, Zhu D, Yin D, Yang L, et al. Burnout, psychological morbidity, job stress, and job satisfaction in Chinese neurologists. *Neurology*. 2017;88:1727–35.
51. Jackson TN, Pearcy CP, Khorgami Z, Agrawal V, Taubman KE, Truitt MS. The Physician Attrition Crisis: A Cross-Sectional Survey of the Risk Factors for Reduced Job Satisfaction Among US Surgeons. *World J Surg*. 2018;42:1285–92.
52. West CP, Dyrbye LN, Erwin PJ, Shanafelt TD. Interventions to prevent and reduce physician burnout: a systematic review and meta-analysis. *Lancet*. 2016;388:2272–81.
53. Zeller EL, Doutrich D, Guido GW, Hoeksel R. A culture of mutual support: discovering why new nurses stay in nursing. *J Contin Educ Nurs*. 2011;42:409–14.
54. Bhugra D, Sartorius N, Fiorillo A, Evans-Lacko S, Ventriglio A, Hermans MHM, et al. EPA guidance on how to improve the image of psychiatry and of the psychiatrist. *Eur Psychiatry*. 2015;30:423–30.

Figures




Figure 1

Prevalence of job satisfaction among respondents with or without burnout in a sample of 4520 psychiatrists in China

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- AdditionalFile1.docx