

Gun Violence Restraining Order Laws and Firearm Suicide among Older Adults: A Longitudinal State-Level Analysis

Altaf Saadi (✉ asaadi@mgh.harvard.edu)

Massachusetts General Hospital, Harvard Medical School <https://orcid.org/0000-0001-7522-6942>

Kristen R Choi

University of California Los Angeles

Sae Takada

University of California Los Angeles Health System

Fred J. Zimmerman

University of California Los Angeles

Research article

Keywords: Older adults, Suicide, Gun policy

Posted Date: October 15th, 2019

DOI: <https://doi.org/10.21203/rs.2.16016/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at BMC Public Health on April 7th, 2020. See the published version at <https://doi.org/10.1186/s12889-020-08462-6>.

Abstract

Background: Older adults commit suicide at a disproportionately higher rate compared to the general population, with firearms the most common means of suicide. State gun laws may be a policy remedy. Less is known about Gun Violence Restricting Order (GVRO) laws, which allow for removal of firearms from people deemed to be a danger to themselves or others, and their effects on suicide rates among older adults. The purpose of this study was to examine the association of state firearm laws with the incidence of firearm, non-firearm-related, and total suicide among older adults, with a focus on GVRO laws.

Methods: This is a longitudinal study of US states using data from 2012 to 2016. The outcome variables were firearm, non-firearm and total suicide rates among older adults. Predictor variables were (1) total number of gun laws to assess for impact of overall firearm legislation at the state level, and (2) GVRO laws.

Results: The total number of firearm laws, as well as GVRO laws, were negatively associated with firearm-related suicide rate among older adults ($p < 0.001$). There was a small but significant positive association of total number of firearm laws to non-firearm-related suicide rates and a negative association with total suicide rate. GVRO laws were not significantly associated with non-firearm-related suicide and were negatively associated with total suicide rate.

Conclusion: Stricter firearm legislation, as well as GVRO laws, are protective against firearm-related suicides among older adults.

Introduction

Access to firearms poses potential public health dangers for older adults with regards to attempted or committed suicides, particularly as older adults commit suicide at a disproportionately higher rate compared to the general population^{1,2}. One study identified the firearm suicide rate for people age 65 and older in the United States to be 11.8 per 100,000³, more than three times higher compared to that in other high-income countries³. Suicide has been shown to be often an impulsive act⁴, and suicide rates are higher where circumstances make suicide more easily visible and attainable⁵. Readily available firearms are one way in which the means of suicide is both more visible and more attainable. In fact, both regional and state-level analyses of household firearm ownership has been shown to be associated with increased suicides, including among older adults⁶⁻⁹. Firearm suicide is of particular concern among older adults who may be experiencing cognitive decline and dementia that might predispose patients to depression, confusion, agitation, aggression, or paranoia. Studies have found the range of persons with dementia living in a household with a firearm to be from 18 to 60 percent¹⁰⁻¹², including one study that found nearly a quarter keep at least one gun unlocked and loaded¹².

Efforts to reduce the risk of impulsive suicides by firearms have included household- and policy-level strategies such as safe gun storage and legislation that restricts firearm access. Policies restricting firearm ownership have been associated with a decline in firearm suicide rates in many countries⁴, including the United States^{13,14}. The impact on non-firearm suicides is less clear. In one study examining the impact of state gun laws on both firearm and non-firearm suicides, there was a reduction in firearm suicides but not in non-firearm suicides in the population as a whole¹⁵. Among older individuals, however, there was an increase in non-firearm suicides seen¹⁵, raising concerns about whether additional policies are needed for subgroups who may shift to non-firearm suicides. Fewer studies have looked at the impact of individual firearm laws on suicide, although universal background checks and violent misdemeanor laws have not been shown to be related to overall suicide rates¹⁶.

In the aftermath of several high-profile mass shootings, including that at Marjory Stoneman Douglas High School shooting in Florida that garnered national protests against legislative inaction on gun violence, several states have introduced Gun Violence Restraining Order (GVRO) laws. GVRO laws—also called extreme risk protection orders or more generically “red flag” laws—allow law enforcement and/or families to petition a judge for removal of firearms from someone who may be a danger to themselves or others (“red flags”). Since the Parkland shooting, 20 states have proposed GVRO legislation¹⁷. Previously, only five states—Connecticut, Indiana, California, Oregon and Washington—had implemented some version GVRO into law. Although not instituted with older adults in mind, these laws have been postulated to address the issue of gun ownership and suicide risk among older adults¹⁸. But research on the impact of GVRO laws on suicides among older adults remains sparse, with existing studies focusing on population effects across age groups^{19,20}.

This study tests the association of state firearm laws with the incidence of firearm- and non-firearm-related suicide among older adults, with a particular focus on GVRO laws that allow for removal of firearms from people deemed to be a danger to themselves or others.

Methods

Study Design and Data Source

This study used state-level data to conduct a longitudinal analysis. The study was determined to be exempt from Institutional Review Board regulation at the University of California, Los Angeles because it uses de-identified, publicly available, state-level data.

Outcome Variable:

The primary outcome was firearm, non-firearm-related, and total suicide rates among older adults obtained from the Centers for Disease Control Web-based Injury Statistics Query and Reporting System

(WISQARS)²¹. Rates for older adults were studied in two age categories, ages 55 to 64 years and ages 65 and older.

Exposure Variables:

The primary exposure variables were (1) total number of gun laws to assess for impact of overall stricter firearm legislation at the state level, and (2) Gun Violence Restraining Order (GVRO) laws. These variables were obtained from the State Firearm Laws Database, which compiles data on state firearm policy from 1991 to 2016 on 133 firearm laws in 14 categories²². There were two types of GVRO laws, one that allows for a family member or law enforcement officer to initiate a procedure to confiscate firearms from any person who represents a threat to themselves or others, and another that permits only law enforcement officers to initiate this process. States were dichotomized as either having or not having GVRO laws.

Covariates:

We used the following state-level data to adjust for characteristics previously associated with firearm-related suicide: poverty rate, Medicaid generosity (percentage of the Federal Poverty Line that qualifies a parent for Medicaid benefits based on income by state)²³, average state population density weighted by county (derived by summing the average density for all counties in a given state, for each year: [county population / county land area] * [county population / state population]), sex rate (percentage of the state population that is female)²⁴, and elderly rate (percentage of the state population that is ages 55 to 64 and 65 and older)²⁵. Some of these variables were particularly important among a population of older adults. For example, suicide rates are higher among older male adults than female adults³.

Data Analysis

We used fixed effects linear regression models to explore the relationships between exposure variables and outcomes, adjusting for the covariates listed above. Models were also adjusted for year to account for secular trends. We first estimated models for firearm-related suicide rate among the elderly and among older adults to understand whether there was a protective association to total number of firearm laws. Then, we repeated the models predicting non-firearm-related suicide rates among both groups and total suicide rate (all age groups, any means) to allow for comparison of the role of total number of firearm laws in firearm-related versus non-firearm-related suicide rates. These models were then re-estimated with an indicator for the presence of at least one GVRO law as the main predictor rather than total number of firearm laws (the total number of firearm laws variable was not included in these models).

Results

From 2012 through 2016, the average firearm-related suicide rate among adults ages 55 to 64 was 12.1%, and 12.8% among adults ages 65 and over. For states whose female population share was greater than 50%, suicide rates were lower in both age groups (Ages 55–64: 11.4% rate for majority female states versus 14.5% rate for equal gender distribution or majority male states; Ages 65+: 12.2% rate for majority female states versus 15.6% rate for equal gender distribution or majority male states). Across state-years in the sample, the count of state gun laws ranged from a low of 3 laws (Vermont 2012) to a high of 104 laws (California 2016). There were 12 state-years with at least one GVRO law in place among total of 4 states (California, Washington, Indiana, Connecticut).

In unadjusted analysis, each additional firearm law was associated with a significant 0.13% decrease in firearm-related suicide rate among older adults in both age categories (Elderly: SE = 0.01, P <.001; Older adults: SE = 0.01, P <.001). Table 2 shows the results of the fully adjusted models. With adjustments for sociodemographic covariates, total number of firearm laws remained negatively associated with firearm-related suicide rate among both age groups, with each additional firearm law associated with a 0.1% decrease in firearm-related suicide rate (p<0.001). There was a small but significant positive association of total number of firearm laws to non-firearm-related suicide rates for both age groups (for both age groups: 0.02% increase, P<.001). There was a negative association between number of firearm law and total suicide rate ($\beta = -2.2$; SE = 0.7; P <.001).

For the unadjusted GVRO models, we found that the presence of a GVRO law was associated with a 3.9% decrease in firearm-related suicide rate among older adults ages 65+ (P <.001) and a 3.8% decrease among older adults ages 55–64 (P <.001). After adjustments, GVRO laws remained associated with a 2.5% decrease in firearm-related suicide rate among older adults ages 65+ (P <.001) and a 2.4% decrease among older adults ages 55–64 (P <.001). GVRO laws were not significantly associated with non-firearm-related suicide for either age group. The association between the presence of a GVRO law and total suicide rate was negative ($\beta = -0.04$; SE = 0.01; P <.001).

Discussion

This study supports the hypothesis that states with a higher number of firearm-related laws had lower rates of firearm-related suicides among older adults compared with states with fewer firearm laws, building on previous work that has found this same relationship in the general population¹³. However, there appeared to be a slight increase in non-firearm-related suicides in this age group, which was also seen in a recent study by Ghiani et al (2019), although they observed no impact on state firearm-related laws on non-firearm suicides overall¹⁵. Those results differ from those reported here, which found a significant association between the number of gun laws and fewer overall suicides. These results may suggest that, in the presence of gun laws, older adults are finding other means to commit suicide, but not to the same level of lethality. Disrupting access to firearms may only be a useful part—but only a part—of a larger, more comprehensive approach to suicide prevention.

The protective association in firearm-related suicide was stronger when focusing on gun violence restraining orders (GVRO) laws that allow for seizure of weapons from people who exhibit dangerous behavior, revealing a 2.4% reduction in firearm-related suicides among older adults in states with GVRO laws compared to states without these laws. GVRO laws were not associated with non-firearm related suicides, which is as expected given the laws' purview. We identified two prior studies that have looked at the impact of GVRO laws on the general population. Swanson et al (2017), in their focused study of Connecticut's GVRO law, found that for every 10 to 20 gun seizures, one suicide was prevented¹⁹. Another study by Kivisto and Phalen (2018) similarly found a reduction in suicides among the general population in Connecticut and Indiana, with a 14% and 7.5% reduction in firearm suicides respectively, in the ten years following their enactment²⁰. In this latter study, however, they found that whereas Indiana demonstrated an aggregate decrease in suicide, Connecticut's estimated reduction in firearm suicides was offset by increased non-firearm suicides. State differences in suicide rate may be contributing to these observed differences, as the overall rate of suicide in Indiana is higher than in Connecticut²⁶. Across the country, overall suicide rates vary up to fourfold, from 6.9 (District of Columbia) to 29.2 (Montana) per 100,000 persons per year²⁶. Differences in regional cultures might also be important to suicidality—such as in the Mountain West, dubbed the “suicide belt,” where there is a pervasive “pick yourself up by the bootstraps” mentality²⁷—as well as the means chosen by individuals to attempt or commit suicide, alongside substance use, job or financial problems and mental health which are other circumstances contributing to suicide. The results from this national study suggest that the net association of GVRO laws is with fewer overall suicides.

A recent study on state-level firearm ownership and suicides found that, among men, higher firearm ownership was associated with an increase in total and firearm suicide rates, and a decrease in non-firearm suicide rate, suggesting that completion of suicides may depend on access to lethal means, such as firearms⁹. Our data may provide additional evidence for such a trend as we found a negative association between total number of firearm laws and non-firearm related suicide rates among older adults. In fact, for both total firearm laws and for GVRO laws specifically, there was a net negative effect on suicide by any means. This is likely due to the predominant role that the availability of firearms as lethal and commonly used means plays in determining suicide rates in the United States.

Further, although our study does not differentiate between the impact on those with and without dementias—those with dementias being at higher risk of suicide due to symptoms of depression, impulsiveness, aggressiveness—the findings support a protective association of GVRO laws and total firearm laws to firearm-related suicide among the age groups most affected by a spectrum of dementia diagnoses. Future studies could elucidate the particular impact of these policies on dementia patients, including potential unintended consequences (e.g., delaying diagnosis or evaluation of symptoms out of concern for having firearm(s) confiscated; harmful downstream effects of involvement with law enforcement and the criminal justice system).

Importantly, policy level interventions should be complemented by patient-clinician level interventions, which involve increasing physician comfort with talking about guns in the home with patients and their families²⁸. In one qualitative study of stakeholders at Veterans Affairs (VA) regarding mental health and suicide risk at the VA, nearly all patients felt that clinicians should routinely speak about guns with their patients although both patients and clinicians reported limited discussion²⁹. Conversations should not only include discussion about whether or not to remove a weapon entirely, but also how to safeguard the home and environment, or at least having gun access with supervision by another family member or caregiver, with gun access restricted for the patient²⁸. Just as clinicians have incorporated conversations about driving with older adults, it is critical to engage in the difficult conversation about gun ownership and gun safety. For those with dementia, discussions earlier in the course of disease is important as they are less likely to organize a suicide attempt and more likely to be supervised than later in the course of the disease. Conversations about firearm safety at home is also important as people may not be firearm owners themselves but be living in a household with one. At the individual level, clinicians must also be vigilant about addressing mental health symptoms and/or adjustment to cognitive decline. In one study analyzing coroner/medical examiner and law enforcement reports and suicide notes, despondency from cognitive functional decline due to dementia was believed to be a precipitant of suicide among older adults, particularly among those age 85 and older³⁰.

Other efforts can focus on other subgroups of older adults vulnerable to suicide—for example, older men are both more likely to own firearms and more likely to commit suicide using lethal means. In the analysis of Connecticut's GVRO law, 92% of gun removal subjects were male and 81% were cohabiting or married¹⁹. Therefore, even at the policy level, legislative efforts at reducing firearm ownership may reduce suicide rates differently among males and females. In one national study of firearm ownership and suicide rates, there was a strong relationship between firearm ownership and suicides by any means among male, but not female, individuals⁹, suggesting that policies reducing firearm ownership would reduce both total suicide rates and firearm-related suicides for males, but only firearm-related suicides for females.

There are several potential limitations to this study. First, because this is an associative study, we are unable to establish causality between the firearm legislation and firearm-related suicides. However, given that the study was conducted over a 5-year period, we believe this adds to the robustness of our findings. Second, although we assessed the presence or absence of certain firearm legislation, we were unable to assess the effectiveness of variation amongst these laws or the effectiveness of their enforcement. That is, wide variation in policies across states includes differences in statutory requirement of the number of officers required as co-affiants, number of officers required to present before a judge, and variations in the probation period during which guns can be confiscated or an appeal process can occur¹⁹. These differences may also influence enforcement, similar to how high-profile events may increase awareness of GVRO laws and instigation of firearm removal from an individual deemed dangerous to themselves or others. From 1999 when the Connecticut GVRO was first passed to 2006, there were only approximately twenty guns confiscated per year; this saw a dramatic rise in 2006 after high profile mass shooting

events¹⁹. In this light, we may even be underestimating the impact of these laws as there is often a lag in effect and increased enforcement over time. Further, given the small number of states that have either type of GVRO law currently in place, we could not differentiate between the effects of GVRO laws that grant family members versus only law enforcement officers the authority to remove firearms from an individual. As GVROs gain traction in legislative chambers, these variations will require further study as it will be vital for state and local governments to have a model policy. Lastly, there is potential for firearm-related injury that is not captured in this study but would paint a more holistic picture of firearms' impact on older adults and GVRO's impact in mitigating these harms.

Conclusions

We found that states with stricter firearm legislation had lower rates of firearm-related suicides among older adults. GVRO laws were similarly protective against firearm-related suicides among older adults. GVRO legislation across the country are taking on renewed significance since recent mass shooting tragedies and our study demonstrates support for this particular firearm legislation in saving lives among older adults. As GVRO legislation is introduced, researchers can consider quasi-experimental study designs to more persuasively establish the causal effects of GVRO laws on suicide rates. In addition to a need for more robust research related to the impact of firearm legislation on firearm-related injury and death in older adults, implementation of evidence-based policies and legislation is required to reduce firearm-related suicide.

Abbreviations

GVRO - Gun Violence Restricting Order

QISQARS - Web-based Injury Statistics Query and Reporting System

Declarations

Ethics approval and consent to participate: This study was determined to be exempt from IRB regulation at the University of California, Los Angeles. Participant consent was not applicable as this study used state-level data.

Consent for publication: Not applicable.

Data availability: The data used in the current study are present in the following publicly available sources: the [Centers for Disease Control Web-based Injury Statistics Query and Reporting System \(WISQARS\)](#); the [Kaiser Family Foundation](#); and the [State Firearm Laws Database](#).

Competing Interest: The authors declare that they have no competing interests.

Funding: Funding for this study was provided by the UCLA Fielding School of Public Health Gun Violence Prevention Pilot Grant.

Author's Contributions: AS conceptualized and designed the study, reviewed data analysis and interpretation, drafted the initial manuscript, and reviewed and revised the manuscript. KC assisted with study conceptualization and design, conducted data analysis and interpretation, and reviewed and revised the manuscript. ST reviewed data analysis and interpretation and reviewed and revised the manuscript. FZ assisted with data analysis and interpretation and reviewed the manuscript for important intellectual content. All authors read and approved the final manuscript.

Acknowledgements: Drs. Saadi, Choi, and Takada acknowledge fellowship support from the UCLA National Clinician Scholars Program and its partners: the Los Angeles County Department of Health Services; the Kaiser Permanente Medical Group, Southern California Region; the UCLA Clinical and Translational Science Institute; and the VA Office of Academic Affiliations. The contents of this article do not represent the views of the U.S. Department of Veterans Affairs or the United States Government.

References

1. Jack SPD, Petrosky E, Lyons BH, et al. Surveillance for Violent Deaths—National Violent Death Reporting System, 27 States, 2015. *MMWR Surveill Summ.* 2018;67(11):1–32. doi:10.15585/mmwr.ss6711a1
2. Anglemeyer A, Horvath T, Rutherford G. The Accessibility of Firearms and Risk for Suicide and Homicide Victimization Among Household Members: A Systematic Review and Meta-analysis. *Ann Intern Med.* 2014;160(2):101–110. doi:10.7326/M13–1301
3. Grinshteyn E, Hemenway D. Violent death rates in the US compared to those of the other high-income countries, 2015. *Prev Med.* 2019;123:20–26. doi:10.1016/j.ypmed.2019.02.026
4. Lewiecki EM, Miller SA. Suicide, Guns, and Public Policy. *Am J Public Health.* 2013;103(1):27–31. doi:10.2105/AJPH.2012.300964
5. Miller M, Azrael D, Barber C. Suicide Mortality in the United States: The Importance of Attending to Method in Understanding Population-Level Disparities in the Burden of Suicide. *Annu Rev Public Health.* 2012;33(1):393–408. doi:10.1146/annurev-publhealth-031811-124636
6. Miller M, Azrael D, Hemenway D. Household firearm ownership and suicide rates in the United States. *Epidemiol Camb Mass.* 2002;13(5):517–524. doi:10.1097/01.EDE.0000023967.88203.AE
7. Hemenway D, Miller M. Association of rates of household handgun ownership, lifetime major depression, and serious suicidal thoughts with rates of suicide across US census regions. *Inj Prev.* 2002;8(4):313–316. doi:10.1136/ip.8.4.313
8. Miller M, Lippmann SJ, Azrael D, Hemenway D. Household firearm ownership and rates of suicide across the 50 United States. *J Trauma.* 2007;62(4):1029–1034; discussion 1034–1035. doi:10.1097/01.ta.0000198214.24056.40

9. Siegel M, Rothman EF. Firearm Ownership and Suicide Rates Among US Men and Women, 1981–2013. *Am J Public Health*. 2016;106(7):1316–1322. doi:10.2105/AJPH.2016.303182
10. Spangenberg KB, Wagner MT, Hendrix S, Bachman DL. Firearm Presence in Households of Patients with Alzheimer’s Disease and Related Dementias. *J Am Geriatr Soc*. 1999;47(10):1183–1186. doi:10.1111/j.1532–5415.1999.tb05197.x
11. Hsieh JK, Arias JJ, Sarmey N, Rose JA, Tousi B. Firearms Among Cognitively Impaired Persons: A Cross-sectional Study. *Ann Intern Med*. 2015;163(6):485. doi:10.7326/L15–5138
12. Morgan ER, Gomez A, Rivara FP, Rowhani-Rahbar A. Household Firearm Ownership and Storage, Suicide Risk Factors, and Memory Loss Among Older Adults: Results From a Statewide Survey. *Ann Intern Med*. April 2019. doi:10.7326/M18–3698
13. Fleegler EW, Lee LK, Monuteaux MC, Hemenway D, Mannix R. Firearm Legislation and Firearm-Related Fatalities in the United States. *JAMA Intern Med*. 2013;173(9):732–740. doi:10.1001/jamainternmed.2013.1286
14. Rodríguez Andrés A, Hempstead K. Gun control and suicide: the impact of state firearm regulations in the United States, 1995–2004. *Health Policy Amst Neth*. 2011;101(1):95–103. doi:10.1016/j.healthpol.2010.10.005
15. Ghiani M, Hawkins SS, Baum CF. Associations Between Gun Laws and Suicides. *Am J Epidemiol*. 2019;188(7):1254–1261. doi:10.1093/aje/kwz069
16. Siegel M, Pahn M, Xuan Z, Fleegler E, Hemenway D. The Impact of State Firearm Laws on Homicide and Suicide Deaths in the USA, 1991–2016: a Panel Study. *J Gen Intern Med*. March 2019. doi:10.1007/s11606–019–04922-x
17. Dunn J, Levinson L. What Is A Red Flag Law? NPR KCUR Station. <https://www.kcur.org/post/what-red-flag-law>. Published August 5, 2019. Accessed September 4, 2019.
18. Sklar T. *Elderly Gun Ownership and the Wave of State Red Flag Laws: An Unintended Consequence That Could Help Many*. Rochester, NY: Social Science Research Network; 2018. <https://papers.ssrn.com/abstract=3279718>. Accessed April 2, 2019.
19. Swanson JW, Noroko H-JL, Alanis-Hirsch K, et al. Implementation and Effectiveness of Connecticut’s Risk-Based Gun Removal Law: Does it Prevent Suicides? *Law Contemp Probl*. 2017:179–208.
20. Kivisto AJ, Phalen PL. Effects of Risk-Based Firearm Seizure Laws in Connecticut and Indiana on Suicide Rates, 1981–2015. *Psychiatr Serv*. 2018;69(8):855–862. doi:10.1176/appi.ps.201700250
21. Centers for Disease Control and Prevention. WISQARS (Web-based Injury Statistics Query and Reporting System). <https://www.cdc.gov/injury/wisqars/index.html>. Published August 6, 2019. Accessed August 12, 2019.
22. Siegel M, Pahn M, Xuan Z, et al. Firearm-Related Laws in All 50 US States, 1991–2016. *Am J Public Health*. 2017;107(7):1122–1129. doi:10.2105/AJPH.2017.303701
23. Kaiser Family Foundation. *Medicaid Income Eligibility Limits for Parents, 2002–2019*. Kaiser Commission on Medicaid and the Uninsured; the Center on Budget and Policy Priorities, 2002–2009; and Georgetown University Center for Children and Families, 2011–2018.

<https://www.kff.org/medicaid/state-indicator/medicaid-income-eligibility-limits-for-parents/>.

Published March 27, 2019. Accessed August 12, 2019.

24. Kaiser Family Foundation. Population Distribution by Gender. The Henry J. Kaiser Family Foundation. <https://www.kff.org/other/state-indicator/distribution-by-gender/>. Published November 29, 2018. Accessed August 12, 2019.
25. Kaiser Family Foundation. Population Distribution by Age. The Henry J. Kaiser Family Foundation. <https://www.kff.org/other/state-indicator/distribution-by-age/>. Published November 29, 2018. Accessed August 12, 2019.
26. Stone DM, Simon TR, Fowler KA, et al. Vital Signs: Trends in State Suicide Rates—United States, 1999–2016 and Circumstances Contributing to Suicide—27 States, 2015. *Morb Mortal Wkly Rep.* 2018;67(22):617–624. doi:10.15585/mmwr.mm6722a1
27. Pepper CM. Suicide in the Mountain West region of the United States. *Crisis J Crisis Interv Suicide Prev.* 2017;38(5):344–350. doi:10.1027/0227–5910/a000451
28. Betz ME, McCourt AD, Vernick JS, Ranney ML, Maust DT, Wintemute GJ. Firearms and Dementia: Clinical Considerations. *Ann Intern Med.* 2018;169(1):47. doi:10.7326/M18–0140
29. Walters H, Kulkarni M, Forman J, Roeder K, Travis J, Valenstein M. Feasibility and acceptability of interventions to delay gun access in VA mental health settings. *Gen Hosp Psychiatry.* 2012;34(6):692–698. doi:10.1016/j.genhosppsy.2012.07.012
30. Choi NG, DiNitto DM, Marti CN, Conwell Y. Physical Health Problems as a Late-Life Suicide Precipitant: Examination of Coroner/Medical Examiner and Law Enforcement Reports. *The Gerontologist.* 2019;59(2):356–367. doi:10.1093/geront/gnx143

Tables

Table 1. Summary of Study Variables		
Variable	Mean	SD
Poverty rate (%)	17.88	4.05
Medicaid generosity (% of FPL)	0.94	0.46
Population density (per 1000 county population)	1.11	2.37
Number of firearm laws	26.16	25.3
Elderly population share (%)	13.26	1.11
Female population share (%)	51.00	0.84

Footnotes. This table provides summary statistics for analytic variables over the entire study period (2012-2016) among US states (N= 242). FPL= Federal Poverty Line. There were 12 states (5% of analytic sample) with GVRO laws during the study period.

Table 2. Relationship Between Total Number of Firearm Laws and Suicide Rate Among Older Adults from 2012-2016 in the US

Elderly Population (>65 years)	Firearm-related suicide rate	Non-firearm related suicide rate
	Model 1 (R ² = 0.58)	Model 2 (R ² = 0.34)
	β (SE)	β (SE)
Number of firearm laws	-0.10 (0.01)**	0.02 (0.01)**
Poverty rate	0.37(0.06)**	-0.05(0.03)
Population density	<0.01(<.01)**	<.01(<.01)
Medicaid generosity	0.11(0.54)	0.53(0.27)*
Elderly population share	0.35(14.60)	-0.07(0.11)
Female population share	-1.58(0.38)**	-1.19(0.17)**

Older Adults (55-64 years)	Firearm-related suicide rate	Non-firearm related suicide rate
	Model 4 (R ² = 0.64)	Model 5 (R ² = 0.34)
	β (SE)	β (SE)
Number of firearm laws	-0.10(0.01)**	0.02(0.01)**
Poverty rate	0.34(0.05)**	-0.05(0.03)
Population density	<0.01(<.01)**	<.01(<.01)
Medicaid generosity	0.02(0.43)	0.531 (0.27)*
Older adult population share	-0.09(0.18)	-0.7(0.11)
Female population share	-1.12(0.26)**	-1.19(0.18)**

Footnotes. SE= standard error; N= 242. This table displays fixed effects models of state-level sociodemographic and policy factors predicting firearm- and non-firearm-related suicide rates among elderly and older adult populations in the US, excluding the District of Columbia and US territories. Models are adjusted for year. *Value is significant at the 0.05 level. **Value is significant at the 0.01 level.

Table 3. Relationship between GVRO Laws and Suicide Rate Among Older Adults from 2012-2016 in the US

Elderly Population (>65 years)	Firearm-related suicide rate	Non-firearm related suicide rate
	Model 7 (R ² = 0.47)	Model 8 (R ² = 0.33)
	β (SE)	β (SE)
GVRO law	-2.54(1.13)*	-0.35(0.48)
Poverty rate	0.49(0.06)**	-0.05(0.03)
Population density	<0.01(<.01)**	<.01(<.01)*
Medicaid generosity	-1.18(0.54)**	0.71(0.24)**
Elderly population share	19.05(16.10)	23.88(7.35)**
Female population share	-2.41(0.41)**	-1.19 (0.20)**

Older Adults (55-64 years)	Firearm-related suicide rate	Non-firearm related suicide rate
	Model 10 (R ² = 0.51)	Model 11 (R ² = 0.30)
	β (SE)	β (SE)
GVRO law	-2.45(0.97)*	-0.02(0.53)
Poverty rate	0.48(0.06)**	-0.09(0.03)**
Population density	<0.01(<.01)**	<.01(<.01)
Medicaid generosity	-1.81(0.44)**	0.96(0.24)**
Older adult population share	0.35(0.20)	-0.17(0.11)
Female population share	-1.97(0.28)**	1.00(0.17)**

Footnotes. GVRO= gun violence restraining order; SE= standard error; N= 242. This table displays fixed effects models of state-level sociodemographic and policy factors predicting firearm- and non-firearm-related suicide rates among elderly and older adult populations in the US, excluding the District of Columbia and US territories. Models are adjusted for year. *Value is significant at the 0.05 level. **Value is significant at the 0.01 level.