Ethnobotanical research to assess the diversity of tree species used in wood carving in Southern Benin: Perspective for sustainable forest conservation.

Hubert O. Dossou-Yovo (✉ dohuoly@yahoo.fr)

Laboratory of Applied Ecology, University of Abomey-Calavi, Benin

Valentin Kindomihou

Laboratory of Applied Ecology, University of Abomey-Calavi, Benin

Brice Sinsin

Laboratory of Applied Ecology, University of Abomey-Calavi, Benin

Research Article

Keywords: Fragmentation, Plantations, Reforestation, Use Value, Wood Carving

Posted Date: September 16th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-75014/v2>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at Ethnobotany Research and Applications on September 11th, 2020. See the published version at <https://doi.org/10.32859/era.20.29.1-10>.

Abstract

Background: This research aimed at assessing the diversity of timber species used in wood carving in southern Benin, identify various sources of woods as well as their ranking as most used. We also stated the relative importance of species of which woods were recorded as the most used. The scarcity or availability of species woods and their causes in recent years were assessed and carvers' willingness to contribute to species conservation was documented. With a perspective of sustainable forest conservation, the impact of this activity on forests was assessed throughout the paper.

Methods: A preliminary survey was conducted to determine the number of wood carvers in three districts of Southern Benin. Then, a semi-structured questionnaire served to collect data from twelve wood carvers. Various percentage of carvers were calculated and we determine the Use Value of the most used species woods in order to assess their relative importance.

Results: Twenty-two species were used in wood carving with most species having red or yellow wood. The purchase of wood in industrial markets was the predominant source followed by the direct purchase from plantation and tree owners. *Diospyros mespiliformis*, *Chlorophora excelsa*, *Tectona grandis* and *Gmelina arborea* were species of which woods were most. However, *Gmelina arborea* and *Chlorophora excelsa* exhibited the highest Use Value meaning their relative importance in terms of diversity of uses. All carvers reported the scarcity of woods and the destruction of forests and plantations for logging were the main cause; 25% of them own plantations of *G. arborea* and *A. auriculiformis*. Carvers indicated their willingness to have plantations of *T. grandis* and *G. arborea* for personal use and trade. Promoting reforestation and timber species plantation through sustainable tools is needed, and sensitizing them about forest conservation.

Conclusions: A diversity of species are used in carving in Southern Benin, the most used species being *D. mespiliformis*, *C. excelsa*, *T. grandis* and *G. arborea*. *Gmelina arborea* and *C. excelsa* had the highest Use Value. Carvers indicated their willingness to contribute to species plantation and conservation. Wood carving impacts on forest fragmentation and there is a need to promote reforestation and plantation, and to provide carvers with tools for plantation management.

Introduction

Forests play a key role in people's life and are of inestimable value. Forests are vital natural resources (WWF 2020) and crucial for the achievement of the Sustainable Development Goals (SDGs) (Simeons 2018). Forests and their derivative timber and non-timber products have been used by societies around the world for thousands of years (Ramage *et al.* 2017), and also provide ecological services, contributing significantly to environmental stability (Simeons 2018). Forests are also a treasury of medicinal plants and pharmaceutical ingredients (Dossou-Yovo *et al.* 2014, 2017). Wood harvested from natural forests and plantations is used for fuel, construction, and craft uses such as carving. Although timber and non-

timber forest products remain an important source of livelihoods in large parts of the world, especially in Africa, their extraction is also a major driver of deforestation (UCS 2016).

Wood carving has been a common cultural practice of civilizations throughout the ages. For instance, samples of wooden art by the ancient Egyptians, Greeks, Romans and Chinese still exist. Wood carving plays a great role in the cultural identity of countries. In Benin, wood carving has been practised since time immemorial and many ancient wooden artifacts have been preserved, including many that explain the key role played by the country during the slavery period. Despite the cultural and historic importance of wood carving in Benin, no research has been conducted on this activity. Many people today still depend on wood carving for their livelihoods (Okrah 2002; Appiah-Kubi *et al.* 2014, Kayode *et al.* 2016). As a result, much attention should be focused on this practice so as to ensure sustainable and improved livelihoods for wood carvers and their families. To achieve this, natural and planted forests from which wood is harvested for carving should be well managed and conserved. The aim of this paper was to report the diversity of timber species used in wood carving in Benin, the sources of wood used, and the relative importance of the most commonly used woods. From the perspective of sustainable forest conservation, the availability of wood to carvers and their willingness to contribute to species conservation were assessed. It was expected that the results of this study would enable forestry advisers and political leaders to better organize wood carving throughout the country.

Materials And Methods

Prior to data collection, a preliminary survey was conducted to record the total number of wood carvers in three districts of Benin, Ouidah, Abomey-Calavi and Cotonou. There were five wood carvers in Ouidah, two in Abomey-Calavi and five in Cotonou, based at the Benin art promotion centers. These twelve wood carvers were interviewed using a semi-structured questionnaire to gather knowledge on the diversity of woods they used, their sources of wood, the ranking of the most used woods, and categories of art made with each wood. The availability of wood in recent years as well carvers' willingness to contribute to timber species conservation were also investigated. Based on the local names of recorded species, de Souza (1988) and Arbonnier (2002) were used to determine the botanical name of each species. Direct observations of the woods that carvers used and the products were also made. In order to assess the relative importance of the four most used woods, their Use Value (Zenderland *et al.* 2019) was calculated by dividing the number of uses for the concerned wood by the number of carvers who mentioned the wood as most used. Percentages of carvers were determined for various items throughout the paper to assess ethnobotanical knowledge related to wood carving. It was obtained by dividing the number of citations for the concerned item by the total number of carvers surveyed. Carvers were also asked to free list the causes of wood scarcity or abundance in the recent years.

Results

- **Diversity of woody species used in carving**

The wood of 22 species, belonging to 22 genera in 15 botanical families, were reported to be used in carving. The most represented family was the Caesalpiniaceae, represented by one species in each of three genera, *Afzelia africana*, *Delonix regia* and *Daniellia oliveri* (Table 1). The families Moraceae, Meliaceae, Verbenaceae, Mimosaceae and Anacardiaceae were each represented by two species, and there was one species in each of the remaining nine families. The wood used in carving exhibited a range of colours according to the respondents (Table 1). Four major colours were recorded, yellow (seven species including two described as clear yellow and yellow brown, respectively), red (seven species), white (six species including one described as ash) and black (two species).

- **Sources wood used in carving**

Carvers reported four sources of woods used in carving. These were wood provided by customers themselves, wood bought by carvers in industrial or local informal markets, wood purchased by carvers from owners of plantations or individual trees, and the harvest of wood from carvers' own plantations. The predominant source recorded was the purchase of wood in industrial wood markets (75% of respondents), followed by the direct purchase from plantation or tree owners (58% of respondents), the provision of wood by customers themselves (58% of respondents), and collection of wood from carvers' plantations (25% of respondents). It is important to highlight the low proportion of carvers who harvest wood from their own plantations.

- **Ranking of woods used for carving**

Fifty percent of respondents reported wood of *Diospyros mespiliformis* (locally called ébène in Fon; black wood) as the most used for carving while 42% mentioned the wood of *Chlorophora excelsa* (locally called lokotin; yellow brown wood) as the most used (Table 2). Wood of *Tectona grandis* (têkitin in Fon; yellow wood) ranked third in this paper because it was mentioned by 50% of respondents as second most used. The fourth most used wood was *Gmelina arborea* (mélina or fôfitin in Fon; white wood). Regarding the sources of the most used woods, all informants mentioned the purchase of *D. mespiliformis* wood in industrial wood markets, wood coming from northern Benin. Some informants (25%) reported the purchase of the wood of *C. excelsa* from tree owners and 17% of them insisted on its provision by customers themselves. Informants who mentioned *T. grandis* and *G. arborea* confirmed that they mostly purchased wood from tree and plantation owners as well as local informal markets.

- **The Use Value of the most used woods**

In terms of utilization, the woods of *D. mespiliformis*, *C. excelsa*, *T. grandis* and *G. arborea* were all used for small and large ornamental arts (See photo 1, 2 and 3 as examples of recorded arts; many other photos available with authors). Additionally, the wood of *C. excelsa* was used to carve spiritual objects, and the woods of *T. grandis* and *G. arborea* were used to make table utensils. Among the most commonly used species, *C. excelsa* exhibited a relatively greater importance than *D. mespiliformis* as shown by the Use Value (Table 3). Although the wood of *G. arborea* was the fourth most commonly used, it had the highest Use Value while wood of *D. mespiliformis* had the lowest Use Value.

- **Availability of woods according to carvers**

All informants reported the scarcity of woods for carving in recent years. They also highlighted that wood has consequently become very expensive. With regards to the causes of this scarcity, six reasons were reported (Table 4). The most frequently mentioned cause of scarcity was the destruction of forests and plantations for logging. The international trade of wood as well as political restrictions towards local trade of wood ranked second in the same proportion followed the exploitation of wood for charcoal production, population growth and lack of plantation.

- **Willingness to contribute to recorded species conservation**

Only 25% of wood carvers owned plantations of *Gmelina arborea* and *Acacia auriculiformis*, with an average area of 2.5 ha. All informants were interested in investing in woody species plantations if they had more money. Fifty percent of carvers reported that they would plant *G. arborea* while 42% would prefer to plant *T. grandis* plantations from which they could harvest woods for carving.

Discussion

- **Diversity of woody species used in curving**

Twenty-three plant species were recorded as used in carving confirming that wood carvers have an extensive knowledge about the quality of woods and their utilization. The range of species used suggests that their exploitation can increase environmental pressure, contributing to forest fragmentation and local species loss all over the country. Trees are, most of the time, uprooted for wood collection so, although wood carving provides an income to workers, it constitutes a threat to species conservation. Wood carving was reported as a threat to forest diversity in Ghana because of exploitation of endangered species (Okrah 2002). Kayode et al. (2016) recorded 39 plant species belonging to 23 families used in carving in Nigeria. Similarly, the wood carving industry in Kenya is highly dependent on indigenous tree species (Mutinda 2014).

- **Types of woods recorded**

The diversity of type of wood used confirms that the choice depends on items to be carved (Kayode et al. 2016). Woods, in addition to their colour also vary from soft to hard and this influences the items for which they are used. A relatively high number of species was recorded as giving red wood followed by species having yellow wood. This confirms the various attractive aspects searched for in wood by carvers and the assertion that the components of art include colour, patterns and the reproduction of visual likeness (Morris-Kay 2010).

- **Sources of recorded woody species**

The purchase of wood in industrial markets was recorded as the main source for carvers followed by direct purchase from plantation and tree owners. A very low proportion of carvers owned their plantations

from which woods may be collected. These aspects confirm that harvesting of wood for carving threatens the conservation of forests throughout Benin. The majority of wood traded in industrial markets comes from the central and northern parts of the country. So, natural forests and sometimes plantations are cut down to satisfy a growing demand for wood. Even customers who provided their own woods for carving are destroying individual trees that are expected to protect the environment. No informant mentioned the purchase of wood from public plantations meaning a lack of public forestry areas, plantations or agroforestry parks, wherein carvers could get woods whenever they want provided they are able to afford its cost.

- **Ranking of woods used for carving**

Diospyros mespiliformis ranked as the most used wood and informants who selected it were mostly those working in Cotonou. Carvers insisted that this wood is the most appreciated by tourists. The black colour may attract people and it is easy to sell art made with this wood even if the customers are local. Carvers using this wood targeted the international market by exporting their arts. The genus *Diospyros* is widely recognized for its black wood. Furthermore, informants highlighted its durability, hardness and ability to take a high polish. The collection of *D. mespiliformis* wood from natural forests to satisfy the increasing demand is clearly a threat to the species conservation. *Chlorophora excelsa* is widely used in Benin as its wood serves to make sacred objects in addition to ornamental art. Similarly to the present findings, Okonkwo et al. (2016) reported the use of *C. excelsa* (Iroko) in carving sacred objects in Nigeria. In addition to the exploitation of this species in carving, it is widely used in carpentry and as medicine in Benin (Ouinsavi et al. 2005). Several years ago, the pressure placed on populations of *C. excelsa* of its exploitation in Benin was stated (Sokpon et al. 2003) and its exploitation in carving no doubt increases its extinction rate. Alter natives should be found to help carvers maintain their livelihoods without compromising the sustainability of the species. *Tectona grandis* and *Gmelina arborea* are two plantation species that have been grown in Benin for decades. They were recorded among the most used in carving. Similarly to the present findings, *T. grandis* has also been reported in wood carving in Ghana (Appiah-Kubi et al. 2014). *Tectona grandis* and *G. arborea* woods were purchased from tree and plantation owners which confirm a high pressure on these species as they are also highly demanded for carpentry throughout the country. Carvers justified the use of *G. arborea* wood by the fact that its white colour gave an attractive aspect for arts. In addition, they argued that woods of *G. arborea* and *T. grandis* are sometimes more available than other woods. Similarly, *G. arborea* and *T. grandis* were mostly preferred for wood carving in India (Sharma et al. 2013). *Tectona grandis* has been identified as the species with most potential for the establishment of high-quality tropical hardwood plantations under sustainable forest management (Thulasidas and Baillères 2017)

- **The Use Value of the most used woods**

The results confirmed that the frequency of use of a species wood can sometimes contrast with its relative importance. *Gmelina arborea* and *C. excelsa* both had greater Use Value than *D. mespiliformis*

despite the more frequent use of this species. These findings confirmed the importance of the Use Value to assess the relative importance of plant species in ethnobotanical studies.

- **Availability of woods according to carvers**

The scarcity of woods recorded in this research confirmed the high environmental pressure placed on tree species used in carving. Forests are fragmented to satisfy wood demands for carving and many other purposes. This has negative impacts on biodiversity conservation all over the country. Reforestation programs taking into account woody species used in carving are necessary throughout the country. Priority species can be *C. excelsa* and *D. mespiliformis*. As *T. grandis* and *G. arborea* have already been grown in plantations throughout the country for many decades, leaders are encouraged to promote these species in plantations. It has been stated that, in Benin, farmers specialized in pole-wood production to supply urban demand for cheap construction timber (Aoudji et al. 2014). Large individual trees of *T. grandis* and *G. arborea* are needed to ensure a long-term wood carving activity in Benin because art made by carvers plays a great role in tourism and in the cultural identity of the country.

- **Willingness to contribute to recorded species conservation**

Only a small proportion of wood carvers had their own plantations which confirmed that the wood supply for this activity contributes to the fragmentation of natural forests and existing plantations throughout the country. All carvers confirmed their willingness to establish plantations if it was economically possible, and the majority of them would prefer plantations of *G. arborea* and *T. grandis*. They argued that *G. arborea* is a rapid growth species that can produce wood for sale and personal use in a short period of time and *T. grandis*, according to carvers, is a resistant and good quality wood. They also mentioned the trade of *T. grandis* wood for income generation as the species is highly demanded in carpentry in Benin and more widely in region. Similarly to the present findings, carvers in Ghana indicated their willingness to use any type of wood provided the tools and equipment for processing them work well (Appiah-Kubi et al. 2014). The present findings also confirmed the results of McEwan et al. (2020) who stated that the factors influencing the form of plantation include the type and nature of the plantation owner, and the change in demand for different and new forest products. Forestry advisers and political leaders need to take such findings into account to promote plantations and ensure a sustainable wood carving industry throughout the country. In addition, carvers should be provided with tools for plantation management.

Conclusion

Many skilled artisans in Benin depend upon wood carving for their livelihoods. A diversity of species are used in carving in Southern Benin, the most used species being *D. mespiliformis*, *C. excelsa*, *T. grandis* and *G. arborea*. *Gmelina arborea* and *C. excelsa* had the highest Use Value. Wood carving impacts on forest fragmentation and there is a need to promote reforestation and plantation, and to provide carvers with tools for plantation management. Carvers indicated their willingness to contribute to species plantation and conservation. This investigation on woody species used in carving in Benin intends to

stimulate the assessment of the ecological and dendrometric characteristics of the most used species in carving in order to better monitor the impacts of this activity, as well as screening financial aspects of wood carving.

List Of Abbreviations

UCS: Union of Concerned Scientists

WWF: World Wildlife Fund

Declarations

Ethics approval and consent to participate: All manuscripts must include a statement on ethics approval and consent (even where the need for approval was waived)

Carvers gave their approval to participate in this research

Consent for publication

No individual person's data

Availability of data and materials

Data are available with authors and not deposited anywhere.

Competing interests

No competing interests.

Funding

No funding for this research

Authors' contributions

CONTRIBUTOR ROLE	ROLE DEFINITION	CONTRIBUTOR NAMES
Conceptualization	Ideas; formulation or evolution of overarching research goals and aims.	Hubert O. Dossou-Yovo Valentin Kindomihou
Data Curation	Management activities to annotate (produce metadata), scrub data and maintain research data (including software code, where it is necessary for interpreting the data itself) for initial use and later reuse.	Hubert O. Dossou-Yovo Valentin Kindomihou
Formal Analysis	Application of statistical, mathematical, computational, or other formal techniques to analyze or synthesize study data.	Hubert O. Dossou-Yovo Valentin Kindomihou
Funding Acquisition	Acquisition of the financial support for the project leading to this publication.	Not applicable
Investigation	Conducting a research and investigation process, specifically performing the experiments, or data/evidence collection.	Hubert O. Dossou-Yovo Valentin Kindomihou
Methodology	Development or design of methodology; creation of models	Hubert O. Dossou-Yovo Valentin Kindomihou
Project Administration	Management and coordination responsibility for the research activity planning and execution.	Hubert O. Dossou-Yovo
Resources	Provision of study materials, reagents, materials, patients, laboratory samples, animals, seeds, plants, instrumentation, computing resources, or other analysis tools.	Hubert O. Dossou-Yovo
Software	Programming, software development; designing computer programs; implementation of the computer code and supporting algorithms; testing of existing code components.	Not applicable
Supervision	Oversight and leadership responsibility for the research activity planning and execution.	Hubert O. Dossou-Yovo

CONTRIBUTOR ROLE	ROLE DEFINITION	CONTRIBUTOR NAMES
Validation	Verification, whether as a part of the activity or separate, of the overall replication/reproducibility of results/experiments and other research outputs.	Hubert O. Dossou-Yovo Valentin Kindomihou
Visualization	Preparation, creation and/or presentation of the published work, specifically visualization of figures and tables/ data presentation.	Hubert O. Dossou-Yovo Valentin Kindomihou
Writing – Original Draft Preparation	Creation and/or presentation of the published work, specifically writing the initial draft (including substantive translation).	Hubert O. Dossou-Yovo Valentin Kindomihou
Writing – Review & Editing	Preparation, creation and/or presentation of the published work by those from the original research group, specifically critical review, commentary or revision – including preor post-publication stages.	Brice Sinsin

Acknowledgements:

Authors are grateful to Professor Phil Harris from University of Coventry (United Kingdom) who edited the first draft of this paper. Thanks are also due to all carvers who participated in this research.

References

1. Aoudji A K N, Adegbi A, Ganglo J C, Lebailly P. 2014. Teak, *Tectonagrandis* f., planting in smallholders farming systems in Southern Benin. Bois et forêts des tropiques 319(1):7-17.
2. Appiah-Kubi E, Tekpetey S, Essien C. 2004. Plantation grown tree species for wood carving in Ghana: Concerns of traditional wood carvers. In Parrota J A, Moser C F, Scherzer A J, Koerth N E, Lederle D R (eds). Sustaining Forests, Sustaining People: The Role of Research. XXIV IUFRO World Congress, Salt Lake City USA, p. 29.
3. Arbonnier M. 2002. Trees, shrubs and lianas of West African dry zones. 573 p. CIRAD, MNHN.
4. Dossou-Yovo H O, Vodouhè F G, Sinsin B. 2014. Assessment of medicinal uses of plant species found on termitaria in the Pendjari Biosphere Reserve in Benin. Journal of Medicinal Plant Research 8:368-377.
5. Dossou-Yovo H O, Vodouhè F G, Sinsin B. 2017. Ethnobotanical survey of mangrove plant species used as medicine from Ouidah to Grand-Popo districts, Southern Benin. American Journal of Ethnomedicine 4:1-6.

6. Kayode J, Ihinmikaiye S O, Arowosegbe S, Oyedji A A. 2016. Conservation of Botanicals used for Carving by the Ijaw Ethnic Group of Bayelsa State, Nigeria. *International Journal of Natural Resource Ecology and Management* 1(2):58-62.
7. McEwan A, Marchi E, Spinelli R, et al. 202). Past, present and future of industrial plantation forestry and implication on future timber harvesting technology. *Journal of Forestry Research* 31:339-351.
8. Morris-Kay G M. 2010. The evolution of human artistic creativity. *Journal of Anatomy* 216: 158-176.
9. Mutinda J. 2004. Assessment of the impact of the woodcarving industry on the Environment: A study of Wamunyu Location, Mwa District, Kenya. *Journal of Environment and Earth Science* 4(6):48-64.
10. Okonkwo E E, Ukaegbu M O, Eyisi A P. 2016. A documentation of Some Traditional Aspects of Wood Consumption in Anaocha, Nigeria. *SAGE Open* 1-8.
11. Okrah E. 2002. The Growth of Wood Carving Industry in Ghana and its Threats to Selected Tree Species. Master's Thesis. LUMES Lund University. 47 p.
12. Ouinsavi C, Sokpon N, Bada O. 2004. Utilization and traditional strategies of in situ conservation of Iroko (*Milicia excelsa* C. C. Berg) in Benin. *Fuel and Energy Abstracts* 207(3):341-350.
13. Ramage M H, Burrige H, Busse-Wicher M, et al. 2017. The wood from the trees: The use of timber in construction. *Renewable and Sustainable Energy Reviews* 68:333-359.
14. Sharma C L, Sharma M, Lipoktila. 2013. Timber Species Used in Traditional Wood Carving by AO Tribe of Nagaland. *Life Sciences leaflets* 4:31-40.
15. Simoens C. 2018. Plannet : 12 reasons why forests are important. Glo.be for a sustainable world. [glo-be](http://glo.be)
16. Sokpon N, Ouinsavi C, Azonkponon N. 2003. Stratégies de Gestion de l'Iroko (*Milicia excelsa*) dans l'Aire Culturelle Vodun au Bénin. XII World Forestry Congress. Québec City. Canada.
17. de Souza S (1988). Names of Plants in Benin local languages. 424 p.
18. Thulasidas P K, Baillères H. 2017. Wood Quality for Advanced Uses of Teak from natural and Planted Forest. In Kollert W, Kleine M (eds). *The Global Teak Study. Analysis, Evaluation and Future Potential of Teak Resources*. IUFRO World Series Volume 36. Chapter 6. p. 73-81. ISSN 1016-3263.
19. 2016. Wood products. www.ucsusa.org.
20. 2020. These green giants are essential for people, climate and wildlife. www.wwf.panda.org.
21. Zenderland J, Hart R, Bussmann RW, Paniagua NY, Zambrana SS, Kikvidze Z, Kikodze D, Tchelidze D, Khutsishvili M, Batsatsashvili K. 2019. The use of "Use Value": Quantifying importance in Ethnobotany. *Economic Botany* 73:293–303.

Tables

Table 1. Woody species used in carving and wood colour as described by wood carvers.

Scientific name	Local name in Fon	Botanical family	Wood colour
<i>Acacia auriculiformis</i> A.Cunn. ex Benth., 1842	Acacia	Mimosaceae	Black
<i>Afzelia africana</i> Sm. & Pers., 1798	Abzélia	Caesalpinaceae	Red
<i>Artocarpus communis</i> J.R.Forst. & G.Forst., 1775	Blêfoutoutin	Moraceae	Yellow
<i>Azadirachta indica</i> A.Juss., 1830	Kininetin	Meliaceae	Red
<i>Chlorophora excelsa</i> (Welw.) C.C.Berg, 1982	Lokotin	Moraceae	Yellow brown
<i>Cocos nucifera</i> L., 1753	Agonkêtin	Arecaceae	Red
<i>Daniellia oliveri</i> (Rolfe) Hutch. & Dalziel, 1928	Zatin	Caesalpinaceae	Red
<i>Delonix regia</i> (Bojer ex Hook.) Raf., 1837	Fontin	Caesalpinaceae	Ash
<i>Diospyros mespiliformis</i> Hochst. ex A.DC., 1844	Ebène	Ebenaceae	Black
<i>Eucalyptus camaldulensis</i> Dehnh., 1832	Ecalitus	Myrtaceae	Clear yellow
<i>Gardenia erubescens</i> Stapf & Hutch., 1909	Dakplatin	Rubiaceae	Yellow
<i>Gmelina arborea</i> Roxb. ex Sm., 1810	Mélina	Verbenacea	White
<i>Khaya senegalensis</i> (Desr.) A. Juss., 1830	Zounza	Meliaceae	Red
<i>Mangifera indica</i> L., 1753	Amangatin	Anacardiaceae	White
<i>Newbouldia laevis</i> (P. Beauv.) Seem., 1864	Désrêguêtin	Bignoniaceae	White
<i>Prosopis africana</i> (Gull. & Perr.) Taub., 1893	Kakêtin	Mimosaceae	Red
<i>Pterocarpus erinaceus</i> Poir., 1804	Kosso	Papilionaceae	Yellow
<i>Rauvolfia vomitoria</i> Afzel., 1817	Atêtin	Apocynaceae	White
<i>Spondias monbin</i> L. 1753	Akinkontin	Anacardiaceae	White
<i>Tectona grandis</i> L.f, 1782	Têkitin	Verbenaceae	Yellow
<i>Terminalia catappa</i> L. 1767	Kolatin	Combretaceae	Red
<i>Zanthoxylum zanthoxyloides</i> (Lam.) Zepern. & Timler, 1981	Hêtin	Rutaceae	Yellow

Table 2. Ranking of the species most used in carving

Species	Percentage of respondents ranking the species	
	Most used	Second most used
<i>Diospyros mespiliformis</i> Hochst. ex A.DC.	50	0
<i>Chlorophora excelsa</i> (Welw.) C.C.Berg.	42	0
<i>Tectona grandis</i> L.	0	50
<i>Khaya senegalensis</i> (Desr.) A. Juss.	8	8
<i>Gmelina arborea</i> Roxb. ex Sm.	0	17
<i>Acacia auriculiformis</i> A.Cunn. ex Benth.	0	8
<i>Daniellia oliveri</i> (Rolfe) Hutch. & Dalziel	0	8
<i>Afzelia africana</i> Sm. & Pers.	0	9

Table 3. Use Value of the four woods most used in carving.

Wood	Number of uses	Number of informants mentioning	Use Value
<i>Diospyros mespiliformis</i> Hochst. ex A.DC.	2	6	0.33
<i>Chlorophora excelsa</i> (Welw.) C.C.Berg.	4	5	0.80
<i>Tectona grandis</i> L.	3	6	0.50
<i>Gmelina arborea</i> Roxb. ex Sm.	3	2	1.50

Table 4. Causes of wood scarcity in recent years according to carvers

Cause	Percentage of informants
Destructions of forests and plantations for logging	58
International trade of wood	17
Political restrictions on local trade	17
Wood exploitation for charcoal production	8
Lack of plantations	8
Lack of plantations	8

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [Table1Woodcarving.docx](#)
- [Table2WoodCarving.docx](#)
- [Table3woodcarving.docx](#)
- [Table4woodcarving.docx](#)

- [Photo1woodcarving.docx](#)
- [Photo2WoodCarving.docx](#)
- [Photo3Woodcarving.docx](#)