Adolescent Breakfast Skipping Is Associated With Poorer Academic Performance: a School-based Study From Hidhabu Abote District, Ethiopia

Dereje Feye

Haramaya University

Tesfaye Gobena

Haramaya University

Alexandra Brewis

Arizona State University School of Global Management and Leadership: Arizona State University

Kedir Teji Roba (✉ kedir.t.ropa@gmail.com)

Haramaya University College of Health and Medical Sciences <https://orcid.org/0000-0001-6227-9594>

Research article

Keywords: breakfast, meal skipping, Adolescence, Ethiopia, academic performance

Posted Date: August 3rd, 2021

DOI: <https://doi.org/10.21203/rs.3.rs-754209/v1>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Abstract

Background: Breakfast is regarded as “the most important meal of the day”, suggested to positively affect learning in children and adolescent in terms of cognitive and school performance. Yet, studies in LMIC settings are few, and show very inconsistent results.

Objective: To assess the prevalence and correlates of breakfast skipping and its association with school performance among randomly selected in-school adolescents in Hidhabu Abote Wereda North Shewa Zone, Central Ethiopia.

Methods: A cross sectional study was conducted from November to December 2020. A total of 422 participants were selected randomly from high schools of Hidhabu Abote Wereda. Data were entered in to Epiata version 3.1 and exported to SPSS version 24 for analysis. Bivariate and multivariate binary logistic regression analysis identified factors that were significantly associated with the breakfast skipping. Odds ratio along with 95% Confidence interval was estimated to measure the strength of the association and level of statistical significance declared at p-value less than 0.05.

Results: The magnitude of breakfast skipping was 41.3%, (95% CI: (36.6-46.0)). There was statistically significant association between breakfast skipping and overall academic performance [AOR: 5.18, 95%CI (1.54-7.46)], mathematics performance (3.88, 95%CI (1.34-11.22)], and English language performance scores [2.92, 95%CI (1.38-7.58)]. Being female [AOR = 1.857, 95% CI (1.05-3.27)], household food insecurity [AOR: 2.478, 95% CI (1.36-4.51)], and less maternal education [AOR: 1.89, 95%CL (3.38-7.77)] were independently associated with breakfast skipping. The primary reasons given for breakfast skipping were lack of time, lack of appetite in morning, and concerns around weight gain.

Conclusion: Nearly half of in school adolescents were skipped breakfast meals, and reportedly in most cases for reasons unrelated to lack of food access. Students who skipped breakfast had lower levels of school performance.

Introduction

Breakfast is regarded as “the most important meal of the day”. One assumption built into much nutritional programming globally is ensuring breakfast consumption (such as through school-based meal programs) will also improve school performance. In this study, we are interested in better recognizing and explaining connections between skipping breakfast and academic outcomes in the context of LMICs (lower and middle income countries), using a case of school children in a farming zone in Ethiopia.

Regular breakfast intake has been generally associated with better appetite, weight, and blood sugar control, fewer chronic disease markers, cognitive alertness, and academic performance in adults (e.g., Adolphus et al. 2016, Purslow et al 2008, Rong et al. 2019) and academic performance in younger adults, i.e., university students (Pengpid and Peltzer 2020) – noting the majority of such studies have been

conducted in higher income countries. In LMIC where under nutrition is prevalent (as is the case in rural Eastern Ethiopia), knowing how and where interventions matter to improving both.

Yet, studies to date of how breakfast and school academic performance pattern together show inconsistent results overall; results are even less clear for LMIC countries in Africa and elsewhere, beyond that the provision of breakfast programs increases school attendance and inhibit dropping out, especially for the lowest wealth families (Drake et al., Snilstveit et al 2015, Aurino et al 2018). Across Africa, as other LMIC countries, there are relatively few studies with adolescents in particular documenting the relationship between breakfast and school performance, so the overall pattern is not established. For example, one study that considered school-provided breakfast for adolescents in South Africa found inconclusive results related to any apparent impact on school performance itself (noting that the school records were uneven) (Hochfeld et al. 2016). In Ikenne, Nigeria, a study of 190 secondary students found an association between eating breakfast and English and mathematics performance scores (Uwannah and Lotachi 2018). A study of 829 primary school students in Tehran, Iraq found no correlation between breakfast skipping and academic performance (measured as overall performance assessments of “excellent” “good” or “needs more effort”) (Soheilipour et al. 2019). Similarly, in another of 14,473 in Kenya, also no association was found. In a study of 453 6–12 year olds in Jordan, there was a clear correlation between parental reports of skipping breakfast and grade status (kawafha 2013). A local study of middle school children in Mianyang City, China found that more frequent eating of breakfast was associated with improved test-based comprehensive academic performance (Chen et al. 2020); a large-scale associational study of school records for 147,781 primary and middle school children in Jiangsu province similarly identified skipping breakfast was common, but also confirmed it was associated with worse academic scores (Yao et al. 2019). In a study of 379 urban middle school children in India, those who regularly ate breakfast performed better in mathematics, English, and overall scores for the prior year (Gajre et al. 2008).

Most of these studies, as noted, have been conducted with primary and middle school children. But studies are arguably more necessary for adolescents, because – being in a transition to adulthood – they are more likely to be left to make breakfast decisions than younger children. And several studies reported that many adolescent students habitually skip meals, particularly breakfast (Boschloo, Ouwehand et al. 2012).

Materials And Methods

Study Area and Period

The study was conducted from November to December 2020 in Hidabu Abote district, Ethiopia. Hidabu Abote wereda is one of the 14 woredas of North Shewa Zone of Oromia Regional State and located 34kms from the zonal capital Fitcha, and 146kms from the capital of Addis Ababa. The wereda has six high schools with 2575 total high school students contained in 20 kebeles (administrative units), 19 of them rural. The total population is 112,277 covering 485.84sqkms, with most household dependent for

income on small-scale cash cropping, especially cereals (70.7). The most commonly spoken languages is Afaan Oromo and small population is Amharic speaker (HidabuAbote; Health office, Education office and Agricultural office, 2020)

Study Design and Source Population

A school based cross-sectional study design was conducted among adolescents (14–19 years) attending high schools of Hidhabu Abote District.

Sample Size Determination

Sample size was calculated using single population proportion formula by considering at 95% confidence level, 0.05 margin of error. We conservatively estimated average academic performance scores of 50% given there were no other studies or pilot data from this particular study area. The required sample size was 422 after adding 10% of non-response rate.

Sampling Technique/ Procedure

Simple random sampling technique was used to select three schools from the six public high schools, with proportional allocation to each selected schools based on the number of students. Finally, participants were selected within each school using systematic random sampling technique. The K value is 3 for all, so after selecting the first sample by lottery method, every third student was selected as a study participant from the school's roster of grade ten and grade nine students.

Data Collection Procedures

Questionnaires

Structured questionnaires were given to adolescents for self-reporting. Family sociodemographic and economic status questions were adapted from EDHS. (EDHS 2016) Breakfast eating practices were assessed by using FAO qualitative dietary diversity questionnaires and meal frequency questionnaires (FAO 2007). Following Khurshid, Mahmood et al. (2018), breakfast was defined as a first meal of the day eaten before starting of daily activities before 10:00 am. Breakfast skipping was defined as reporting no breakfast was eaten on the day of data collection

Anthropometric measurements

Weight and height were directly measured, as important covariates. Weight was measured by a digital scale to the nearest 0.1 kg, without shoes and minimum clothes. Height was measured with portable stadiometer to the nearest 0.1 cm. The study participants were stand upright on bare feet, with heels together, and buttocks and back touching the meter rule. WHO 2007 growth charts reference were used to classify the BAZ (BMI for age). Z-scores were calculated using the Anthro Plus software.

Data Quality Management

To maintain the quality and consistency of the data collection, three days training was given to data collectors. This covered the objective of the study, procedures, and ethical issues. A pre-test was conducted at Gebra-gurracha secondary school which is the nearby woreda in North shewa zone, and an additional one day of training was given with the final version of the questionnaire before the start of the actual data collection. All collected data was checked daily for completeness and consistencies by the supervisors and the principal investigators. To test for accuracy, the scales were checked by placing items of known weight on them after every 10 measurements. The scales was regularly checked and adjusted to zero after each measurement. To minimize measurement error, TEM was done before actual data collection with ten participants and take acceptable value for Intra-evaluator and Inter-evaluator less than 1.5% and 2% respectively

Data processing and analysis

All completed questionnaires were checked again at data entry for completeness and consistency and double data entry was done using the Epidata version3.1 software. Then the data were exported to the SPSS version 24 for descriptive analysis and statistical modeling. Binary logistic regression analysis was used to test associations between variables; with a p-value of less than 0.25 during bivariable analysis was entered into the final multivariate logistic regression model to control for identified confounders. Odds ratios along with a 95% confidence interval were estimated to measure the strength of the association. The level of statistical significance was declared at P-value less than or equal to 0.05. Absence of multi-collinearity was checked by calculating VIF, and model adequacy was checked by using the Hosmer and Lemeshow goodness of fit test.

Ethical Consideration

The study was approved by Haramaya University, College of Health and Medical Sciences Institutional Health Research Ethics Review Committee (IHRERC). Permission was obtained from HidhabuAboteWereda Education office and selected high schools before the study. Brief explanation about the objectives of the study was given for each selected student as a basis for assent. Written consent was obtained from the children's family for those less than 18 years of age, and from students themselves if over 18 years old. Data collection took place during COVID-19, so both data collector and students wore masks and followed other basic public health protocols while measuring height and weight.

Results

4.1 Socio-Demographic Characteristics of the Respondents

Sample descriptives are provided in Table 1. Out of 422 study participants invited, 402 agreed to participate in the study, making a response rate of 95.3%. 60.2% of the participant were from grade 9 and 39.8% were from grade 10. More than half, 57.2%, were females and 91.8% of participants were in the age

group 16–19 years. The median age of the study participant was 17 years with a minimum of 14 and maximum of 19 years.

Table 1
Socio-Demographic Characteristics of In school Adolescents in Hidhabu Abote Wereda Oromia Region
North Shewa, Central Ethiopia 2020.

Variables		Frequency(n = 402)	Percent
Grade	9	238	59.2
	10	164	40.8
Age group (in year)	10–15	33	8.2
	16–19	369	91.8
Sex	Female	230	57.2
	Male	172	42.8
Religion	Protestant	5	1.2
	Orthodox	377	93.8
	Muslim	14	3.5
	Waqeffana	6	1.5
Residence	Urban	102	25.4
	Rural	300	74.6
Number of family members	< 5	92	22.9
	> 5	310	77.1
With whom participant live currently	Alone	18	4.5
	Both	275	68.4
	Other than parents	109	27.1
Mothers Educational status	No formal education	238	59.2
	Primary	125	31.1
	Secondary	16	4
	College	11	2.7
	Degree and above	12	3
Fathers Educational status	No formal education	292	72.6
	Primary	91	22.6
	Higher level	19	4.7
Mothers occupation	House wife	357	88.8

Variables		Frequency(n = 402)	Percent
	Government employer	21	5.2
	Merchant	24	6
Fathers occupation	Farmer	381	94.4
	Government employer	21	5.2
Average monthly income	< 2000ETB	104	25.9
	> 2000ETB	298	74.1
Time taken from home to school on foot	< 30 minutes	148	36.8
	> 30 minutes	254	63.2

4.2 Prevalence of breakfast skipping

The prevalence of breakfast skipping among in this sample of school adolescents was 41.3% (Fig. 1).

4.3 Breakfast practices

Of those who stated they had not eaten breakfast, the main reasons were (38.5%) identified it because they had no enough time (38.5%), another third said its (35.7%) poor appetite in the morning (35.7) and 13% due body image/shape concerns. Lack of available food was cited in only 1.5% of cases. For those who ate breakfast, one fourth (24.6) of them ate it on the way to school – noting that well more than half of surveyed students have a school commute over thirty minutes (Table 2).

Table 2
Breakfast habits reported by school adolescents' in Hidhabu Abote Wereda Oromia Region North Shewa,
Central Ethiopia 2020.

Variable		Frequency	Percent
Eat breakfast today?	Yes	227	56.5
	No	175	43.5
Reason for breakfast skipping(for those who skip at least one day per week)	No enough time	152	38.5
	Have nothing to eat	46	11.5
	No one prepare it for me	5	1.3
	Poor appetite in the morning	141	35.7
	For body image	51	13
Why you eat breakfast?	It makes me active	194	49.2
	Hungry in the morning	119	30.2
	Parents prepare it for me	46	11.7
	Parents will not motivate me if I not eat it	22	5.6
	It is one of the most important meal	13	3.3
Who prepare breakfast for you?	Mother	229	58
	My self	113	28.6
	Sister	18	4.5
	Others	35	8.9
Where do you usually eat your breakfast(only for regular eater)	From my home	178	75.4
	On the way to school	58	24.6
Any criteria to decide what to eat breakfast(for those who eat at least one day per week)	Food that is healthy	18	4.6

Variable		Frequency	Percent
	Food that is cheap	43	11
	Food that is available in my home	331	84.4
Do you think there is anything your school could do to support or encourage you to eat healthy breakfast more often?	Yes	301	74.9
	No	101	25.1
How they support you if you say yes	School breakfast program	268	89
	Education on healthy breakfast	33	11

4.4 Food Consumption Group Eaten by Participants during a Week Preceding the Survey

Considering overall food consumption, based on what was eaten over the prior week, 98.8% of the participants were ate cereals every day, but 39.1% of the participants were never ate fruits and 69.4% had no meat (Table 3).

Table 3
Percentage of participants who consumed different food groups during a week preceding the survey in Hidhabu abote wereda (n = 402)

Food group	Never	1–2 days/wks	3-4days/wks	5–6 days/wks	Every days
Cereals	0	0	0	5(1.2)	397(98.8)
Vegetables	24(6)	113(28.1)	23(5.7)	153(38.1)	89(22.1)
Fruits	157(39.1)	137(34.1)	69(17.2)	39(9.7)	0
Meat	279(69.4)	84(20.9)	37(9.2)	2(0.5)	0
Milk	215(53.5)	129(32.1)	57(14.2)	1(0.2)	0
Oils	0	0	26(6.5)	64(15.9)	312(77.6)
Pulses	1(0.2)	95(23.6)	251(62.4)	55(13.7)	0
Sugars	141(35.1)	1(0.2)	12(15.4)	167(41.5)	31 (7.7)

4.5 Food consumption score of the respondents

We calculated a food consumption score based on reported frequency of eating eight food groups. Food consumption status is based on the following thresholds: 0–21: poor; 21.5–35: borderline; >35:

acceptable which is based on WFP food consumption score thresholds (WFP 2008). In our case 73.1% had food consumption that could be classified as “acceptable,” 21.6% had “borderline” and 5.2% “poor” (Fig. 2).

4.6 Nutritional status and Meal frequency characteristics of the respondents

Among the study participants, 14.9% had BAZ <-2 (underweight) and 82.8% were in the clinically normal range. Among the respondents, 48% reported their actual daily meal pattern to be less than 3 times which is below the daily recommended meal frequency for adolescents. Among study participants 74.6% said they did not ever eat snacks or between meals in the preceding week (Table 4).

Table 4
Food consumption score and meal frequency distribution of school Adolescents in Hidhabu Abote Wereda Oromia Region North Shewa, Central Ethiopia 2020

Variable		Frequency	Percent
How many meals you typically eat in one day	< 3times	193	48
	≥ 3times	209	52
How many times you typically eat between meals in one day	1 times	101	25.1
	2 times	1	0.2
	Never eat it	300	74.6
Nutritional status based on BAZ	Underweight	60	14.9
	Normal	333	82.4
	Overweight	9	2.2

4.7 Relationship between breakfast skipping and school performance

To find the association between breakfast skipping and school performance, first we categorized students’ average overall academic scores into high performance (“A”) those who scored ≥ 80 , medium performance (“B”) those scored 60–80, and low performance (“C”) those scored < 60 based on the standard scales of the Ethiopian Ministry of Education. There proved to be a statistically significant relationship between student's score and skipping breakfast. The majority of the students who skipped breakfast had grade "C"(low performance) ($p = 0.008$) while 87.5% of the students who did not skip breakfast had grade "A"(high performance). There were also statistically significant relationships between student’s math score and English language scores and breakfast skipping ($p = 0.014$ and 0.012 respectively) (Table 5).

Table 5

Multivariable logistic regression Analysis of factors associated with breakfast skipping among in school adolescents in Hidhabu Abote wereda

Variable	Category	Breakfast status		COR(95%CI)	AOR(95%CI)
		Breakfast skipper N(%)	Breakfast eater N(%)		
Gender	Female	116(50.4)	114(49.6)	2.483(1.63–3.77)	1.86(1.05–3.27)*
	Not female	50(29.1)	112(70.9)	1	1
Household size	> 5 person	138(44.5)	172(55.5)	1.834(1.12–3.02)	0.94(0.43–2.03)
	< 5 person			1	1
Residence	Urban	28(30.4)	64(69.6)	0.713(0.45–1.14)	1.01(0.47–2.18)
	Rural	36(39.1)	66(61.9)	1	1
Mother education level	No formal education	125(52.5)	113(47.5)	7.552(2.84–19.90)	1.89(3.38–7.77)*
	Primary	36(28.8)	89(71.2)	2.751(0.99–7.59)	4.33(0.91–20.60)
	Higher level	5(12.8)	34(87.2)	1	1
Monthly income of the family	High income	78(26.2)	220(73.8)	0.064(0.04–0.12)	0.07(0.036–0.139)*
	Low income	88(84.6)	16(15.4)	1	1
Time taken from home to school on foot	> 30 minutes	113(44.5)	141(55.5)	1.437(0.95–2.18)	1.42(0.79–2.55)
	< 30 minutes	53(35.8)	95(64.2)	1	1
Food security status	Food insecure	77(65.8)	40(36.4)	4.239(2.69–6.69)	2.48(1.36–4.50)*
	Food secure	89(31.2)	196(68.8)	1	1
Total average score	Low performance(C)	92(57.9)	67(42.1)	9.612(3.58–25.89)	5.19(1.54–7.46)*
	Medium performance(B)	69(34)	134(66)	3.604(1.35–9.61)	2.00(0.60–6.66)

* Significant at P-value < 0.05, COR = Crude Odd Ratio, AOR = Adjusted odd ratio, CI = Confidence interval

Variable	Category	Breakfast status		COR(95%CI)	AOR(95%CI)
		Breakfast skipper N(%)	Breakfast eater N(%)		
Math's score	High performance(A)	5(12.5)	35(87.5)	1	1
	Low performance(C)	88(57.9)	64(42.1)	7.857(3.31–18.66)	3.89(1.34–11.22)*
	Medium performance(B)	71(35)	132(65)	3.074(1.31–7.21)	1.83(0.7–5.17)
	High performance(A)	7(14.9)	40(85.1)	1	1
English score	Low performance(C)	100(54.1)	85(45.9)	11.176(3.83–32.59)	4.93(1.38–7.58)*
	Medium performance(B)	62(35.4)	113(64.6)	5.212(1.78–15.29)	2.92(0.83–10.34)
	High performance(A)	4(9.5)	38(90.5)	1	1
Absent from the school at least one day	Yes	109(56.5)	84(43.5)	3.46(2.28–5.25)	2.22(1.25–3.96)*
	No	57(27.3)	152(72.7)	1	1
* Significant at P-value < 0.05, COR = Crude Odd Ratio, AOR = Adjusted odd ratio, CI = Confidence interval					

In multivariable logistic regression analyses, we were able to take likely covariates into account. Female participants were 1.857times more likely to skip breakfast than male [AOR = 1.857, 95% CI (1.054–3.272)]. Participants with the average monthly family income of ≥ 2000 ETB were 7.1 times more likely to ate breakfast than those with an income < 2000ETB [AOR: 0.071, 95%CI (0.036–0.139)]. Those in food insecure households were 2.477times more likely to skip breakfast than those in food secure households [AOR: 2.477, 95% CI (1.361–4.508)]. Participants whose mothers had no formal education were 1.984 times more likely to skip breakfast than others [AOR: 1.894, 95%CL (3.379–7.772)] (Table 5).

Discussion

Identifying how practices impact adolescent academics has implications for the design of intervention programming to improve both. Studies in LMIC are few, especially for adolescents. The current study revealed a high rate of breakfast skipping in this sample of Ethiopian adolescent schoolchildren (41.3%), although it is consistent with findings of a study done in Sidama Zone, Southern Ethiopia 42.3% (Anchamo and Markos 2014). It also falls within the range of prior studies conducted in other LMIC, such

as Pakistan 47.3% (Arshad and Ahmed 2014), India 47.7% (Aarthi et al 2018), Jordan 18.5% (AlBashtawy 2017), and Nigeria 23% (Caroline and Lotachi 2018). These are all lower than some studies conducted in advanced economies, where rates can be extremely high – e.g., Korea 72.1% (Kim et al 2017).

Unlike many of the few prior studies conducted in African schools samples, we found a positive association between breakfast skipping and lower academic performance, and this evident even once such factors as household food insecurity and income were taken into account. Female students showed a stronger association. This finding is however in line with studies in other LMIC, such as those from Jordan, India, and China discussed above.

As could be expected, breakfast skipping was associated with lower family income and more food insecurity. But, importantly, the reasons provided for why meals were skipped were only rarely (11%) noted to be because of a lack of food access. Regarding reasons for skipping breakfast meal, it was noticed that, more than one thirds (38.5%) of the students skipped breakfast because they had no enough time, followed by (35.7%) due to poor appetite and 13% due to body image concerns. This result is however congruent with GAJRE et al (2008) and Aarthi et al (2018), who mentioned that the most common reason for skipping breakfast was lack of time, poor appetite early in the morning, and being not hungry enough to eat.

One concerning, emerging issue suggested by this study is that students are missing meals related to their efforts around body image. This is especially notable given the high rates of food insecurity reported in this sample. Growing body concerns have been noted as a globalizing trend (Brewis et al. 2018) with profound implications for how people globally relate to and decide what they eat – and hence their nutrition. This may be detecting a real phenomenon emerging in adolescents in Africa, and one that could have significant implications for how nutritional interventions are designed and implemented. That is, in a recent study with adolescents in Ibadan, Nigeria, 46.8% students who skipped breakfast similarly said they did so because they were attempting to lose weight (Abiola 2017).

We detected a high statistical significance between being absent from the school on other days in the prior week and skipping breakfast. More than half (56.5%) of the students who skipped breakfast that day were absent from school at least once. This result is in line with the pattern observed by Kawafha in India (2013) and the wider literatures connecting under nutrition to school absenteeism and academic performance of the student (Sofar and Hafeez 2019).

Limitations of the Study

There are several limitations to this study. The study depends on self-report, so there might be social desirability and recall bias from respondents, although we asked about breakfast that day to minimize the latter. Relatedly, the main variables reflect different time periods. The breakfast skipping refers to that day, whereas the data on academic performance is cumulative over a period.

The study is cross-sectional and cannot establish causation. School absenteeism may also affect the findings, in that students who are less food insecure and skipped breakfast because of that they were more likely to be absent on the date of data collection.

Conclusion And Recommendation

In this case from rural Ethiopia, breakfast skipping is significantly and consistently associated with worse academic performance, even once controlling for factors like household food insecurity and income.

Declarations

ACKNOWLEDGEMENT

We would like to forward our deepest gratitude to HidhabuAboteWereda Education Office and school directors those help us by giving the data of their school and students. We would also like to express our special thanks to all students who took part in the study and all the data collectors and supervisors.

Conflict of interest

no conflict of interest

Contribution of Authors

DF; Substantial contribution to Conception, design, acquisition of data, analyzing and interpretation of data TG; Contribution in proposal development and the final thesis writing through advisory, idea generation and combination. KTR; Contribution in proposal development and the final thesis writing through advisory, idea generation and combination. KTR and AB: critically reviewed and shaped the manuscript.

References

1. Aarthi et al. (2018). "Awareness on the effects of skipping breakfast among adolescents " Drug Invention Today**10**(6).
2. Abiola, A. A. (2017). *Breakfast Consumption Pattern and Nutritional Status among In-School Adolescents In Ibadan North Local Government Area Oyo State, Nigeria* (Doctoral Dissertation).
3. Adolphus, K.; Lawton, C.L.; Champ, C.L.; Dye, L. The Effects of Breakfast and Breakfast Composition on Cognition in Children and Adolescents: A Systematic Review. *Adv. Nutr.***2016**, *7*, 590S–612S
4. Adolphus K et al. (2013). "The effects of breakfast on behavior and academic performance in children and adolescents" *human neuroscience***7**(425).
5. ALBashtawy (2017). "breakfast eating habit among school children." *Journal of Pediatric Nursing***36**: 118–123.

6. Anchamo and Markos (2014). "Assessment of breakfast eating habits and its association with cognitive performance of early adolescents (11-13 years) in Shebedino District, Sidama Zone, Southern Ethiopia " *Journal of Food and Nutrition Sciences***2**(4): 130-137
7. Anchamo et al. (2015). "Effect of Breakfast Eating Patterns and Anthropometric Measurements on Cognitive Function of Early Adolescents in Rural Area of Sidama Zone, Southern Ethiopia " *Journal of Food and Nutrition Sciences***3**(6): 251-258
8. Arshad and Ahmed (2014). "Impact of Breakfast Habits on Education Performance of University Students (A Study Conducted on University of Sargodha, Pakistan) " *International Journal of Academic Research in Progressive Education and Development***3**(1).
9. Aurino, E., Gelli, A., Adamba, C., Osei-Akoto, I., & Alderman, H. (2018). *Food for thought? Experimental evidence on the learning impacts of a large-scale school feeding program in Ghana* (Vol. 1782). Intl Food Policy Res Inst.
10. Boschloo et al. (2012). "The Relation Between Breakfast Skipping and School Performance in Adolescents " *International Mind, Brain, and Education Society and Blackwell Publishing***6**(2).
11. Brewis, A., C SturtzSreetharan, and A. Wutich. 2018. Obesity stigma as a globalizing health challenge. *Globalization and Health* 14:20. s12992-018-0337-x
12. Caroline and Lotachi (2018). "Eating Habit and Academic Performance of Secondary School Students in Ikenne, Ogun State " *International Journal of Humanities and Social Science Invention***7**(12): 51-57
13. Chen, X., Chen, H., Gong, L., Fang, Y., Luo, X., & Zhu, D. (2020). Relationship between Breakfast and Academic Performance of Primary and Middle School Students in Mianyang City. *Health*, 12(10), 1383-1389.
14. Yao, J., Liu, Y., & Zhou, S. (2019). Effect of Eating Breakfast on Cognitive Development of Elementary and Middle School Students: An Empirical Study Using Large-Scale Provincial Survey Data. *Medical science monitor : international medical journal of experimental and clinical research*, 25, 8843–8853. <https://doi.org/10.12659/MSM.920459>
15. Drake, Lesley, Meena Fernandes, Elisabetta Aurino, Josephine Kiamba, Boitshepo Giyose, Carmen Burbano, Harold Alderman, Lu Mai, Arlene Mitchell, and Aulo Gelli. "School feeding programs in middle childhood and adolescence." *World Bank Washington (DC)* (2017).
16. EDHS (2016). Demographic and Health Survey 2016 Addis Ababa, Ethiopia and Rockville, Maryland, USA Central Statistical Agency
17. El-Chami et al. (2017). "The Prevalence of Breakfast Skipping and its Association with Lifestyle Factors and Weight in 11-15 years Adolescents from Selected Lebanese Regions " *Occupational Medicine & Health Affairs***5**(2).
18. FIUZA et al. (2017). "Skipping breakfast and associated factors among Brazilian adolescents." *Rev Nutri Campinas***30**(2): 615-626.
19. GAJRE et al. (2008). "Breakfast Eating Habit and its Influence on Attention-concentration, Immediate Memory and School Achievement " *INDIAN PEDIATRICS***45**.

20. GHAFARI et al. (2017). "Prevalence of the Skipping Breakfast among the Iranian Students: A Review Article " Iran J Public Health**46**(7): 882-889
21. Hochfeld, T., Graham, L., Patel, L., Moodley, J., & Ross, E. (2016). Does school breakfast make a difference? An evaluation of an in-school breakfast programme in South Africa. *International Journal of Educational Development*, 51, 1-9.
22. Gibney et al. (2018). "Breakfast in Human Nutrition." *Nutrients***10**(559).
23. Hoyland et al. (2009). "A systematic review of the effect of breakfast on the cognitive performance of children and adolescents." *Nutrition Research Reviews***22**: 220–243
24. Javaid and Munir (2018). "Breakfast Skipping and its Effects on Emotional and Academic Behaviour of a Group of Saudi Medical Students " *Journal of Nutrition & Food Sciences***8**(6).
25. Jeong (2019). "The influence of breakfast on the academic performance of school-age adolescents: systematic review." *Journal of Nutrition and Health***52** ((2):): 119~128.
26. kawafha (2013). "Impact of Skipping Breakfast on Various Educational and Overall Academic Achievements of Primary School Children in Northern of Jordan " *Australian Journal of Basic and Applied Sciences***7**(7): 155-160.
27. KHURSHID et al. (2018). "Factors associated with skipping breakfast among Day scholarsand Boarding Adolescent and their effects on their academic performance " *P J M H S***12**(4).
28. Kim et al. (2016). "Dietary Habits Are Associated With School Performance in Adolescents." *Medicine***95**(12).
29. NGENDAKURIYO, A. (2019). *Influence of Missing Breakfast on Cognitive Functions Among Pre-Adolescent Primary School Children in Kisumu Central Sub-County, Kenya* (Doctoral dissertation, Maseno University).
30. pearson et al. (2008). "family correlates of breakfast consumption among children and adolescent: systematic review." *appetite***52**(1): 1-7.
31. Pengpid, Supa, and Karl Peltzer. "Skipping Breakfast and Its Association with Health Risk Behaviour and Mental Health Among University Students in 28 Countries." *Diabetes, metabolic syndrome and obesity : targets and therapy* vol. 13 2889-2897. 18 Aug. 2020, doi:10.2147/DMSO.S241670
32. Purslow, L.R.; Sandhu, M.S.; Forouhi, N.; Young, E.H.; Luben, R.N.; Welch, A.A.; Khaw, K.T.; Bingham, S.A.; Wareham, N.J. Energy intake at breakfast and weight change: Prospective study of 6764 middle-aged men and women. *Am. J. Epidemiol.***2008**, *167*, 188–192
33. Rong, S., Snetselaar, L. G., Xu, G., Sun, Y., Liu, B., Wallace, R. B., & Bao, W. (2019). Association of skipping breakfast with cardiovascular and all-cause mortality. *Journal of the American College of Cardiology*, *73*(16), 2025-2032.
34. seedat and pillay (2020). "breakfast consumption and its relation ship to sociodemographic and life style factor of undergraduate students in the school of health science at university of kwazulu natal,south africa." *clinical nutrition***33**(3): 79-85.

35. smith et al (2013). "health behaviours,cognitive and social correlates of breakfast skipping among women in living socioeconomically disadevantaged neighbourhoods." *Journal for Nutrition***143**: 1774-1784.
36. Smith et al (2017). "skippig reakfast among australian children and adolescents: finding from 2011-2012 national nutrition and physical activety survey." *australian and newzealand Journal of public health***41**(5).
37. Sofar and Hafeez (2019). "Relations between Skipping Breakfast, Academic Performance and Body Mass Index among Undergraduate University Nursing Students " *IOSR Journal of Nursing and Health Science***8**(4): 32-42
38. Soheilipour, Fahimeh et al. "Breakfast habits, nutritional status and their relationship with academic performance in elementary school students of Tehran, Iran." *Medicine and pharmacy reports* vol. 92,1 (2019): 52-58. doi:10.15386/cjmed-956
39. TahaaZainab and AyeshaS (2017). "TheEffectofBreakfastonAcademic PerformanceamongHighSchoolStudentsin AbuDhabi " *Arab Journal of Nutrition and Exercise***2**(1): 40-49.
40. Vishnukumar et al. (2017). "The Effect of Breakfast on Academic Performance and Behaviour In School Children From Batticaloa District " *Journal for Nutrition***110**: 159-165
41. widome et al. (2009). "eating where is not enough to eat: eating behaviours and perception of food among food insecured youths." *Am j public health***99**(5): 822-828.

Figures

Figure 1

Prevalence of reported breakfast skipping among in school Adolescents in Hidhabu Abote Wereda Oromia Region North Shewa, Central Ethiopia 2020.

Figure 2

Food consumption score of school adolescents during a week preceding the survey in Hidhabu abote wereda Oromia Region North Shewa, Central Ethiopia 2020