Earthquake Preparedness of Households and Its Predictors Based on Health Belief Model

Masoumeh Rostami-Moez

Hamadan University of Medical Sciences School of Public Health <https://orcid.org/0000-0002-6132-5947>

Mohammad Rabiee-Yeganeh

Hamadan University of Medical Sciences Medical School

Mohammadreza Shokouhi

Hamadan University of Medical Sciences School of Nursing and Midwifery

Amin Dosti-Irani

Hamadan University of Medical Sciences School of Public Health

Forouzan Rezapour-Shahkolai (✉ forouzan.rezapour@gmail.com)

<https://orcid.org/0000-0001-5049-1109>

Research article

Keywords: Crises, Hazards, Health promotion, Health education, Natural disasters, Safety

Posted Date: April 1st, 2020

DOI: <https://doi.org/10.21203/rs.2.18198/v2>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at BMC Public Health on May 8th, 2020. See the published version at <https://doi.org/10.1186/s12889-020-08814-2>.

Abstract

Background : Earthquakes are one of the most destructive natural disasters in which many people are injured, disabled, or died. Although Iran has only one percent of the world's population, its earthquake-related deaths are six percent. Therefore, this study aimed to determine the level of earthquake preparedness of households and its predictors using the Health Belief Model (HBM) . **Methods :** This observational descriptive and analytical study was conducted on 933 households in Hamadan province, located in the west of Iran, in 2019. Multistage random cluster sampling was used for selecting the participants. The inclusion criteria were being at least 18 years old and being able to answer the questions. A questionnaire was used for data collection including earthquake preparedness, awareness of earthquake response, predictors of earthquake preparedness based on the HBM, and demographic information. Analysis of variance, independent t-test, and a linear regression model was used . **Results :** The mean age of participants was approximately 38.29 ± 12.80 years. Furthermore, 60.83% of the participants did not complete a post-secondary education. The earthquake preparedness was low (approximately 30%) among households. There was a significant relationship between earthquake preparedness and gender, homeownership, marriage status, and previous earthquake experience ($P < 0.001$). Regarding the HBM constructs, perceived benefits, cues to action, and self-efficacy were significant predictors of earthquake preparedness ($P < 0.01$). **conclusions:** Earthquake preparedness was insufficient. Besides, perceived benefits, cues to action, and self-efficacy were predictors of earthquake preparedness. It is suggested that health providers take into account these predictors for designing future interventions. **Keywords :** Crises, Hazards, Health promotion, Health education, Natural disasters, Safety

Introduction

Earthquakes are one of the most dangerous natural hazards that occur suddenly, uncontrollably, and unpredictably. they cause physical, psychological, and social damages in human societies[1]. Over the past two decades, 800 million people have been injured by natural disasters. Besides, natural disasters have caused 42 million deaths in the world[2]. Iran is always at risk of earthquakes due to its geographical location on the Alpine-Himalayan orogenic belt[3, 4]. More than 70 percent of the major cities in Iran are vulnerable to substantial damages. The earthquakes of recent decades have not only caused the deaths of thousands but also have caused massive economic damage and destroyed many cities and villages in the world[5, 6]. Although Iran has only one percent of the world population, the earthquake-related deaths comprise six percent of the population[7]. The disaster management cycle has four phases including mitigation, preparedness, response, and recovery. Preparedness is the most important phase in the disaster management cycle. Previous research in Iran has shown that the role of people as the most important and largest group has often been neglected in disaster preparedness program planning[8].

The Health Belief Model (HBM) describes the decision-making process that individuals use to adopt healthy behavior. It can be an effective framework for developing health promotion strategies[9]. Theoretically, in the HBM, perceived susceptibility, perceived severity, perceived benefits, perceived

barriers, cues to action, and self-efficacy (the beliefs of individuals in their ability to prepare for disaster) predict behavior [1, 9, 10].

There are some studies on earthquake preparedness that have assessed the readiness of individuals based on their knowledge and skills [11-13]. Some studies have also considered structural and non-structural safety in some cities[14] and some studies have investigated students' readiness [15, 16]. There are a few studies that have used behavioral change models in the disaster area[5]. The Haraoka and Inal used the health belief model to develop a questionnaire for earthquake preparedness [1, 11].

Previous studies in Iran showed that most households did not have enough readiness and had a relatively high vulnerability to possible earthquake hazards[17, 18]. Also, one study showed that improving the socio-economic status was correlated with improving the attitude of people about disaster preparedness [13]. In DeYoung et al. study, earthquake readiness was positively correlated with risk perception, self-efficacy, and trust in information about hazards through media[19].

This is the first study in Iran that examines earthquake preparedness of households using a behavior change model. Considering the importance of earthquake preparedness of households, this study aimed to assess the level of earthquake preparedness of households and its predictors based on HBM in Hamadan province.

Methods

Study design and participants

This observational descriptive and analytical study was carried out in all counties of Hamadan province, in the west of Iran, in 2019. These counties are Hamadan (the capital of Hamadan province), Malayer, Tuyserkan, Nahavand, Razan, Bahar, Kabudarahang, Asadabad, and Famenin. Based on the previous study[17], the estimated sample size was 600 households. Cluster sampling was used for this study and we used the design effect of 1.5 plus 10 percent attrition. Subsequently, the final sample size was calculated at 1000 households. The inclusion criteria were being at least 18 years old and being able to answer the questions. The exclusion criteria were an incomplete questionnaire or giving up answering the questions.

Participants have been selected by multi-stage random cluster sampling. First, stratified sampling was used for each county based on its urban and rural populations. Then, in urban and rural areas, a list of urban or rural health centers was listed and one health center was randomly selected in each county. After that, from the list of all households covered by the selected health center, one household was selected by simple random sampling and sampling started taking the clockwise direction of the selected household and continued until the required sample was collected. For selecting the sample of the urban population of Hamadan County, we selected one health center from each district by simple random sampling (in Hamadan city, there are four districts). In the next stage, from the list of covered households,

one household was randomly selected and the sampling was started taking the clockwise direction until the required sample in each district was collected.

From each county, a university graduate person was recruited and trained for data collection. The supervision and training were done by the first author. The data were collected from February to July 2019. Informed consent was obtained from all participants before the data gathering. A person aged 18 or above was randomly selected from each household and answered questions. For illiterate people, questionnaires were filled by interviewing them.

Measures

The questionnaire used for data collection comprises four domains including 1) demographics, 2) earthquake preparedness 3) awareness on earthquake response, and 4) predictor of earthquake preparedness based on the HBM.

1) Demographics included age, sex, occupation, education, economic status, family size, number of individuals over 60 years old and under 16, earthquake experience, homeownership, marital status, and having a person with a disease that needs medication at their home.

2) We measured earthquake preparedness by an earthquake preparedness checklist[20]. This checklist was developed and validated by Spittal et al., in 2006. It consists of 23 questions with yes or no answers. The questions are about: having a working torch (flashlight), a first aid kit, a working battery radio, a working fire extinguisher, etc[20]. We adapted this checklist by adding two items according to the context of the study. These two questions were: 1) do you know the necessary contact numbers such as fire station, police, and emergency so that you will be able to call them if needed?; 2) are you familiar with the phrase, "Drop, Cover, and Hold"? Also, we adapted it with some minor changes. We added "have learned first aid" to "have purchased first aid kit" statement. We added "and extra cloths and blankets" at the end of "put aside extra plastic bags and toilet paper for use as an emergency toilet" statement. We replaced "roof" with "my way" in "ensuring that the roof will probably not collapse in an earthquake. We added some examples to "take some steps at work" statement such as attending an earthquake preparedness class and having fire insurance. The content validity of the Persian checklist was tested by 10 experts. We calculated CVI and CVR equal to 0.92 and 0.95, respectively. Also, the face validity and reliability of this checklist were examined in a pilot study on 40 adults. According to their recommendations, minor revisions were made to increase the transparency and understandability of the statements. Likewise, the reliability of this checklist was measured by internal consistency (Chronbach α = 0.858). The total score of this checklist was ranging from 0 to 25 and the higher score reflects more preparedness.

3) The awareness on earthquake response questionnaire included seven questions with true/false answers (In an earthquake: you should get down close to the ground; you should get under a big piece of furniture such as a desk or other covers; you should hold on to a firm object until the end of the shaking; you should stand in a doorway; If you are indoors during an earthquake, you must exit the building; If you

are in bed during an earthquake, you should stay there and cover your head with a pillow; next to pillars of buildings and interior wall corners are the safe areas). One point was given for each correct answer. Therefore, the total score of this domain was seven points.

4) The adapted questionnaire of earthquake preparedness based on the HBM was used. The original questionnaire has been established and validated by Inal et al[1] in Turkey. The forward and backward translation method was used for translating the original questionnaire. According to the experts' opinions, some minor changes were made to adapt the items of the questionnaire for the study population in the present study. Thereby, three questions were added to the questions of the cues to action (Radio and TV encourage me to prepare for disasters, I usually seek information about disaster preparedness from Radio and TV, and I usually obtain information about disaster preparedness from health providers). Besides, one question was added to the questions of perceived benefits (preparedness for disaster will reduce financial losses and injuries). Then, the content validity of the questionnaire was assessed by a panel of experts including 10 Health specialists in the field of health in disasters, health education, health promotion, and safety promotion (CVR= 0.92 & CVI=0.85). Next, the face validity and reliability of the questionnaire were measured in a pilot study on 40 people over 18 years old. The reliability was calculated by using internal consistency. One question from the perceived severity (emergency and the experience of disasters does not change my life) and one question from self-efficacy (I cannot create an emergency plan with my neighbors) was excluded based on the results of Cronbach's alpha. In Iran, neighbors don't share their plans; therefore, it was logical to exclude these items. Finally, the questionnaire consisted of 33 questions, including perceived severity (2 questions, $\alpha=0.709$), perceived susceptibility (6 questions, $\alpha=0.664$), perceived benefits (4 questions, $\alpha=0.758$), perceived barriers (6 questions, $\alpha=0.822$), self-efficacy (7 questions, $\alpha=0.677$), cues to action (8 questions, $\alpha=0.683$), and total questions (33 questions, $\alpha=0.809$). All of the items were assessed by a 5-point Likert scale ranging from 'completely disagree' (one point) to 'completely agree' (5 points). Some items were scored reversely.

Statistical analysis

We used the analysis of variance (ANOVA) and independent t-test to determine the relationship between variables. Besides, the multivariate linear regression model was used to determine the predictors of household earthquake preparedness. The Stata 14.2 software was used to analyze the data.

Results

In this study, 933 questionnaires were analyzed (response rate: 93.3%). Besides, 228 (24.4%) participants were male and 656 (70.31%) were female. About 80 percent of the participants did not have an academic education and had a diploma degree or less than a diploma degree. Also, 573 (about 61.5%) participants were homeowners (See Table 1).

The earthquake preparedness of the participants was low. The average household preparedness score was 7.5 out of 25. In other words, the average earthquake preparedness of households was

approximately 30%. Besides, the self-efficacy score was 60.79 ± 0.55 and the score of cues to action was 66.57 ± 0.45 (See Table 2).

The participants' preparedness for the earthquake had a significant relationship with gender, homeownership, marital status, education, economic status, and previous experience of a destructive earthquake. The mean score of earthquake preparedness was higher in those who reported moderate or good economic status. The mean difference was statistically significant by the Scheffe test ($P < 0.01$). Also, the one-way ANOVA/Scheffe's test showed that there was a significant difference between illiterate people and those who had either university education or diploma ($P < 0.05$) and similarly, a significant difference in earthquake preparedness was observed between primary education and those who had either academic degree or diploma ($P < 0.01$) (See Table 3).

The crude regression analysis showed that all constructs of the HBM except perceived severity were significant predictors of earthquake preparedness ($P < 0.001$) but after using stepwise regression, only perceived benefits, cues to action, and self-efficacy significantly predicted the earthquake preparedness ($P < 0.001$).

Discussion

Despite the strong emphasis on earthquake preparedness to prevent its damaging effects, the findings of this study showed that most people had low preparedness for earthquakes which is similar to the findings of previous studies [16, 21-23]. This can be very dangerous in areas that are vulnerable to earthquakes. Earthquake preparedness is related to the previous experience of destructive earthquakes and their damaging consequences. Households that had previously experienced destructive earthquakes were more prepared than those who had not previously experienced this event, which is similar to previous finding[24, 25]. People who live in earthquakes zones and understand the potential losses from earthquakes are more likely to be prepared in comparison to people living in other areas[16]. This could be due to recalling previous injuries as well as the fear of recurrence of similar injuries in future earthquakes. This goes back to the culture of societies that their members don't believe that they are at risk of the occurrence of hazards and their consequences until they experience these hazards. Regarding the high frequency of earthquakes in the Hamadan province, most of the participants in this study had previous earthquake experience but they were not prepared for earthquakes. Perhaps this is because most of the recent earthquakes in Hamadan did not result in deaths and as a result, these households do not take the risk of earthquakes seriously and do not find it essential to hold earthquake preparedness[26].

Besides, education was significantly correlated with households' earthquake preparedness, which is similar to the results of Russell et al. and Qadiri et al. studies[27, 28]. One explanation can be that people with higher education are more knowledgeable, more aware of earthquakes danger, and more inclined to acquire new skills [26, 29].

In this study, we found that the preparedness of participants has a significant relationship with homeownership. Two previous studies showed homeowners were more prepared for earthquakes than renters [30, 31], whereas a study in Ethiopia in 2014 showed that homeownership had no relationship with disaster preparedness[26]. One of the explanations is that owners can make the necessary changes despite preparedness costs due to place attachment, but more studies are required to confirm the role of homeownership.

We adjusted for multiple possibly confounding factors in our analysis. After adjusting the model, perceived benefit, cues to action, and self-efficacy had significant predictors of earthquake preparedness. It is more possible that people's earthquake preparedness increases when they are aware of the benefits of earthquake preparedness. Furthermore, people with high self-efficacy feel they can prepare for earthquakes [32]. On the other hand, people may find the earthquake hazardous but if they feel enough confident to reduce damages of earthquakes, they will engage in preparedness. If people perceive the benefits of a healthy behavior higher than the barriers of it, they will engage in that healthy behavior. Therefore, people may perceive earthquakes as a high threat but it can be expected that higher perceived benefits and self-efficacy among them result in higher preparedness. One possible explanation is that the perceived benefits motivate people to perform a specific behavior and adopt an action[10]. Besides, the significant association of self-efficacy with preparedness at the household level for earthquakes could be explained by the positive and strong association of cues to actions with earthquake preparedness at the household level. Self-efficacy can be improved by observational learning, role modeling, and encouragement. Self-efficacy affects one's efforts to change risk behavior and causes the continuation of one's safe behavior despite obstacles that may decrease motivation[10]. Moreover, cues to action associated with earthquake preparedness[1]. Cues to action mention to influences of the social environment such as family, friends, and mass media. Mass media can play a vital role in educating the public about earthquake preparedness.

This study has several limitations. Firstly, using a self-reporting approach for data gathering, second, due to a few relevant studies on earthquake preparedness based on behavioral change models, it was less possible to compare different studies to the findings of this study. Third, it should be noted that the generalization of the results of this study for other settings should be done with caution. Despite these limitations, this study had some strengths, we use a theoretical framework for identifying factors that influence earthquake preparedness with a large sample size. Also, the findings of this study are useful for emergency service providers, health authorities, and policymakers in designing and implementing earthquake preparedness programs. This research is also useful for researchers as it can be used as a basis for future researches. It is recommended to design and implement interventions to improve household preparedness for an earthquake based on self-efficacy, perceived benefits, and cue to action.

Conclusion

Households' earthquake preparedness was insufficient and low. Controlling the damaging consequences of earthquakes is related to the preparedness for earthquakes and can prevent its devastating effects.

Perceived benefits, cues to action, and self-efficacy had a significant relationship with earthquake preparedness. The possibility of people being more prepared is increased when they are aware of and understand properly the benefits of being prepared for earthquakes and other disasters. People with high self-efficacy also feel more empowered for taking better care of themselves and their families during disasters. Cues to action would also encourage earthquake preparedness. Since health centers and TV and radio programs were the primary sources of learning about earthquakes for the people, it is recommended that broadcasting provides related programs and educates people about earthquake preparedness. Considering the predictors that were assessed in this study can be useful for designing proper interventions in this field.

Abbreviations

HBM: Health belief model; CI: Confidence interval; ANOVA: analysis of variance; CVR: content validity ratio; CVI: content validity index;

Declarations

Ethics approval and consent to participate

This study was approved by the Ethical Committee of Hamadan University of Medical Sciences (Ref. No.: IR.UMSHA.REC.1397.359). Informed consent was obtained from all participants before the data collection.

Consent to publish

Not applicable.

Availability of data and materials

The analyzed datasets during this study are available from the corresponding author on reasonable request.

Competing interests

All authors declare that they have no competing interests.

Funding

This study was approved and financially supported by the Deputy of Research and Technology of Hamadan University of Medical Sciences (number: 9707174168).

Authors' contributions

MRM has made substantial contributions to the conception and design of the study, took responsibility for and coordinated the acquisition of data and contributed actively in the analysis of the data and the writing of the manuscript. FRS has made substantial contributions to the conception and design of the study, interpretation of the data, and writing up the manuscript. MS contributed to the design of the study and preparation of the manuscript. MRY was involved in the design of the study and the data gathering process. ADI contributed to the study design, data analysis, and interpretation. All authors read and approved the final manuscript.

Acknowledgments

The authors gratefully thank all of the participants in this study.

Authors' information

¹Research Center for Health Sciences, Hamadan University of Medical Sciences, Hamadan, Iran. ²Vice-chancellor for Health, Hamadan University of Medical Sciences, Hamadan, Iran. ³Chronic Diseases (Home Care) Research Center and School of Nursing & Midwifery, Hamadan University of Medical Sciences, Hamadan, Iran. ⁴Department of Epidemiology, School of Health, Hamadan University of Medical Sciences, Hamadan, Iran. ⁵Department of Public Health, School of Public Health, Hamadan University of Medical Sciences, Hamadan, Iran. ⁶Social Determinants of Health Research Center, Hamadan University of Medical Sciences, Hamadan, Iran.

References

1. Inal E, Altintas KH, Dogan N. The development of a general disaster preparedness belief scale using the Health Belief Model as a theoretical framework. *International Journal of Assessment Tools in Education*. 2018;5(1):146-58.
2. Şakiroğlu M. Variables related to earthquake Preparedness Behavior. Unpublished MS Thesis, Department of Psychology, Middle East Technical University Ankara: Turkey. 2005.
3. Walters RJ, England P, Houseman G, editors. The dynamics of continental convergence in Iran. AGU Fall Meeting Abstracts; 2016.
4. Bakhtiari A. Country report: the Islamic Republic of Iran on disaster risk management. Kobe: Iranian National Disaster Management Organization. 2014.
5. Ejeta LT, Ardalan A, Paton D. Application of behavioral theories to disaster and emergency health preparedness: A systematic review. *PLoS Curr*. 2015;7.
6. Abdolizadeh S, Maleki Z, Arian M. Earthquake Hazard Zonation and Seismotectonics of the Bandar Abbas Area, Zagros, Iran. *Open Journal of Geology*. 2016;6(03):210.
7. Code IS. Iranian code of practice for seismic resistant design of buildings. Standard. 2005.
8. Farajzadeh M, Ghanei Gheshlagh R, Beiramijam M, Dalvand S, Ghawsi S, Amini H. Preparedness of Nurses for Crises and Disasters in Imam Khomeini and Social Security Hospitals of Saqqez. *Health*

- in Emergencies and Disasters Quarterly. 2017; 3 (1): 57-63.
9. Teitler-Regev S, Shahrabani S, Benzion U. Factors affecting intention among students to be vaccinated against A/H1N1 influenza: a health belief model approach. *Adv Prev Med*. 2011.
 10. Glanz K, Rimer BK, Viswanath K. Health behavior and health education: theory, research, and practice. John Wiley & Sons; 2008.
 11. Haraoka T, Ojima T, Murata C, Hayasaka S. Factors influencing collaborative activities between non-professional disaster volunteers and victims of earthquake disasters. *PloS one*. 2012;7(10):e47203.
 12. Cvetković V, Dragičević S, Petrović M, Mijalković S, Jakovljević V, Gačić J. Knowledge and perception of secondary school students in Belgrade about earthquakes as natural disasters. *Pol J Environ Stud*. 2015;24(4):1553-61.
 13. Rezaee M, Lashgari E, Nori M. Evaluation disaster management status of Kerman city with emphasis on mental–attitude preparedness. *Hum Geogr Res*. 2018;50(4):853-71(persian).
 14. Dargahi A, Farrokhi M, Poursadeghiyan M, Ahagh M, Karami A. Evaluation of Functional Preparedness and Non Structural Safety of Different Health Units of Kermanshah University of Medical Sciences in Coping With Natural Disas-ters. *Health in Emergencies and Disasters Quarterly*. 2017; 2 (4): 201-206.
 15. Ronan KR, Alisic E, Towers B, Johnson VA, Johnston DM. Disaster preparedness for children and families: a critical review. *Curr Psychiatry Rep*. 2015;17(7):58.
 16. Amanat N, Khankeh H, Hosseini MA, Mohammadi F, Sadeghi A, Aghighi A. The effect of earthquake preparedness training to male high school students on families' preparedness in Eshtehard city in 2010-2011. *Journal of rescue and relief*. 2013;5(3):27 To 39.
 17. Rakhshani T, Abbasi S, Ebrahimi M, Travatmanesh S. Investigating the preparedness status of households against earthquake in Fars Province in 2013; A cross sectional study. *Iranian Journal of Emergency Medicine*. 2016;3(2):66-72.
 18. Jamshidi E, Majdzadeh R, Namin MS, Ardalan A, Majdzadeh B, Seydali E. Effectiveness of community participation in earthquake preparedness: a community-based participatory intervention study of Tehran. *Disaster Med Public Health Prep*. 2016;10(2):211-8.
 19. DeYoung SE. Disaster Preparedness: Psychosocial Predictors for Hazard Readiness. PhD thesis, Raleigh, North Carolina. 2014.
 20. Spittal MJ, Walkey FH, McClure J, Siegert RJ, Ballantyne KE. The Earthquake Readiness Scale: the development of a valid and reliable unifactorial measure. *Natural Hazards*. 2006;39(1):15-29.
 21. Rañeses MK, Chang-Richards A, Richards J, Bubb J. Measuring the level of disaster preparedness in Auckland. *Procedia engineering*. 2018;212:419-26.
 22. Ozmen F. The level of preparedness of the schools for disasters from the aspect of the school principals. *Disaster Prev Manag*. 2006;15(3):383-95.
 23. Wu G, Han Z, Xu W, Gong Y. Mapping individuals' earthquake preparedness in China. *Natural Hazards and Earth System Sciences*. 2018;18(5):1315-25.

24. Shapira S, Aharonson-Daniel L, Bar-Dayana Y. Anticipated behavioral response patterns to an earthquake: The role of personal and household characteristics, risk perception, previous experience and preparedness. *Int J Disaster Risk Reduct.* 2018;31:1-8.
25. Najafi M, Ardalan A, Akbarisari A, Noorbala AA, Jabbari H. Demographic determinants of disaster preparedness behaviors amongst Tehran inhabitants, Iran. *PLoS Curr.* 2015;7.
26. Ashenefe B, Wubshet M, Shimeka A. Household flood preparedness and associated factors in the flood-prone community of Dembia district, Amhara National Regional State, northwest Ethiopia. *Risk Manag Healthc Policy.* 2017;10:95.
27. Russell LA, Goltz JD, Bourque LB. Preparedness and hazard mitigation actions before and after two earthquakes. *Environment and behavior.* 1995;27(6):744-70.
28. Ghadiri M, Nasabi N. Analysis of the difference of mental-attitude preparedness of earthquake in Shiraz households. *Geogr urban Plan Res.* 2015;3(2):227–45(persian).
29. Edwards ML. Social location and self-protective behavior: Implications for earthquake preparedness. *Int J Mass Emerg Disasters.* 1993;11(3):293-303.
30. Oral M, Yenel A, Oral E, Aydin N, Tuncay T. Earthquake experience and preparedness in Turkey. *Disaster Prev Manag.* 2015;24(1):21-37.
31. Kirschenbaum A. Families and disaster behavior: a reassessment of family preparedness. *Int J Mass Emerg Disasters.* 2006;24(1):111.
32. Paton D. Disaster preparedness: a social-cognitive perspective. *Disaster Prev Manag.* 2003;12(3):210-6.

Tables

Table 1. Basic and demographic characteristic of participants of earthquake preparedness study

Variables		Mean	SD
Age		38.24	12.85
Family size		3.74	1.29
Residential years		13.09	12.58
Variables		Number	Percent
Sex			
	Man	228	24.44
	Woman	656	70.31
Education			
	Uneducated	86	9.22
	Primary	216	23.15
	Secondary	187	20.04
	High school	77	8.25
	Diploma	179	19.19
	University	186	19.94
Economic statue			
	Very good	22	2.36
	Good	43	4.61
	Moderate	387	41.48
	Poor	243	26.05
	Very poor	205	21.97
Owner of the house			
	Yes	573	61.41
	No	313	33.55
Marriage statue			
	Married	812	87.03
	Unmarried	121	12.07
Earthquake experience			
	Yes	744	79.74
	No	136	136
Damaging earthquake experience			
	Yes	66	7.07
	No	822	88.10
Does anyone over 60 years old live at your home?			
	Yes	253	27.12
	No	680	72.88
Does anyone under 16 years old live at your home?			
	Yes	597	63.99
	No	336	36.01
Does anyone live with a disease that needs medication at your home?			
	Yes	194	20.79
	No	736	78.89

Table 2. Determining the Average of Preparedness Scores and Structures of Health Belief Model and Performance Awareness of Participants

Table 3. Determining the Relationship between Earthquake Preparedness and Demographic Variables of Participants by Independent T-Test and Analysis of Variance

Variables	Mean(SD)	95%CI
Preparedness	30.03(0.65)	28.31- 31.31
Perceived susceptibility	68.67(0.55)	67.59-69.75
Perceived severity	73.16(0.77)	71.65-74.61
Perceived benefits	77.51(0.69)	76.15-78.87
Perceived barriers	50.55(0.52)	49.53-51.57
Cues to action	66.57(0.45)	46.46-65.67
Self-Efficacy	60.79(0.55)	59.71-61.87
Earthquake performance awareness	57.61(0.71)	56.21-59.02

Table 4. Determine the Relationship between Earthquake Preparedness and Study Variables Using Stepwise Linear Regression

Variables		Mean	Standard error	P-value
Sex	female	30.560	0.781	<0.001
	Male	29.004	1.281	
Homeowner	Yes	31.05	0.827	<0.001
	No	27.961	1.084	
Marriage statue	Married	30.182	0.693	<0.001
	Unmarried	28.740	1.903	
Earthquake experience	Yes	30.951	0.715	<0.001
	No	25.825	1.686	
Destructive earthquake experience	Yes	35.151	2.461	<0.001
	No	29.888	0.685	
Age	<20	30.511	3.252	0.216
	21-30	30.971	1.246	
	31-40	31.265	1.103	
	41-50	29.541	1.446	
	>50	26.834	1.705	
Educational level	illiterate	25.116	1.194	<0.001
	Elementary	27.574	1.300	
	Secondary school	27.336	1.396	
	High school	29.368	1.172	
	Diploma	33.810	1.509	
	Academic	34.774	1.436	
Economic statue	Very poor	26.595	1.224	<0.001
	Poor	25.272	1.239	
	Moderate	33.385	1.008	
	Good	40.093	3.212	
Residential type	Very good	32.909	4.700	0.058
	With yard	30.668	0.813	
	Apartment	32.699	1.568	
	Leased	26.173	1.473	
	Mortgage	31.076	5.586	
	Governmental	31	8.22	

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [00STROBEchecklistcrosssectionalCopy.docx](#)

Variables	Regression coefficient	p-value	95%CI	
			Lower	upper
Perceived susceptibility	0.005	0.931	-0.106	0.116
Perceived severity	-0.020	0.554	-0.087	0.046
Perceived benefits	-0.125	0.006	-0.214	-0.036
Perceived barriers	0.060	0.267	- 0.047	0.169
Cues to action	0.318	0.001	0.197	0.439
Self-efficacy	0.253	0.001	0.137	0.369
Awareness	0.048	0.146	-0.016	0.113
Education	1.793	0.001	0.854	2.733
Earthquake experience	2.561	0.198	-1.337	6.459
Economic statue	1.580	0.053	-0.22	3.182
Residential type	-2.467	0.004	-4.151	-0.783
Household size	-1.365	0.016	-2.479	-0.251
Destructive earthquake experience	7.855	0.004	2.466	12.843