

Domain Multiplexed Computer-generated Holography by Embedded Wavevector Filtering Algorithm

Lin Wu

Westlake University <https://orcid.org/0000-0002-7458-2387>

Ziyang Zhang (✉ zhangziyang@westlake.edu.cn)

Institute of Advanced Technology, Westlake Institute for Advanced Study, 18 Shilongshan Road, Hangzhou 310024, Zhejiang Province, China. <https://orcid.org/0000-0002-7952-8718>

Research

Keywords: computer-generated holography, holograms, wavevector filtering algorithm, multiplexed display

Posted Date: October 27th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-95986/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published on January 5th, 2021. See the published version at <https://doi.org/10.1186/s43074-020-00023-9>.

Domain multiplexed computer-generated holography by embedded wavevector filtering algorithm

Lin Wu^{1,2} and Ziyang Zhang^{1,2*}

¹Key Laboratory of 3D Micro/Nano Fabrication and Characterization of Zhejiang Province, School of Engineering, Westlake University, 18 Shilongshan Road, Hangzhou 310024, Zhejiang Province, China.

²Institute of Advanced Technology, Westlake Institute for Advanced Study, 18 Shilongshan Road, Hangzhou 310024, Zhejiang Province, China.

*zhangziyang@westlake.edu.cn

Abstract: Computer-generated holography can obtain the wavefront required for constructing arbitrary intensity distributions in space. Currently, speckle noises in holography remain an issue for most computational methods. In addition, there lacks a multiplexing technology by which images from a single hologram and light source can be switched by a lens. In this work, we first come up with a new algorithm to generate holograms to project smoother images by wavevector filtering. Thereupon, we propose a unique multiplexing scheme enabled by a Fourier lens, as the incident light can be decomposed either by a superposition of spherical waves or plane waves. Different images are obtained experimentally in the spatial and wavevector domains, switchable by a lens. The embedded wavevector filtering algorithm provides a new prospective for speckle suppression without the need for postprocessing. The multiplexing technology can double the capacity of current holographic systems and exhibits potential for various interesting display applications.

Keywords: computer-generated holography, holograms, wavevector filtering algorithm, multiplexed display

Introduction

The holographic display technology can generate arbitrary wavefront of light with simple hardware configurations [1, 2]. Among the various implementations of this technology, the phase-only modulation by the holographic media can yield an efficient diffraction of the incident light. By pushing the complexity of wavefront reconstruction into computational techniques, the phase-only holography can not only project high resolution images, but also inspire novel applications by projecting multiple images. Generating multiple independent images from a single computer-generated hologram (CGH) is important for many practical applications [3, 4]. For instance, the multiple imaging based on the viewing positions or angles is crucial to address the accommodation-convergence conflict in true 3D and near-eye displays [5, 6]. This concept has also been commercialized to enable multiple viewers to share one screen with each person able to see personalized content [7, 8]. By further considering the light's properties, holography can be multiplexed by the polarization, frequency, wavevector and spatial mode of the incident light, as recently demonstrated using metasurfaces as holography media [9-14].

Overall, the images from the holographic multiplexing algorithm are changed by moving viewers, and these from the light's property multiplexed holography are switched by optical components such as polarizers or spectrum filters. Here, we propose a new holographic multiplexing algorithm to use a lens, i.e., a common Fourier transform element, to switch the projected images. Although our method does not rely on distinguishing the fundamental properties of light such as polarization [15, 16] and wavelength [17], it still enables image switching purely by optical processing. The

principle behind this technology is that light can manifest as a superposition of plane waves or spherical waves [18]. Thus, the image in the wavevector domain represents the intensities of all the plane waves with the help of lens, and the other image is the result of the interference of spherical waves after removing the lens. The proposed method can also project images at different positions, with some of them need to be retrieved by a lens. The light's property multiplexed holography can be incorporated into the proposed method to further increase the capacity of the holographic systems, e.g. metasurfaces [19].

In order to address the speckle noise issue in the CGH, we also propose a method to upgrade the Gerchberg–Saxton (GS) algorithm. The wavevector filtering is widely applied to noise suppression through numerical method or putting a filter in the pupil plane of a 4-f imaging system [20, 21]. Here, we propose to embed the wavevector filtering into the iterative algorithm. As a result, the generated holograms only include partial information of the target image. This idea is verified theoretically by equation derivations and demonstrated experimentally, i.e., high quality images are indeed observed. The incorporation of the low-pass wavevector filter into the GS algorithm is realized by modifying the input or output phases of the forward transform equation, or even the forward transform equation itself. The results are surprising as the original GS algorithm adopts a forward transform and its inverse transform, while although the forward and backward transforms in the proposed algorithm are not invertible processes, the qualities of the generated images can be significantly improved. As such, our work indicates the new opportunities for high quality image projections from CGH generated

by the modified GS algorithm. Using this new algorithm, we have demonstrated the multiplexing of two complex target images with a simple lens experimentally.

Concept of the holographic multiplexing method

It is widely known that light can be treated as a superposition of spherical waves emitting from different positions or plane waves with different propagating angles (wavevector directions), as shown in Figure 1a and 1b, respectively. The spherical waves propagate and interfere to form an image. The same wavefront can also be decomposed into multiple plane waves, the propagating directions of which can be re-organized by a Fourier lens, as depicted in Figure 1b. Therefore, a lens can turn an image, which is the result of beam interference, into a completely different image that corresponds to the distribution of plane waves with a set of wavevectors.

Figure 1c depicts one of the potential applications enabled by this multiplexing technology. The viewer at a fixed position can choose which contents to see from the screen by wearing lens or not, while viewers at other locations can get neither of these contents. In another scenario, the CGH can project images to different viewers [19, 22], who can decide whether to wear a glass or not as they wish. The technology may also be integrated into available near-eye display devices [23, 24].




Figure 1. (a) and (b) The interpretation of light as a superposition of spherical waves and plane waves. (c) Example application of the holographic displays multiplexed by a lens.

Spatial frequency modification for light interpreted in the Fourier space

In this section, light is treated as a superposition of plane waves propagating at different angles, which are termed as spatial frequencies. The amplitude distributions in the spatial frequency domain can be calculated by Fourier transform, and obtained by a Fourier lens optically. To obtain images in the Fourier plane from the phase-only CGH, the GS algorithm employing fast Fourier transform is widely utilized. The algorithm alternately performs the Fourier transform and the inverse Fourier transform in an iterative cycle. The GS algorithm works in a way that the phase distributions in the spatial light modulator (SLM) plane can generate amplitude distributions closer to the target image after each cycle, as shown in Figure 2a. However, the images from the CGHs generated with the GS algorithm suffer from the speckle noise due to the interference of the random diffusers with various phases. To address this issue, several

modified GS algorithms are proposed [25-28]. One widely adopted method is to introduce a region of no interest (RONI) as a free amplitude and phase variable space in the iterative algorithm, so the amplitude constraints are applied only in the region of interest (ROI) to suppress the speckle noise [25, 26]. Another scheme is to put constraints on both amplitude and phase in the image plane simultaneously [27]. The key concepts of these improved GS algorithms are to modulate either the amplitude or phase distributions in the image plane. While the amplitude modification can only be implemented according to the ROI, thus its capability is restricted. On the other hand, the phase modulation in the image plane will reduce the diffraction efficiency compared to the original GS algorithm [28].

Alternatively, we propose a new method to filter out partial spatial frequencies in the iterative algorithms, i.e., we imbed the spatial frequency filtering only electronically, within the iteration algorithm. Therefore, no physical filter in the wavevector domain is required and the image quality improvement sole relies on the digital “virtual” filtering. We propose two methods to realize the spatial frequency filtering. One is to employ windows for phase distribution in the SLM plane, while the other one is to “slow” down the variations of phase distribution in the image plane, as depicted in Figure 2b and 2c, respectively.

The results in Figure 2b and 2c are the information filtered versions of the target image. For the method depicted in Figure 2b, the spatial frequency filtering is enabled by keeping only the phases in the center region and setting the values outside this region to zero. In the algorithm shown in Figure 2b, the forward transform is windowed

Fourier transform, which has been demonstrated useful in phase retrieval for fringe patterns [29]. As far as we know, the combination of a windowed Fourier transform and an inverse Fourier transform has not been implemented in any CGH algorithm. The relationship between the resulted image I' and the target image I is derived as (see Supplementary Information for details):

$$I' = \left| \text{FT} \left\{ \frac{\exp(i\varphi_1) \otimes \text{IFT} \left(\frac{I}{a_2} \right)}{\exp(i\varphi_1) \otimes \text{IFT} \left(\frac{I}{a_2} \right)} \right\} \right| \quad (1)$$

The FT and IFT denote Fourier transform and inverse Fourier transform in Eq. 1, respectively. The amount of spatial frequency components in I' is decided by the size of the region where the phases φ_1 are non-zero. For the results in Figure 2b, the φ_1 has the size of 380×380 pixels, among which 240×240 pixels in the central part are non-zeros. Further calculations and analysis are discussed in the Supplementary Information.

Figure 2c depicts another method by modifying the phase distributions in the image plane to make them vary sufficiently “slow”. The resulted amplitude distribution I' can be represented as:

$$I' = \left| \text{FT} \left\{ \frac{\text{IFT} [I \exp(i\varphi_2)]}{\text{IFT} [I \exp(i\varphi_2)]} \right\} \right| \quad (2)$$

Based on the calculations of Eq. 2, the “slower” the phases φ_2 vary in the plane, the more spatial frequency components are filtered. Moreover, by modifying the variation of φ_2 along one direction, particular spatial frequencies in the image can be filtered out. The calculations of these spatial frequency filtering properties are presented in the

Supplementary Information, along with the corresponding experimental results and the derivation of Eq. 2. In the previous modified GS algorithms, the constraints on the amplitude and phase distributions are deviated from the actual target. In our algorithm, only a part of the spatial frequencies is considered. To evaluate the quality of the generated image with respect to the target, we introduce signal-to-noise ratio (SNR) and root mean square error (RSME) to characterize the experimental results. The SNRs denote the ratio of intensities located inside the target patterns to those appeared in unwanted positions. The equation for RMSE is represented as:

$$\text{RMSE} = \sqrt{\frac{\sum (\sqrt{I'} - \sqrt{I})^2}{\sum I}} \quad (3)$$

Comparing the experimental results in Figure 2b and 2c with that in Figure 2a, the images generated by both modified GS algorithms have smaller RMSE and higher SNR. Therefore, filtering high spatial frequencies can indeed accomplish image smoothing. The spatial frequency filtering can be implemented within the GS algorithm by only modifying either the phase distribution in the SLM plane φ_1 or the phase distribution in the image plane φ_2 . The advantage of the proposed imbedded filtering algorithm is that no additional physical spatial frequency filter is required to process the images from CGH.




Figure 2. The GS algorithms and the corresponding generated images in the experiments for (a) the original GS algorithm (worst); (b) constraining the phase distribution in SLM plane with a window (best); (c) modifying the variation of the phase distribution in image plane (good).

Spatial frequency modification for light interpreted in the Huygens space

In this section, light is treated as a superposition of spherical waves emitted from different positions in the SLM plane. The Rayleigh–Sommerfeld (RS) diffraction equation can calculate the diffraction patterns at a certain distance z [30, 31]:

$$G(u, v) = \frac{z}{2\pi R^2} \iint_{\Sigma} \left(\frac{i2\pi}{\lambda} - \frac{1}{R} \right) \exp\left(\frac{i2\pi R}{\lambda} \right) \exp[i\varphi_1(x, y)] dx dy \quad (4)$$

In Eq. 4, R is the distance between two points in the SLM plane and image plane:

$$R = \sqrt{(x-u)^2 + (y-v)^2 + z^2} \quad (5)$$

This diffraction equation can be used in the GS algorithm to calculate the phase distributions on SLM, as depicted in Figure 3a. In the GS algorithm, the backward diffraction can be written as:

$$a_3(x', y') \exp[i\varphi_3(x', y')] = \frac{z}{2\pi R'^2} \iint_{\Sigma} \left(-\frac{i2\pi}{\lambda} - \frac{1}{R'} \right) \exp\left(-\frac{i2\pi R'}{\lambda} \right) G(u, v) dx dy \quad (6)$$

In the aforementioned schemes for spatial frequency filtering, only the input or output phases of the Fourier transform are modified. Therefore, it is only necessary to modify the calculation processes from the SLM to image planes to improve the quality of images from CGH. To further extend this concept, we propose to only modify the forward transform equation in the GS algorithm. For a point source near the boundary of the SLM plane, the generated amplitude distribution on the image plane calculated by Eq. 4 is depicted in Figure 3b. In order to filter out the high wavevector components, light with large propagating angle needs to be eliminated from the calculations. Here, we propose to change the parameter R to:

$$R = \begin{cases} \sqrt{(x-u)^2 + (y-v)^2 + z^2} & |x| \leq p, |y| \leq p \\ \sqrt{b(x-u)^2 + b(y-v)^2 + z^2} & p < |x| \leq 1.71, p < |y| \leq 1.71 \end{cases} \quad (7)$$

In Eq. 7, the parameters p and b are chosen as 1.08 mm and 6 according to the experiments. By increasing this parameter for the points near the boundary of the SLM plane, the amplitudes of the light propagating at large angle decrease, as depicted in Figure 3d. Comparing Figure 3b and 3d, it can be seen that $\theta_1 > \theta_2$. Hence the high wavevector components is absent in the iterative calculations involving Eq. 7. The experimental results from the unmodified and modified forward diffraction equations are shown in Figure 3c and 3e, respectively. It is then clear to understand that the image quality can be significantly improved by filtering out high spatial frequencies, as verified by the SNR and RMSE results. From the experiments, by further increasing the parameter b in Fig. 7 or reducing the region where R is not modified, the quality of image cannot be further improved. It is also worth noting that the backward transform equations in Eq. 6 are not modified for both results in Figure 3c and 3e.

According to Eq. 1 and 2, the modifications on either φ_1 or φ_2 can filter certain spatial frequency components in the image I' . Similarly, it is straightforward to understand the wavevector filtering by modifying R in the forward diffraction equation, as the amplitude of light propagating at a certain angle is dependent on the R in the diffraction equations. By increasing the R for different positions in the SLM plane, it is also possible to filter out other spatial frequencies. The experimental results for different wavevector filtering can be found in the Supplementary Information.

In the original GS and previous modified GS-like algorithms, the forward and

backward transform equations are usually inverse processes. However, our proposed algorithms have demonstrated that this condition is not essential. By modifying the input or output phases of the forward transform equation, or even the forward transform equation itself, one can realize particular wavevector filtering. The embedded low-pass filtering algorithm can accomplish image smoothing/noise suppression effect, simultaneously when generating the required phase distribution in the SLM plane for a given target image.




Figure 3. (a) The GS algorithm employing the RS diffraction equations. (b) and (d)

The amplitude distributions on the image plane calculated by the unmodified and modified forward diffraction equations, respectively. (c) and (e) The images generated by the GS algorithms with the unmodified and modified forward diffraction

equations, respectively.

Holography multiplexing with a Fourier lens

The proposed algorithms above can generate holograms based on the decompositions of light into either plane waves with different wavevectors or spherical waves emitted from different positions on the SLM. The images are located at either the Fourier plane of a lens or a pre-defined position in the air. Therefore, it is possible to design a phase map to generate different images for the optical paths with and without the lens. In this section, we develop a holographic multiplexing algorithm to achieve two independent images, selectable with a lens.

Figure 4a depicts the experimental set-up. The distance from the SLM to the CCD is 290 mm, and between them a “switchable” lens is applied to change the images shown on the CCD. The CCD is located at the Fourier plane of the lens. The calculated amplitude distributions at different distances for imaging without and with the lens are depicted in Figure 4b and 4c, respectively. The two independent images are generated by the same phase map on the SLM, which is designed by a superposition operation to the holograms combined with the proposed embedded wavevector filtering algorithm. More details about the proposed algorithmic implementation are described in the Supplementary Information. The results in Figure 4b is calculated using Eq. 4. The results in Figure 4c after the lens is calculated as:

$$\begin{cases} G_1(u, v) = \frac{z_1}{2\pi R_1^2} \iint_{\Sigma} \left(\frac{i2\pi}{\lambda} - \frac{1}{R_1} \right) \exp\left(\frac{i2\pi R_1}{\lambda} \right) \exp[i\varphi_1(x, y)] dx dy \\ G_2(u', v', z) = \frac{z - z_1}{2\pi R_2^2} \iint_{\Sigma} \left(\frac{i2\pi}{\lambda} - \frac{1}{R_2} \right) \exp\left(\frac{i2\pi R_2}{\lambda} \right) G_1(u, v) \exp[i\varphi_f] du dv \end{cases} \quad (8)$$

In Eq. 8, $z_1 = 90$ mm, which denotes the position of the lens. R_1 represents the distance between two point in the SLM plane and lens plane, while R_2 is the distance between two points in the image plane and lens plane.

$$\begin{cases} R_1 = \sqrt{(x-u)^2 + (y-v)^2 + z_1^2} \\ R_2 = \sqrt{(u'-u)^2 + (v'-v)^2 + (z-z_1)^2} \end{cases} \quad (9)$$

In Eq. 8, φ_f is the phase map of the lens with a focal length f of 200 mm:

$$\varphi_f = -\frac{2\pi}{\lambda} \left(\sqrt{u^2 + v^2 + f^2} - f \right) \quad (10)$$

When $z = 290$ mm, the calculated image using Eq. 8 is identical to that by performing a Fourier transform to the complex wave in the SLM plane. The corresponding experimental results are depicted in Figure 4d and 4e. The crosstalk between two images is barely visible.

The proposed method is also applicable for more complex target images. The hologram for projecting the two target images of nine numbers and letters in Figure 4f and 4g is designed. The results in Figure 4h and 4i are generated based on the original GS algorithm. These characters are hardly recognizable. The images from the algorithm employing the wavevector filters are depicted in Figure 4j and 4k. Both SNRs and RMSEs of the two images are significantly improved. As a result, a lens can switch the projected images of one hologram with little crosstalk between the two images.




Figure 4. (a) The experimental set-up for holography multiplexing with a lens. (b) and (c) The calculated amplitude distributions at different distances for projecting without and with a lens. (d) and (e) The experimental images projected with and without a lens. (f) and (g) The desired complex target images to be projected with and without a lens. (h) and (i) The experimental results projected with and without a lens designed by the original GS algorithm. (j) and (k) The experimental results projected with and without a lens designed by the imbedded wavevector filtering algorithm. SMF: single mode fiber; PBS: polarization beam splitter; BS: beam splitter; SLM: spatial light modulator; CCD: charge-coupled device camera.

Results and discussion

We have proposed the Fourier lens as a new optical component to switch projected images from a single CGH. The two multiplexed images can locate at the same or different positions. The method can work with other holographic multiplexing methods, and is applicable to various types of holographic media. For instance, the proposed method can double the number of images multiplexed using a metasurface in two polarizations and two wavelengths [32]. The results presented here demonstrate that the applications of the wavevector filtering in the holographic algorithm can significantly improve the quality of images from CGH. The wavevector filtering is embedded within a GS algorithm by modifying the input or the output phase distributions of the forward transform equation only, or even the forward transform equation itself. The experimental results indicate that the all three modified GS algorithms can results in high quality projections. This is due to the low-pass wavevector filtering which is capable of image smoothing. Moreover, no additional numerical filtering method nor real-world filter in the wavevector domain is required once the hologram is generated.

The embedded wavevector filtering CGH algorithm provides a different prospective for speckle suppression in holography. It is completely different from the previous methods in which the amplitudes outside the ROI are sacrificed or additional random phases have to be added. We believe this new algorithm can find applications in other iteration algorithms for phase retrieval as well. Other types of wavevector filtering, such as high-pass, band-reject and band-pass, are also expected to incorporate into the CGH for implementing various image processing tasks [33, 34].

Conclusions

As extension of the proposed technology, the lens can also operate with polarizers, spectrum filters and receiving devices at different positions to increase the multiplexing capacity of current holographic multiplexing system. The technology may find potential applications in head-mounted displays for augmented reality and virtual reality, multi-view and 3D imaging [35, 36], holographic encryption and image hiding [37, 38].

Methods and experimental set-up

The experimental set-up is depicted in Figure 4a. The incident source used is a narrow linewidth laser, Koheras Basik E15 from NKT photonics. A fiber collimator is used to collimate the laser source from a single-mode fiber. By finding a minimum area that can steer all energy of incident light on the SLM using a gradient phase map, we can measure the beam size on the SLM, which covers totally 380×380 pixels on the SLM. The size of each pixel on the SLM is $9 \times 9 \mu\text{m}$. The diameter of the beam spot on the SLM is then calculated to be 3.42 mm. A Fourier lens is placed between the SLM and the CCD. The CCD camera placed in the Fourier plane of the lens is Xenics Bobcat-640-GigE, and the exposure time is set to 200 ms. The CCD pixel size is $20 \times 20 \mu\text{m}$. The distances from the SLM to the lens and from the lens to the CCD are 90 mm and 200 mm, respectively. These experimental parameters are used in Eq. 4-10 to calculate the holograms.

Acknowledgements

We thank Mr. Hao Wei from China Academy of Art for his help in figure art design.

Authors' contributions

LW and ZZ proposed the idea, completed the theoretical analysis and prepared the manuscript. LW performed the experiments. ZZ supervised the overall projects. All the authors analyzed the data and discussed the results. The authors read and approved the final manuscript.

Funding

This work was supported by the Natural Science Foundation of Zhejiang Province (Grant No. LQ20F050002).

Availability of data and materials

The calculation and experiment data that support the works of this study are available from the corresponding authors on reasonable request.

Competing interests

The authors declare that they have no competing interests.

References

1. Blanche P-A. Introduction to Holographic. In: *Optical Holography-Materials, Theory and Applications*. Elsevier, 2020, pp 1–39.
2. Wang D, Liu C, Shen C, Xing Y, Wang Q-H. Holographic capture and projection system of real object based on tunable zoom lens. *PhotoniX* 2020; 1: 6.
3. Zhang J, Pégard N, Zhong J, Adesnik H, Waller L. 3D computer-generated holography by non-convex optimization. *Optica* 2017; 4: 1306.
4. Makey G, Yavuz Ö, Kesim DK, Turnalı A, Elahi P, Ilday S et al. Breaking crosstalk limits to dynamic holography using orthogonality of high-dimensional random vectors. *Nat Photonics* 2019; 13: 251–256.
5. Zhan T, Xiong J, Zou J, Wu S-T. Multifocal displays: review and prospect. *PhotoniX* 2020; 1: 10.
6. Sahin E, Stoykova E, Mäkinen J, Gotchev A. Computer-Generated Holograms for 3D Imaging. *ACM Comput Surv* 2020; 53: 32.
7. <https://mirraviz.com/>
8. Papas M, Houit T, Nowrouzezahrai D, Gross M, Jarosz W. The magic lens. *ACM Trans Graph* 2012; 31: 186.
9. Li X, Chen L, Li Y, Zhang X, Pu M, Zhao Z et al. Multicolor 3D meta-holography by broadband plasmonic modulation. *Sci Adv* 2016; 2: e1601102.
10. Wu L, Tao J, Zheng G. Controlling phase of arbitrary polarizations using both the geometric phase and the propagation phase. *Phys Rev B* 2018; 97: 245426.
11. Kamali SM, Arbabi E, Arbabi A, Horie Y, Faraji-Dana M, Faraon A. Angle-Multiplexed Metasurfaces: Encoding Independent Wavefronts in a Single Metasurface under Different Illumination Angles. *Phys Rev X* 2017; 7: 041056.
12. Ma Q, Cui TJ. Information Metamaterials: bridging the physical world and digital world. *PhotoniX* 2020; 1: 1.
13. Zhou H, Sain B, Wang Y, Schlickriede C, Zhao R, Zhang X et al. Polarization-

- Encrypted Orbital Angular Momentum Multiplexed Metasurface Holography. *ACS Nano* 2020; 14: 5553–5559.
14. Zhao R, Huang L, Wang Y. Recent advances in multi-dimensional metasurfaces holographic technologies. *Photonix* 2020; 1: 20.
 15. Tan G, Zhan T, Lee Y-H, Xiong J, Wu S-T. Polarization-multiplexed multiplane display. *Opt Lett* 2018; 43: 5651.
 16. Zhan T, Lee Y-H, Wu S-T. High-resolution additive light field near-eye display by switchable Pancharatnam–Berry phase lenses. *Opt Express* 2018; 26: 4863.
 17. Zhan T, Zou J, Lu M, Chen E, Wu S-T. Wavelength-multiplexed multi-focal-plane seethrough near-eye displays. *Opt Express* 2019; 27: 27507.
 18. J. W. Goodman, *Introduction to Fourier Optics*, 4th Ed., W. H. Freeman, 2017.
 19. Wei Q, Huang L, Li X, Liu J, Wang Y. Broadband Multiplane Holography Based on Plasmonic Metasurface. *Adv Opt Mater* 2017; 5: 1700434.
 20. Bianco V, Memmolo P, Leo M, Montresor S, Distante C, Paturzo M et al. Strategies for reducing speckle noise in digital holography. *Light Sci Appl* 2018; 7: 48.
 21. Qi Y, Chang C, Xia J. Speckleless holographic display by complex modulation based on double-phase method. *Opt Express* 2016; 24: 30368.
 22. Zhang H, Deng H, He M, Li D, Wang Q. Dual-View Integral Imaging 3D Display Based on Multiplexed Lens-Array Holographic Optical Element. *Appl Sci* 2019; 9: 3852.
 23. Maimone A, Georgiou A, Kollin JS. Holographic near-eye displays for virtual and augmented reality. *ACM Trans Graph* 2017; 36: 85.
 24. Yang X, Zhang H, Wang Q. A Fast Computer-Generated Holographic Method for VR and AR Near-Eye 3D Display. *Appl Sci* 2019; 9: 4164.
 25. Akahori H. Spectrum leveling by an iterative algorithm with a dummy area for synthesizing the kinoform. *Appl Opt* 1986; 25: 802.
 26. Wang H, Yue W, Song Q, Liu J, Situ G. A hybrid Gerchberg–Saxton-like algorithm for DOE and CGH calculation. *Opt Lasers Eng* 2017; 89: 109–115.
 27. Chang C, Xia J, Yang L, Lei W, Yang Z, Chen J. Speckle-suppressed phase-only holographic three-dimensional display based on double-constraint Gerchberg–Saxton algorithm. *Appl Opt* 2015; 54: 6994.
 28. Pang H, Liu W, Cao A, Deng Q. Speckle-reduced holographic beam shaping with modified Gerchberg–Saxton algorithm. *Opt Commun* 2019; 433: 44–51.
 29. Kemaio Q. Two-dimensional windowed Fourier transform for fringe pattern analysis: Principles, applications and implementations. *Opt Lasers Eng* 2007; 45: 304–317.
 30. Shen F, Wang A. Fast-Fourier-transform based numerical integration method for the Rayleigh-Sommerfeld diffraction formula. *Appl Opt* 2006; 45: 1102.
 31. Pang H, Yin S, Deng Q, Qiu Q, Du C. A novel method for the design of diffractive optical elements based on the Rayleigh–Sommerfeld integral. *Opt Lasers Eng* 2015; 70: 38–44.
 32. Wang Q, Zhang X, Plum E, Xu Q, Wei M, Xu Y et al. Polarization and Frequency Multiplexed Terahertz Meta-Holography. *Adv Opt Mater* 2017; 5: 1700277.
 33. Guo C, Xiao M, Minkov M, Shi Y, Fan S. Isotropic wavevector domain image

- filters by a photonic crystal slab device. *J Opt Soc Am A* 2018; 35: 1685.
34. Ding X, Wang Z, Hu G, Liu J, Zhang K, Li H et al. Metasurface holographic image projection based on mathematical properties of Fourier transform. *Photonix* 2020; 1: 16.
 35. Tao T, Chen Q, Feng S, Hu Y, Da J, Zuo C. High-precision real-time 3D shape measurement using a bi-frequency scheme and multi-view system. *Appl Opt* 2017; 56: 3646.
 36. Qian J, Feng S, Tao T, Hu Y, Liu K, Wu S et al. High-resolution real-time 360° 3D model reconstruction of a handheld object with fringe projection profilometry. *Opt Lett* 2019; 44: 5751.
 37. Guo C, Wei C, Tan J, Chen K, Liu S, Wu Q et al. A review of iterative phase retrieval for measurement and encryption. *Opt Lasers Eng* 2015; 89: 2–12.
 38. Deng J, Deng L, Guan Z, Tao J, Li G, Li Z et al. Multiplexed Anticounterfeiting Meta-image Displays with Single-Sized Nanostructures. *Nano Lett* 2020; 20: 1830–1838.

Figures




Figure 1

(a) and (b) The interpretation of light as a superposition of spherical waves and plane waves. (c) Example application of the holographic displays multiplexed by a lens.




Figure 2

The GS algorithms and the corresponding generated images in the experiments for (a) the original GS algorithm (worst); (b) constraining the phase distribution in SLM plane with a window (best); (c) modifying the variation of the phase distribution in image plane (good).




Figure 3

(a) The GS algorithm employing the RS diffraction equations. (b) and (d) The amplitude distributions on the image plane calculated by the unmodified and modified forward diffraction equations, respectively. (c) and (e) The images generated by the GS algorithms with the unmodified and modified forward diffraction equations, respectively.




Figure 4

(a) The experimental set-up for holography multiplexing with a lens. (b) and (c) The calculated amplitude distributions at different distances for projecting without and with a lens. (d) and (e) The experimental images projected with and without a lens. (f) and (g) The desired complex target images to be projected with and without a lens. (h) and (i) The experimental results projected with and without a lens designed by the original GS algorithm. (j) and (k) The experimental results projected with and without a lens designed by the imbedded wavevector filtering algorithm. SMF: single mode fiber; PBS: polarization beam splitter; BS: beam splitter; SLM: spatial light modulator; CCD: charge-coupled device camera.

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [SupplementaryInformationwulin10.16.docx](#)