Unintended Pregnancies Among HIV Positive Women In Sub Saharan Africa: A Scoping Review Protocol

Oguntade Racheal Tomilola (✉ rachealoguntade88@gmail.com)

University of Kwa-Zulu Natal <https://orcid.org/0000-0001-9898-8835>

Ojewole Elizabeth Bolanle

University of Kwa-Zulu Natal

Ogunrombi Modupe Olufunmi

Sefako Makgatho Health Sciences University

Protocol

Keywords: Prevalence, Incidence, Unintended pregnancies, Contraceptives, HIV positive women, Sub-Saharan Africa

Posted Date: October 21st, 2021

DOI: <https://doi.org/10.21203/rs.3.rs-970739/v1>

License: This work is licensed under a Creative Commons Attribution 4.0 International License.
[Read Full License](#)

Abstract

Background:

Unintended pregnancies pose a severe threat to the well-being of HIV-positive women and their unborn children. Factors contributing to the high incidence of unintended pregnancies include contraceptive failure, low uptake of contraceptives, and misuse of contraceptives. Despite various contraceptive options, an increased incidence of unintended pregnancies is rampant among HIV-positive women in the region of sub-Saharan Africa. This study seeks to present evidence of unintended pregnancies among women living with HIV in sub-Saharan Africa, including those using contraceptives.

Method: This study entails a scoping review to survey and interrogate the literature to provide evidence for the incidence of unintended pregnancies among HIV-positive women in sub-Saharan Africa. A proposed framework by Arksey and O'Malley will guide this scoping review. Peer-reviewed articles which address the research questions will constitute the main search. Electronic databases such as EBSCOhost, Cochrane Library, World of Science, World Health Organization (WHO) library databases, Science Direct, Google Scholar PubMed, and grey literature search will be involved. References list from studies included will also be searched. The investigation of articles will be done employing keywords from the studies included. The inclusion and exclusion criteria will guide two separate reviewers with the screening of abstracts and full papers. To summarize the findings from this review, thematic content analysis will be done using NVivo version 11.

Discussion: We expect that this review will add to the current body of knowledge on the incidence of unintended pregnancies among HIV-positive women, identify gaps for further future research, and show evidence that may contribute to strengthening the health system's regulations, guidelines, and policies that may help prevent unintended pregnancies among HIV positive women.

Registration DOI: 10.17605/OSF.IO/EY3R5

Background

Unintended pregnancy is a major global public health challenge that negatively impacts women, their children, and society (1). Unintended pregnancy is that which is mistimed or not wanted at all (2, 3). There was an estimated 44% unintended pregnancies in 2010–14 globally. Fifty-nine percent of these unintended pregnancies resulted in abortion in developed regions, as did fifty-five percent of unintended pregnancies in developing regions (4).

Over 70% of the approximately 38 million people living with HIV worldwide are in SSA, and most HIV infections occur in this region. (5, 6). Women are disproportionately affected by HIV as about 7000 young females between ages 15 and 24 were newly infected every week in 2017, accounting for three in five new infections globally (7). Additionally, women are constantly faced with the threat of maternal morbidity

and mortality (8). In 2017, an estimated maternal mortality ratio (MMR) in low-income countries was 462 per 100 000 live births compared to 11 per 100 000 live births in high-income countries (9, 10).

Unintended pregnancy is a common phenomenon among HIV-positive women, an issue of concern(11). In 2018, 90% of the 1.3 million pregnant women with HIV globally hailed from sub-Saharan Africa (SSA) (12, 13). Most HIV-positive women stated their most recent pregnancies were unintended, and some have indicated contraceptive use at the time of conception (14–18). Also, HIV-positive women have more risks posed to their health than their HIV-negative counterparts. They are more likely to die from pregnancy-related complications in addition to the dangers of infecting their unborn children (19). More so, most HIV infections in young children are acquired via mother-to-child transmission (MTCT) (20–22). The issue is more prominent in sub-Saharan African countries because over 80% of children infected with HIV are situated in this region (23). Unfortunately, unintended pregnancies are accompanied by myriads of adverse outcomes such as maternal depression, low birth weight, intimate partner violence, preterm birth, tobacco use during pregnancy, and infant mortality (24).

This scoping review mainly aims to map the evidence of unintended pregnancies occurring among HIV-positive women in SSA. We anticipate this scoping review will present the current prevalence, incidence, and risk factors of unintended pregnancies among HIV-positive women. It is also expected that this scoping review will expose literature gaps for valuable research that may influence policy decisions and means to reduce the impact of unintended pregnancies among HIV-positive women in SSA.

Methodology

A scoping review maps the literature on the available topic to recognize critical concepts, theories, sources of evidence, and gaps in literature(25, 26). It helps to know the nature, range, and extent of research available on a subject, summarize and circulate the findings across a body of research evidence (27). Therefore, a scoping review synthesizes the literature to provide an overview of what is available in the research topic area as evidence (28, 29).

The methodological framework proposed by Arksey and O'Malley (2005) will be adopted for this proposed review. Therefore, the following five stages will be followed in this scoping review: (i) recognizing the research question, (ii) recognizing relevant studies, (iii) selection of eligible studies, (iv) charting the data, and (v) collating, summarizing, and reporting the results. This current scoping review intends to chart all research activities in this area; therefore, a quality appraisal will not be carried out.

Recognizing The Research Question

The main research question this review seeks to provide an answer to is: "what is the evidence that HIV-positive women experience unintended pregnancies, including those that may be on contraceptives?"

The research sub-questions are:

1. What is the evidence of the incidence of unintended pregnancies among HIV-positive women of reproductive age?
2. What is the evidence of the incidence of unintended pregnancies among HIV-positive women of reproductive age on contraception?
3. What are the contributing factors to unintended pregnancies among HIV-positive women of reproductive age?

Recognizing Relevant Studies

Published and unpublished (grey) literature will be explored on unintended pregnancies among HIV-positive women using electronic databases including Cochrane Library, World of Science, PubMed, and WorldCat. Studies reported from the year 2000 until August 2021 will be included. The Medical Subject Headings (MeSH) terms or keywords will include "HIV positive women", "unintended pregnancies", "contraception" "Sub-Saharan Africa (SSA)", "low- and middle-income countries", "unplanned birth", "unwanted pregnancy", "unplanned pregnancy", "unintended births" and "unwanted births". The appropriateness of keywords and databases will be ascertained by piloting the search strategy. To ensure no vital information is left out, keywords may be refined to include different groups of HIV-positive women, such as those using antiretrovirals (ARVs). A hand search will also be conducted of the references cited in the included studies and search on websites including World Health Organization (WHO) to identify other potentially relevant literature. Potentially relevant grey literature will be identified through specific searches of dissertations/theses (ProQuest Dissertations & Theses Global) and conference abstracts. The PEO framework (Table 1) will guide title and abstract screening. Further eligibility criteria will ensure that the content of the included studies is relevant to the research question.

Table 1
A PEO framework for eligible studies

P- population HIV positive women of reproductive age (15-49 years) in SSA
E – exposure Unintended pregnancy
O – outcome Prevalence
Incidence
Risk factors of unintended pregnancies

Selection Of Eligible Studies

Inclusion criteria

Studies must meet the following criteria to be included:

- HIV positive women of reproductive age who experienced unintended pregnancies
- Published from the year 2000 to August 2021
- Qualitative and quantitative studies
- Sub Saharan African countries (SSA)

Exclusion Criteria

Studies must have the following characteristics to be excluded:

- Studies without HIV positive women of reproductive age
- Studies where the researcher could not get the full-text article

All eligible articles will be imported into Mendeley Desktop software following a comprehensive search using the keywords mentioned earlier. Duplicate reports will be identified and removed. Two separate reviewers will screen the title and abstract of the eligible articles to ascertain if they fit the review. The full-text screening will also be done. There will be the involvement of a third reviewer should there be any discrepancies at the stage of full-text screening. The full text of selected articles will be gotten by making all possible efforts to either search the internet, intreating with the UKZN librarian, or reach the author if need be. Search record details such as search date, database, number of studies identified, keywords, and number of studies eligible will be appropriately documented. The guideline to report screening results will be adopted from the recommendations in the Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews (PRISMA-ScR) (30). Mapping will be done using the PRISMA-P chart (31). Table 2 will be used to present the results of the titles searched from various databases.

Table 2
Records of the database searched

Date of search	Search engine used	Keyword searched	Number of articles found	Number of eligible articles
----------------	--------------------	------------------	--------------------------	-----------------------------

Table 3
Pilot search in PubMed database

Date of search	Search engine used	Keyword searched	Number of publications retrieved
26/08/21 Pubmed	("pregnancy, unplanned"[MeSH Terms] OR ("pregnancy"[All Fields] AND "unplanned"[All Fields]) OR "unplanned pregnancy"[All Fields] OR ("unintended"[All Fields] AND "pregnancy"[All Fields]) OR "unintended pregnancy"[All Fields]) AND ("hiv seropositivity"[MeSH Terms] OR ("hiv"[All Fields] AND "seropositivity"[All Fields]) OR "hiv seropositivity"[All Fields] OR ("hiv"[All Fields] AND "positive"[All Fields]) OR "hiv positive"[All Fields]) AND ("women"[MeSH Terms] OR "women"[All Fields]) AND ("epidemiology"[Subheading] OR "epidemiology"[All Fields] OR "prevalence"[All Fields] OR "prevalence"[MeSH Terms]) AND ("risk factors"[MeSH Terms] OR ("risk"[All Fields] AND "factors"[All Fields]) OR "risk factors"[All Fields]) AND ("epidemiology"[Subheading] OR "epidemiology"[All Fields] OR "incidence"[All Fields] OR "incidence"[MeSH Terms]) AND ("africa south of the sahara"[MeSH Terms] OR ("africa"[All Fields] AND "south"[All Fields] AND "sahara"[All Fields]) OR "africa south of the sahara"[All Fields] OR ("sub"[All Fields] AND "saharan"[All Fields] AND "africa"[All Fields]) OR "sub saharan africa"[All Fields])	1640	

Charting The Data

Relevant information will be extracted from each of the studies included utilizing a data charting form, generated electronically using google forms. The data extracted will consist of the following (Table 4):

Table 4
Data extraction form

Author and date of publication
Study title
Study aim/objective
Type of study design
Study setting
Study population
Sampling method
Data collection methods
Data analysis method
Significant findings
Conclusion

Collating, Summarizing, And Reporting The Results

A narrative approach will present the findings from the studies that meet the inclusion criteria via thematic content analysis. NVivo version 11.0 software will be employed for the extraction themes that are relevant to the study. Collation, summary, and reporting of themes will focus on the outcomes of prevalence, incidence, and risk factors of unintended pregnancy among HIV-positive women. Also, emerging themes will be reported. These results will be described in accordance with the overall purpose of the research and help identify knowledge gaps.

Discussion

This proposed review is intended to map evidence for the occurrence of unintended pregnancies among HIV-positive women of reproductive age in SSA. It will also help identify risk factors for unintended pregnancies among HIV-positive women and present the burden of unintended pregnancies among HIV-positive women.

Most HIV-positive women have indicated that their pregnancies were unintended (14, 18). Some reported using contraception at the time of conception (14, 16, 17). Understanding contraception among HIV-positive women will help make inferences on the menace of unintended pregnancies and suggest practical recommendations for prevention in the nearest future. It will also be a pointer to support further research on contraceptive use among women living with HIV-positive.

Conclusion

This review will show the evidence of unintended pregnancies among HIV-positive women in SSA. The findings of this scoping review will provide helpful information to undertake further research that will help generate the evidence that may be needed to make informed decisions regarding contraceptive use among HIV-positive women in SSA.

List Of Abbreviations

HIV -Human Immunodeficiency Syndrome; SSA- Sub Saharan Africa; WHO- World Health Organization; MMR- Maternal Mortality Ratio; MTCT -mother-to-child transmission; MeSH- Medical Subject Headings; ARVs -antiretrovirals; PEO- Population, Exposure, Outcome; PRISMA-ScR - Reporting Items for Systematic Reviews and Meta-Analyses Extension for Scoping Reviews; PRISMA-P- Preferred Reporting Items for Systematic Review and Meta-analysis Protocol .

Declarations

Ethics approval and consent to participate

Not applicable. Exemption obtained (EXM001/21) from Biomedical Research Ethics Committee, University of KwaZulu-Natal.

Consent for publication

Not applicable.

Availability of data and materials

All data generated and analysed in this research will constitute the scoping review article.

Competing interests

The authors declare that they have no competing interests.

Funding

No funding has been obtained for this proposed study yet.

Authors' contributions

RO conceptualized the study and prepared the draft. EO and MO supervised the write up and helped with refining the final protocol. All authors approved the final version of the protocol.

Acknowledgements

We are grateful to the University of KwaZulu-Natal, Durban, for making it easy to write this study protocol by providing us with the required support.

References

1. Sarder A, Mohammed S, Islam S, Talukder A. Prevalence of unintended pregnancy and its associated factors: Evidence from six south Asian countries. 2021;1–13. Available from: <http://dx.doi.org/10.1371/journal.pone.0245923>.
2. Feyissa TR, Harris ML, Melka AS, Loxton D. Unintended Pregnancy in Women Living with HIV in Sub-Saharan Africa: A Systematic Review and Meta-analysis. *AIDS Behav* [Internet]. 2019;23(6):1431–51. Available from: <https://doi.org/10.1007/s10461-018-2346-4>.
3. Kwabena E, Id A, Budu E, Sambah F, Baatiema L, Appiah F, et al. Prevalence and determinants of unintended pregnancy in sub-Saharan Africa: A multi- country analysis of demographic and health surveys. 2019;1–16.
4. Bearak J, Popinchalk A, Alkema L, Sedgh G. Global, regional, and subregional trends in unintended pregnancy and its outcomes from 1990 to 2014 : estimates from a Bayesian hierarchical model. *Lancet Glob Heal* [Internet]. 2018;6(4):e380–9. Available from: [http://dx.doi.org/10.1016/S2214-109X\(18\)30029-9](http://dx.doi.org/10.1016/S2214-109X(18)30029-9).
5. Bongomin F, Chelangat M, Eriatu A, Onen BC, Cheputyo P, Godmercy SA, et al. Prevalence and Factors Associated with Contraceptive Use among HIV-Infected Women of Reproductive Age Attending Infectious Disease Clinic at Gulu Regional Referral Hospital, Northern Uganda. *Biomed Res Int*. 2018;2018.
6. Nyoni T, Okumu M. COVID-19-Compliant Strategies for Supporting Treatment Adherence Among People Living with HIV in Sub-Saharan Africa. *AIDS Behav* [Internet]. 2020;24(9):2473–6. Available from: <https://doi.org/10.1007/s10461-020-02888-0>.
7. UNAIDS 2019. People Living With HIV. *Rehabil Nurs*. 2018;43(3):E10.
8. Hofmeyr GJ, Morrison CS, Baeten JM, Chipato T, Donnell D, Gichangi P, et al. Rationale and design of a multi-center, open-label, randomised clinical trial comparing HIV incidence and contraceptive benefits in women using three commonly-used contraceptive methods (the ECHO study). *Gates Open Res*. 2017;1(0):17.
9. WHO. 2019. Maternal mortality <https://> 19 September 2019. 2019;(September):2020.
10. Bauserman M, Thorsten VR, Nolen TL, Patterson J, Lokangaka A, Tshefu A, et al. Maternal mortality in six low and lower-middle income countries from 2010 to 2018: risk factors and trends. *Reprod Health* [Internet]. 2020;17(Suppl 3):1–10. Available from: <http://dx.doi.org/10.1186/s12978-020-00990-z>.
11. Brittain K, Phillips TK, Zerbe A, Abrams EJ. Long-term effects of unintended pregnancy on antiretroviral therapy outcomes among South African women living with HIV. *AIDS*. 2019;33(5):885–93.

12. Armstrong-Mensah E, Ruiz K, Fofana A, Hawley V. Perinatal HIV Transmission Prevention: Challenges among Women Living with HIV in sub-Saharan Africa. *Int J Matern Child Heal AIDS*. 2020;9(3):354–9.
13. UNICEF. United Nations Children's Fund. Elimination of mother-to-child transmission. United Nations Children's Fund. <https://data.unicef.org/topic/hivaids/emtct/>. Published July 2019. Accessed March, 2020. 2019;(July 2019).
14. Bankole A, Keogh S, Akinyemi O, Dzekedzeke K, Awolude O, Adewole I. Differences in unintended pregnancy, contraceptive use and abortion by HIV status among women in Nigeria and Zambia. *Int Perspect Sex Reprod Health*. 2014;40(1):28–38.
15. Bradley SEK, Polis CB, Bankole A, Croft T. Global Contraceptive Failure Rates: Who Is Most at Risk? *Stud Fam Plann*. 2019;50(1):3–24.
16. Doherty K, Arena K, Wynn A, Offorjebe OA, Moshashane N, Sickboy O, et al. Unintended pregnancy in Gaborone, Botswana: A cross-sectional study. *Afr J Reprod Health*. 2018;22(2):76–82.
17. McCoy SI, Buzdugan R, Ralph LJ, Mushavi A, Mahomva A, Hakobyan A, et al. Unmet need for family planning, contraceptive failure, and unintended pregnancy among HIV-infected and HIV-uninfected women in Zimbabwe. *PLoS One*. 2014;9(8).
18. Patel RC, Morroni C, Scarsi KK, Sripipatana T, Kiarie J, Cohen CR. Concomitant contraceptive implant and efavirenz use in women living with HIV: Perspectives on current evidence and policy implications for family planning and HIV treatment guidelines. *J Int AIDS Soc*. 2017;20(1):1–6.
19. Lathrop E, Jamieson DJ, Danel I. HIV and maternal mortality. *Int J Gynaecol Obs*. 2014;127(2):213–5.
20. AVERT. 2020. Avert (last reviewed December 2018;updated April 2020) Prevention of Mother to Child Transmission (PMTCT) of HIV <https://www.avert.org/professionals/hiv-programming/prevention/prevention-mother-child> (accessed February, 2021). 2020;(December 2018).
21. Mofenson LM. Prevention in neglected subpopulations: Prevention of mother-to-child transmission of HIV infection. *Clin Infect Dis*. 2010;50(SUPPL. 3)..
22. Mahy M, Stover J, Kiragu K, Hayashi C, Akwara P, Luo C, et al. What will it take to achieve virtual elimination of mother-to-child transmission of HIV? An assessment of current progress and future needs. *Sex Transm Infect*. 2010;86 Suppl 2(Suppl 2).
23. Kassa GM. Mother-to-child transmission of HIV infection and its associated factors in Ethiopia: A systematic review and meta-analysis. *BMC Infect Dis*. 2018;18(1):1–9.
24. Borrero S, Callegari LS, Zhao X, Mor MK, Sileanu FE, Switzer G, et al. Unintended Pregnancy and Contraceptive Use Among Women Veterans: The ECUUN Study. *Gen Intern Med*. 2017;32(8):900–8.
25. Arksey H, O'Malley L. Scoping studies: Towards a methodological framework. *Int J Soc Res Methodol Theory Pract*. 2005;8(1):19–32.
26. Naidoo K, Van Wyk J. Protocol for a scoping review of age-related health conditions among geriatric populations in sub-Saharan Africa. *Syst Rev*. 2019;8(1):1–4.

27. Munn Z, Peters MDJ, Stern C, Tufanaru C, McArthur A, Aromataris E. Systematic review or scoping review? Guidance for authors when choosing between a systematic or scoping review approach. BMC Med Res Methodol. 2018;18(1):1–7.
28. Sucharew H, Macaluso M. Methods for research evidence synthesis: The scoping review approach. J Hosp Med. 2019;14(7):416–8.
29. Danquah FI, Yeboah M, Bawontuo V, Kuupiel D. Mapping evidence on the burden and distribution of childhood obesity in sub-Saharan Africa: A scoping review protocol. Syst Rev. 2019;8(1):4–9.
30. Tricco AC, Lillie E, Zarin W, O’Brien KK, Colquhoun H, Levac D, et al. PRISMA extension for scoping reviews (PRISMA-ScR): Checklist and explanation. Ann Intern Med. 2018;169(7):467–73.
31. Kamioka H. Preferred reporting items for systematic review and meta-analysis. protocols (PRISMA-P). 2015 statement. Japanese Pharmacol Ther. 2019;47(8):1177–85.

Figures

Figure 1

Information flow diagram through different phases of the review, adapted from Stovoid et al., 2014