

# Quarantine Due to the COVID-19 Pandemic From the Perspective of Adolescents: The Crucial Role of Technology

**Giuseppina Salzano**

University of Messina: Universita degli Studi di Messina

**Stefano Passanisi** (✉ [spassanisi87@gmail.com](mailto:spassanisi87@gmail.com))

Universita degli Studi di Messina <https://orcid.org/0000-0002-4369-7798>

**Francesco Pira**

University of Messina: Universita degli Studi di Messina

**Lacrima Sorrenti**

University of Messina

**Giuseppa La Monica**

University of Messina: Universita degli Studi di Messina

**Giovanni B Pajno**

University of Messina: Universita degli Studi di Messina

**Maria Pecoraro**

University of Messina

**Fortunato Lombardo**

University of Messina: Universita degli Studi di Messina

---

## Research

**Keywords:** Adolescence, lock-down, outbreak, SARS-CoV-2, self-isolation, social media

**Posted Date:** October 30th, 2020

**DOI:** <https://doi.org/10.21203/rs.3.rs-97877/v1>

**License:** © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

---

**Version of Record:** A version of this preprint was published on February 22nd, 2021. See the published version at <https://doi.org/10.1186/s13052-021-00997-7>.

# Abstract

**Background.** The year 2020 will be remembered as the “year of the COVID-19 pandemic”. The world population had to familiarize themselves with words as swabs, personal protective equipment, pandemic. To curb the wave of the pandemic, almost all the countries imposed self-isolation and social distancing. We conducted a web-based survey to investigate the behavioural responses during the quarantine due to the COVID-19 pandemic.

**Methods.** Participants were 1860 youth aged 12-18 years attending lower secondary schools and upper secondary schools. Data were collected on demographic characteristics, lifestyle changes during the quarantine period, and the psychological impact of the lock-down on adolescents’ life.

**Results.** Most adolescents experienced feelings of fear, discouragement, and anxiety which strongly affected the approach to their daily lifestyles. Most of the surveyed subjects reported having used this period to acquire new skills and to practice physical activities at home. The use of technology was predominant both for recreational activities and educational purposes.

**Conclusions.** Despite the strong psychological impact of the quarantine, adolescents showed good levels of resilience. Technology played a crucial role during the quarantine for young subjects who have increased the daily use of technological devices to stay connected with the rest of the world.

## Background

Since the beginning of 2020, health authorities and government around the world are fighting the dramatic battle against the 2019 coronavirus disease (COVID-19). Within few weeks of the first cases being reported in China, severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection spread worldwide, and a pandemic was finally declared by the World Health Organization (WHO) in March 11th, 2020 (1). To curb the wave of the pandemic, almost all the countries undertook containment strategies. In most cases, these measures resulted in strict governmental decrees that imposed self-isolation and social distancing, the so-called quarantine or “lock-down” period (2). Italy, which was one of the most affected countries by disease in Europe, set to quarantine the entire country from March 9th to May 3rd, 2020 for a total of 55 days. These restrictive strategies led to a gradual and constant reduction of new cases of infection (3–5). Nevertheless, the quarantine period had a strong psychological impact on the population. People were forced to radically change their daily lifestyles and were at high risk of developing feelings of fear, discouragement, anxiety, and depression (6). This underestimated consequence of the COVID-19 pandemic was mostly noticed in some risk groups such as older people, individuals suffering from chronic disease, children, and adolescents (7–10). Particularly, adolescence is a well-known tricky period of life characterized by rebellion and lawlessness (11). Respecting safer-at-home order and ban on any outdoor activities was not easy for young subjects who are used to daily sharing face to face experiences, feelings, emotions.

This study aimed to investigate the behavioural responses during the quarantine due to the COVID-19 pandemic in a large cohort of Italian adolescents.

## Methods

We conducted a cross-sectional survey based on an on-line questionnaire from April 23 to May 3, 2020. Survey participants were subjects aged 12–18 years attending lower secondary schools and upper secondary schools. The online link for the questionnaire was sent to the headteachers of 15 schools of Sicily, in southern Italy, who invited all their students to participate. Written informed consent through on-line form was obtained from all the participants. The study research was conducted in accordance with the Helsinki declaration. The questionnaire included fifteen questions focusing on demographic characteristics (e.g. age, gender, type of school attended), lifestyle changes during the quarantine period (variations of eating habits, acquisition of new skills, changes in the sleep-wake rhythm, time spent on indoor physical activities, the use of technological devices such as personal computers, smartphones, tablets). The participants were asked if they experienced feelings of fear, discouragement, and anxiety during the lock-down, and to mention who or what they mostly lack. Finally, they were invited to quantify the psychological impact of the self-isolation and social distancing according to three response levels: no impact, poor impact, extreme impact.

An English translation of the full Italian questionnaire is available as supplementary online material.

Demographic patients' characteristics and the results of the questionnaire were statistically analyzed. The numerical data were expressed as mean and standard deviation and the categorical variables as absolute frequencies and percentages.

## Results

Our study population included 1860 adolescents. The mean age of the surveyed subjects was  $16 \pm 1.9$  years, with a prevalence of female gender (61.7%). Most of the participants (88%) attended upper secondary school. Self-isolation and social distancing strongly influenced the everyday life of the majority of adolescents (70.2%), whereas only 6.8% of the individuals declared they were not affected in their approach to their daily lifestyles. Feelings such as fear, discouragement, and anxiety were widely present. The surveyed subjects mainly suffered from the lack of their friends, classmates, and partners. To visit relatives, to go to school, and to do outdoor sports were all missing activities during this quarantine period. Some participants declared they suffered from a lack of enjoyment and freedom. Most adolescents (81.5%) modified their sleep/wake rhythm. Almost two-thirds of the surveyed subjects (64.5%) took advantage of this period to acquire new skills such as cooking, reading books, learning to do it yourself activities, play an instrumental or a foreign language. Interestingly, 47.5% of adolescents declared no variations in their eating habits. Moreover, 25.6% of the surveyed individuals reported a more balanced diet, whereas 26.8% of subjects declared their eating habits worsened. Despite Italian governmental decrees prohibited outdoor sports, 84.5% of the survey participants regularly practiced

physical activities at home. Particularly, most of them spent from 1 to 3 hours a week to do sport. The use of technology was predominant both for recreational activities (communications, games, videos) and for educational purposes (scholar, musical, and sportive activities). The average time spent on technology was mostly more than 6 hours a day for educational purposes and 4–6 hours a day for recreational activities. Almost all the subjects declared having a social profile (i.e. Instagram, Facebook, Tik Tok, Twitter, Snapchat, Ask.fm). Smartphones were mainly used to message, chat, or video-chat with other people, and to browse the web. The average number of sent/received text messages or chat messages were over 100 a day.

A detailed overview of the results of the web-based survey is available in Table 1.

Table 1  
Overview of the results of web-based survey.

<b>N°</b>	<b>1860</b>
<b>Age (ys)</b>	16.0 ± 1.9
<b>Gender</b>	1147 (61.7%)
Female	713 (38.3%)
Male	
<b>Attended school</b>	224 (12%)
Lower secondary schools	1636 (88%)
Upper secondary schools	
<b>Feelings of fear, discouragement, anxiety</b>	1123 (60.4%)
Yes	737 (39.6%)
No	
<b>The influence of self-isolation on the approach to everyday life</b>	1305 (70.2%)
Relevant impact	428 (23.0%)
Little impact	127 (6.8%)
No impact	
<b>Main lack due to quarantine</b>	684 (36.8)
Friends, schoolmates, partners	276 (14.8%)
Families	246 (13.2%)
Outdoor sport	262 (14.1%)
School	250 (13.4%)
Freedom	142 (7.7%)
Enjoying life	
<b>Modification of sleep-weak rhythm</b>	1516 (81.5%)
Yes	344 (18.5%)
No	

<b>N°</b>	<b>1860</b>
<b>New skills acquired</b>	631 (33.9%)
Cooking	238 (12.8%)
Reading books	196 (10.6%)
Do it yourself activities	60 (3.2%)
Learning to play an instrument	59 (3.2%)
Learning a new language	14 (0.8%)
Others (drawing, painting, etc)	660 (35.5%)
None	
<b>Variations in eating habits</b>	477 (25.6%)
More balanced diet	499 (26.8%)
Less balanced diet	884 (47.5%)
No differences	
<b>Time spent on physical activity at home</b>	355 (19.1%)
< 1 hour a week	559 (30.1%)
1–3 hours a week	324 (17.4%)
4–6 hours a week	333 (17.9%)
> 6 hours a week	289 (15.5%)
Not practiced	
<b>Time spent on technology (desktop computers, smartphones, tablets) for educational purposes</b>	295 (15.9%)
< 3 hours a day	640 (34.4%)
4–6 hours a day	925 (49.7%)
> 6 hours a day	/
Not used	

<b>N°</b>	<b>1860</b>
<b>Time spent on technology (desktop computers, smartphones, tablets) for recreational activities</b>	573 (30.8%)
< 3 hours a day	765 (41.1%)
4–6 hours a day	513 (27.6%)
> 6 hours a day	9 (0.5%)
Not used	
<b>Social profile (Instagram, Facebook, Tik Tok, Twitter, Ask.fm)</b>	1835 (98.7%)
Yes	25 (1.3%)
No	
<b>Way to use smartphone</b>	860 (46.2%)
Messages, chat or video-chat	314 (16.9%)
Browse the web	76 (4.1%)
Talk on the phone	35 (1.9%)
Download/listen music	40 (2.2%)
Download/watch video	535 (28.7%)
All of the above	
<b>Number of text messages and/or chat messages</b>	29 (1.6%)
0–10 a day	88 (4.7%)
11–30 a day	206 (11.1%)
31–50 a day	392 (21.1%)
51–100 a day	1145 (61.6%)
> 100 a day	

## Discussion

Although the exact rate of pediatric patients affected by COVID-19 worldwide is not available thus far, children and adolescents seem to be less infected (12). According to COVID-19 integrated surveillance data in Italy, only 3.1% of patients diagnosed with SARS-CoV-2 infection were aged 0–18 years (13). However, it is well known that children and adolescents who are quarantined during pandemic diseases had a high risk of acute stress disorder. A preliminary study conducted in the Shaanxi province during the COVID-19 epidemic showed that clinging, inattention, and irritability were the most severe psychological

conditions demonstrated by children and adolescents (9). Our survey confirmed that the majority of adolescents experienced feelings of fear, discouragement, and anxiety due to the lock-down, which strongly affected the approach to their daily lifestyles.

Technology has played a crucial role during the quarantine for young subjects who have increased the daily use of technological devices to stay connected with the rest of the world. Particularly, social media platforms have become fundamental for maintaining and enhancing socialization. These interactive media platforms have been constantly used to maintain friendship and emotional connection. Nowadays, the real-life of adolescents is closely related to their "online environments", and social media have become an integral part of critical adolescent developmental tasks (14). These online environments reflect, complement, and reinforce well-understood psychological mechanisms, such as social comparison, self-disclosure, and impression management (15). Social media tools also allow adolescents to enhance individual and collective creativity through the sharing of artistic and musical activities, the creation of blogs, podcasts, and videos (16). In some cases, the frequent use of social networks can mitigate negative experiences such as psychosocial maladjustment and relationship difficulties and allows them to remove fears and insecurities (17). The use of social media tools can also facilitate self-esteem increase, identity exploration, aspirational development, and it provides adolescents the opportunity to explore knowledge and establish new friendships (18). Our survey showed the crucial role of friendship during the adolescence age. Face-to-face contact with close friends has been the main lack due to restrictive laws among the surveyed adolescents. To obviate this lack, text messages, video-chats, and online contacts have become more frequent during the lock-down period. Therefore, face-to-face communication has been well replaced by virtual and interactive contact characterized by close friendships and emotional relationships (19).

Despite the strong psychological impact of the quarantine, adolescents have shown good levels of resilience. Most of the surveyed subjects reported having used this period to acquire new skills. This positive response to the social emergency is related to the development of functional empowerment which allows reaching a satisfactory level of interior maturity. Interestingly, most of the subjects spent at least 1–3 hours a week for indoor physical activity. This finding is accordingly with another Italian survey that demonstrated an increase in training frequency (20).

Sleep-wake habits were radically changed during the lock-down, as demonstrated by the majority of the surveyed adolescents who declared modification in their sleep/weak rhythm. This finding is in agreement with a French cross-sectional study that reported a high rate of trouble sleeping, particularly among young people (21). Regarding the dietary habits, almost half of adolescents have not reported any modifications. Otherwise, 25.6% of those interviewed declared a more balanced diet. We suppose that abstention from school and peer relationships out of school, has helped to maintain a healthy diet since the consumption of savory snacks, snacks, processed meat, carbonated and sugary drinks decreased (20). On the contrary, the consumption of healthy homemade food prevailed.

## Conclusions

Quarantine due to the COVID-19 pandemic was something new for the most of population worldwide. Adolescents were strongly influenced by self-isolation and social distancing. Technology, and particularly social media, were fundamental to allow youth to overcome this stressful period and to limit psychological adverse events related to the lock-down.

## **Abbreviations**

COVID-19

2019 coronavirus disease

SARS-CoV-2

severe acute respiratory syndrome coronavirus 2

WHO

World Health Organization

## **Declarations**

### **Ethics approval and consent to participate**

Written informed consent through on-line form was obtained from all the participants. The study research was conducted in accordance with the Helsinki declaration

### **Consent for publication**

Not applicable.

### **Availability of data and materials**

An English translation of the full Italian questionnaire is available as supplementary online material.

### **Competing interests**

The authors declare that they have no competing interests.

### **Funding**

Not applicable.

### **Author's contributions**

FL conceived the designed study and approved the final version of the manuscript. SP drafted and wrote the paper. MP and FP analysed the results and helped to write the paper. LS and GLM sent the questionnaire link to the headteachers and collected the results. GBP and GS contributed to the discussion and reviewed the paper.

## Acknowledgements

Not applicable.

## References

1. Cascella, M., Rajnik, M., Cuomo, A., Dulebohn, S.C., Di Napoli, R. (2020). Features, Evaluation and Treatment Coronavirus (COVID-19). StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing.
2. Nussbaumer-Streit, B., Mayr, V., Dobrescu, A.I., Chapman, A., Persad, E., Klerings, I., et al. (2020). Quarantine alone or in combination with other public health measures to control COVID-19: a rapid review. *Cochrane Database Syst Rev.* 4, CD013574.
3. Vicentini, C., Bordino, V., Gardois, P., Zotti, C.M. (2020). Early assessment of the impact of mitigation measures on the COVID-19 outbreak in Italy. *Public Health.* 185, 99–101.
4. Bressan, S., Buonsenso, D., Farrugia, R., Parri, N., Oostenbrink, R., Titomanlio, L., et al. (2020). Preparedness and response to Pediatric COVID-19 in European Emergency Departments: a survey of the REPEM and PERUKI networks. *Ann Emerg Med.* doi: 10.1016/j.annemergmed.2020.05.018.
5. Lau, H., Khosrawipour, V., Kocbach, P., Mikolajczyk, A., Schubert, J., Bania, J., et al. (2020). The positive impact of lockdown in Wuhan on containing the COVID-19 outbreak in China. *J Travel Med.* 27, taaa037.
6. Wang, C., Pan, R., Wan, X., Tan, Y., Xu, L., Ho, C.S., et al. (2020). Immediate Psychological Responses and Associated Factors during the Initial Stage of the 2019 Coronavirus Disease (COVID-19) Epidemic among the General Population in China. *Int J Environ Res Public Health.* 17, 1729.
7. Noone, C., McSharry, J., Smalle, M., Burns, A., Dwan, K., Devane, D., et al. (2020). Video calls for reducing social isolation and loneliness in older people: a rapid review. *Cochrane Database Syst Rev.* 5, CD013632.
8. Louvardi, M., Pelekasis, P., Chrousos, G.P., Darviri, C. (2020). Mental Health in Chronic Disease Patients during the COVID-19 Quarantine in Greece. *Palliat Support Care.* doi: 10.1017/S1478951520000528.
9. Jiao, W.Y., Wang, L.N., Liu, J., Fang, S.F., Jiao, F.Y., Pettoello-Mantovani, M., et al. (2020). Behavioral and Emotional Disorders in Children during the COVID-19 Epidemic. *J Pediatr.* 221, 264-266.
10. Passanisi, S., Pecoraro, M., Pira, F., Alibrandi, A., Donia, V., Lonia, P., et al. (2020). Quarantine Due to the COVID-19 Pandemic From the Perspective of Pediatric Patients With Type 1 Diabetes: A Web-Based Survey. *Front Pediatr.* doi: 10.3389/fped.2020.00491.
11. Velez, G., Hahn, M., Recchia, H., Wainryb, C. (2020). Rethinking Responses to Youth Rebellion: Recent Growth and Development of Restorative Practices in Schools. *Curr Opin Psychol.* 35, 36–40.
12. Passanisi, S., Lombardo, F., Salzano, G., Pajno, G.B. (2020). Are Children Most of the Submerged Part of SARS-CoV-2 Iceberg? *Front Pediatr.* 8, 213.

13. Epidemiology for public health. Integrated Surveillance of COVID-19 in Italy.  
<https://www.epicentro.iss.it/en/coronavirus/sars-cov-2-dashboard>. Accessed 11 August 2020.
14. Subrahmanyam, K., Smahel, D. (2011). *Digital Youth: The Role of Media in Development*. New York: Springer-Verlag.
15. Bartsch, M., Subrahmanyam, K. (2015). *Technology and Self-Presentation*. *The Wiley Handbook of Psychology, Technology, and Society*. John Wiley & Sons, Ltd.
16. O’Keeffe, G.S., Clarke-Pearson, K., Council of Communications and Media. (2011). The Impact of Social Media on Children, Adolescents, and Families. *Pediatrics*. 127, 800–4.
17. Cyr, B-A., Berman, S.L., Smith, M.L. (2015). The Role of Communication Technology in Adolescent Relationships and Identity Development. *Child Youth Care Forum*. 44, 79–92.
18. Uhls, Y.T., Ellison, N.B., Subrahmanyam, K. (2017). Benefits and Costs of Social Media in Adolescence. *Pediatrics*. 140, S67–70.
19. Vaterlaus, J.M., Tulane, S., Porter, B.D., Beckert, T.E. (2018). The Perceived Influence of Media and Technology on Adolescent Romantic Relationships. *J Adolesc Res*. 33, 651–71.
20. Di Renzo, L., Gualtieri, P., Pivari, F., Soldati, L., Attinà, A., Cinelli, G., et al. (2020). Eating habits and lifestyle changes during COVID-19 lockdown: an Italian survey. *J Transl Med*. 18, 229.
21. Beck, F., Léger, D., Fressard, L., Peretti-Watel, P., Verger, P., Coconel Group. (2020). Covid-19 health crisis and lockdown associated with high level of sleep complaints and hypnotic uptake at the population level. *J Sleep Res*. doi: 10.1111/jsr.13119.

## Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [Englishversionofthequestionnaire.docx](#)