Hydrothermal Synthesis of Silver Decorated Reduced Graphene Oxide (rGO) Nanoflakes with effective Photocatalytic Activity for Wastewater Treatment

Muhammad Ikram (✉ dr.muhammadikram@gcu.edu.pk)

Government College University Lahore <https://orcid.org/0000-0001-7741-789X>

A. Raza

Riphah International University - Lahore Campus

M. Imran

University of the Chinese Academy of Sciences

A. Ul-Hamid

King Fahd University of Petroleum & Minerals

S. Ali

Riphah International University - Lahore Campus

Nano Express

Keywords: Silver, nanoflake, rGO, photocatalytic, waste water

Posted Date: February 13th, 2020

DOI: <https://doi.org/10.21203/rs.2.23414/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at Nanoscale Research Letters on April 28th, 2020. See the published version at <https://doi.org/10.1186/s11671-020-03323-y>.

Abstract

Graphene oxide (GO) was obtained through modified hummers method and reduced graphene oxide (rGO) was acquired by employing heat treatment. Various concentrations (2.5, 5, 7.5 and 10 wt.%) of silver (Ag) were incorporated in GO nanosheets by adopting hydrothermal approach. Synthesized Ag decorated rGO photocatalyst Ag/rGO was characterized using X-ray diffraction (XRD) to determine phase purity and crystal structure. XRD patterns showed the formation of GO to Ag/rGO. Molecular vibration and functional groups were determined through Fourier Transform Infrared spectroscopy (FTIR). Optical properties and a decrease in bandgap with insertion of Ag were confirmed with UV-visible (Uv-vis.) spectrophotometer and Photoluminescence (PL). Electronic properties and disorders in carbon structures were investigated through Raman spectroscopy that revealed the existence of characteristic bands (D and G). Surface morphology of prepared samples was examined with Field Emission Scanning Electron Microscope (FESEM). Homogeneous distribution, size and spherical shape of Ag NPs over rGO sheets were further confirmed with the help of High-Resolution Transmission Electron Microscope (HR-TEM). Dye degradation of doped and undoped samples was examined through Uv-vis. spectra. Experimental results indicated that photocatalytic activity of Ag@rGO enhanced with increased doping ratio owing to diminished electron-hole pair recombination. Therefore, it is suggested that Ag@rGO can be used as a beneficial and superior photocatalyst to clean environment and wastewater.

1. Introduction:

Water on earth is akin to blood in our bodies. It is a key resource material for survival and development of all living species. Albeit 71% of earth's surface is covered with water, only 0.03% of total water is considered as freshwater that can be directly utilizable by humans through freshwater lakes, rivers and shallow groundwater [1]. In recent decades, inadequate availability of clean drinking water has presented itself as an unrelenting global concern. Rapid growth of world's population and industrialization has led to increasing environmental pollution, such that around 750 million people face lack of access to clean water [2, 3]. Water reservoirs are recurrently contaminated by various hazardous pollutants containing heavy metal ions, dyes, oil and other chemicals that are released from different leather tanneries and industries related to textile, rubber, paper, cosmetics, dyeing, plastic and food [4]. According to the World Bank report, 17–20% of water pollution is instigated by textile industry. Annually ~ 1/10th million types of dyes are produced in numerous textile processes, among these dyes methylene blue (MB) 10–15% is directly released in the effluent. These pollutants create serious health issues such as cancer, skin irascibilities, allergy, and liver malfunctioning and are also harmful to aquatic life [4, 5].

To address these global problems, certain conventional treatment approaches such as ion exchange, electrolysis, carbon filter, chemical coagulation, biological methods, membrane filtration and reverse osmosis (RO) are employed. Nevertheless, series of drawbacks and limitations are associated with these techniques including ineptness, complex procedure, high sludge formation, high implementation and operational cost and use of large amounts of energy [4, 6, 7]. Thus, efficient technologies with

aforementioned properties need to be developed; among such techniques, photocatalysis overcomes maximum deficiencies.

To date, photocatalytic degradation using inorganic semiconductor nanomaterials has exhibited vast desirability and interest for researchers owing to its excellent physical and chemical properties such as low toxicity, electrochemical stability, super oxidative capacity, cost effectiveness and environmental viability [2, 8, 9]. During the photocatalytic (PC) process, nanomaterials absorb greater visible light energy than bandgap initiated excitation between valence and conduction bands. Through charge separation, electron-hole pairs are generated. Free radicals (OH) oxidize organic compounds and degrade contaminants [8, 10].

On the other hand, some crucial factors are vital to determine PC performance, specifically surface area of photocatalyst since organic pollutants degrade primarily on the surface of semiconductor. Presence of robust light absorption capacity, fast interfacial redox rate, among various nanostructures; two-dimensional (2D) nanostructures tend to achieve these features more efficiently. 2D nanomaterials also offer electron transportation channels due to reduced junctions and grain boundaries in contrast to other spherical nanocrystals. Quick transport of electrons diminish recombination rate and boost PC degradation performance. So in this line, Graphene oxide (GO) is a suitable candidate to endorse semiconductive PC efficiency [11–14].

In the last few decades, in addition to CNTs and other carbon-based nanomaterials, graphene with single atomic thick nanosheet emerged as an eye-catching candidate with a wide range of promising relevant properties including energy conversion, storage and catalytic activities [15–17]. In studies regarding water treatment and distillation; owing to large number of delocalized electrons conjugated in sp^2 configuration of carbon network, graphitic carbon enriches transportation of photo-electrons and significantly enhances photo-conversion efficiency of the system. Besides, GO exhibits a high absorption ability of organic materials in an aqueous medium [18, 19]. GO and reduced graphene oxides (rGO) afford PC reaction and, owing to their narrow bandgap, are promoted as visible light active semiconductor photocatalysts. Nevertheless, room for improvement is present as photo-conversion was found to be poor caused by rapid recombination of electron-hole pairs on the surface.

Photo-conversion efficiency of photocatalysts based on GO/rGO can be enhanced by preventing electron-hole recombination. To achieve this aim, surface modifications were well developed with noble metal ions including platinum (Pt), palladium (Pd), silver and gold nanoparticles (NPs). The silver among most studied noble metals is considered a likely candidate for modification of graphene and its analogs for PC relevance because of its low cost, matchless optical properties, higher chemical stability and non-toxic nature. More immobility of silver nanoparticles decorated on rGO is acknowledged as enhanced performance, primarily due to increased reactive area and superior charge separation. Unique electron aggregation and transportation properties of GO through conjugated scheme drive hot electrons to reactive sites and suppress recombination [19]. Consequently, on behalf of aforesaid benefits, we aimed to synthesize Ag@rGO photocatalyst through hydrothermal route.

2. Experimental Details

2.1 Materials

Graphite (99 %) and sodium nitrate (NaNO_3) 99.9% were procured from “Sigma-Aldrich”, while sulphuric acid (H_2SO_4 , 37%) and phosphoric acid (H_3PO_4) were acquired from “Analar”. Silver (Ag, 99.8 %), potassium permanganate (KMnO_4 , 99 %) and hydrochloric acid (HCL) were attained from “Merck”. All chemicals were used without further purification.

2.2 Synthesis of GO

Modified hummers method was adopted to obtain GO. Graphite (5 g) and NaNO_3 (2.5 g) were mixed in H_2SO_4 (108 ml) with 12 ml H_3PO_4 . Mixture was magnetically stirred in ice bath for 10 mins; further filtrate solution was dried in muffle furnace at 60°C for 2 h to eliminate moisture. Later, KMnO_4 (15 g) was added slowly at maintained temperature to below 5°C . Suspension was transferred to ice bath for 2 h after vigorous stirring at 98°C for 60 mins while water was added continuously. Further deionized water was added until suspension volume was 400 ml after 5 mint H_2O_2 (12 ml) was mixed. Finally, suspension was centrifuged and washed repeatedly with water and HCL product was dried at 60°C as illustrated in Fig. 1 [20, 21].

2.3 Synthesis of Ag/rGO

The rGO was extracted from GO by thermal reduction. Ag-doped rGO with various concentration ratios was synthesized hydrothermally, using 800 mg GO nanosheets incorporated with (25, 50, 75, and 100 mg) Ag in 80 ml deionized water under vigorously stirring for 20 min. The solution was then centrifuged (30 min) and subsequently transferred to 100 ml Teflon-lined autoclave, sealed and heated up at 200°C (24 h). The final product was dried at $\sim 200^\circ\text{C}$ as shown in Fig. 1[9].

2.4 Photocatalytic activity

Photocatalytic activity of prepared products was evaluated by degradation of synthetic methylene blue (MB) in aqueous medium as shown in Fig. 2. Dye (5 mg/500 ml) was prepared with 10 mg suspension of photocatalyst (0.025:1, 0.050:1, 0.075:1 and 0.1:1) under stirring (5 min) and exposed to dark for 30 min to achieve significant absorbance. 60 ml of prepared solution with vigorous stirring was transferred to photo-reactor under mercury lamp (400 W and 400-700 nm) used as visible light source. After light exposure for specified time intervals (20 min), suspension (3 ml) was collected to determine dye degradation. The concentration/absorbance of MB was examined with UV-Vis spectrometer; decolorization efficiency of prepared photocatalyst was evaluated as:

Degradation (%) = $[1 - (C / C_0)] \times 100$; where C_0 is absorbance at $t = 0$ and C is absorbance at time t (specific time interval) [8, 10].

The mechanism of photocatalytic degradation of organic molecules is elucidated as follows (Fig. 2). When photocatalyst (Ag/rGO) is irradiated with photons of energy equal to or more than bandgap energy of PC, then electrons (e^-) are excited from valence band (VB)

Generated electrons through irradiation can be readily trapped by O_2 absorbed molecule on surface of photocatalyst (PC) or dissolved O_2 to give superoxide radicals i.e. $O_2^{\bullet-}$

Thus, $O_2^{\bullet-}$ can react with H_2O to produce hydroperoxy radical ($H_2O^{\bullet}$) and hydroxyl radical ($OH^{\bullet}$), which are influential oxidizing agents that decompose organic molecules:

Concurrently, photogenerated holes could be trapped by surface hydroxyl groups (H_2O) on the surface of a photocatalyst to produce hydroxyl radicals ($OH^{\bullet}$):

Eventually, organic molecules will be oxidized to yield CO_2 and H_2O as follows:

Temporarily, slight recombination of positive hole and electron could take place which could reduce photocatalytic activity of prepared nanocatalyst [22].

2.5 Materials Characterization

Crystal structure and phase-information of GO and Ag@rGO were investigated through XRD, by spectrum Bruker system (XRD, D2 Phaser, USA) equipped with monochromatized Cu K radiation of an average wavelength of 0.154 nm ($5-80^\circ$) using a scan rate of 0.05/min. FTIR Perkin Elmer 3100 spectrometer with a spectral range of 4000–400 cm^{-1} with an increase of 32 scans and a resolution of 0.2 cm^{-1} was employed to detect functional groups and other molecular vibrations of prepared samples. Optical properties were recorded through UV–vis Spectrophotometer (TECAN infinite M200PRO) in the range of 200–700 nm. Surface morphology and interlayer distance of synthesized samples were observed using Field Emission Scanning Electron Microscope (FESEM), JSM-6460LV and High-Resolution Transmission

Electron Microscope (HR-TEM) Philips CM30 and JEOL JEM 2100F. To confirm GO, Ag/rGO flakes and vibration modes, Raman spectra were employed on Renishaw in through Reflex confocal Raman microscope with a wavelength of 532 nm (6 mW) laser. Photoluminescence spectra of as-prepared and doped samples were recorded through spectrofluorometer (JASCO, FP -8300).

3. Results And Discussion:

The phase structure and crystallite size of prepared Ag inserted rGO nanosheets were examined using XRD analysis (Fig.3a). Diffractogram of GO shows intense reflection located at $\sim 10.27^\circ$ attributed to (001) plane with an interlayer spacing of 0.80 nm [19, 23, 24]. Upon Ag doping broad peak originate at $\sim 25.4^\circ$, which is recognized as characteristic peak of graphene indexed as (002) plane (JCPDS No# 04-0783) of hexagonal graphite, with d spacing of 0.34 nm [19, 24-26]. Peak (001) reveals the graphite powder completely oxidized into GO and (002) peak endorsed removal of polyhydrocarbon template in between two layers of rGO [24]. After Ag substitution, GO peak (001) shifted to a higher value to 2 at 25.4° with lower d-spacing evident to redox reaction between graphene oxide and silver ions and d-shifting value after reduction caused by removal of oxygen-containing groups that intercalate between layers of graphene as visible in XRD diffractogram [23, 26]. Average crystallite size assessed by Scherer's

equation $D = \frac{k\lambda}{\beta \cos\theta}$ was found to be $\sim 4.85, 11.3, 11.53, 11.6$ and 28.3 nm respectively. Where $k = 0.89$, $\lambda = 0.154$ nm and θ = diffraction angle. Selected area electron diffraction (SAED) in Fig. 3(b, c) corresponding to XRD patterns of prepared samples, exhibits distinct ring features and indicating hexagonal phase of GO and Ag/rGO manifested to well-crystallized products. Ring indexing was consistent with XRD patterns.

Fourier transform infrared (FTIR) spectra of GO and Ag-doped rGO are illustrated in Fig. 3d. Observed peak $\sim 3433 \text{ cm}^{-1}$ corresponds to O-H stretching vibration. [19] Low transmittance peaks at 1719 cm^{-1} and 1627 cm^{-1} assign to C=O stretching vibrations caused by COOH groups and skeletal vibrations of graphitic domains C=C stretching respectively [10, 27] and peak $\sim 2371 \text{ cm}^{-1}$ arises due to CO_2 [28, 29]. Transmittance peak ($\sim 650 \text{ cm}^{-1}$) is a fingerprint region of hybridized sp^2 carbon bonding allotted as C-H bending vibration [30]. Band $\sim 1082 \text{ cm}^{-1}$ corresponds to C-O-C from hydroxyl stretching vibrations, upon doping, peak value of functional groups on doped sample slightly changed while their shapes remain similar. [19, 23, 31].

Optical properties in terms of absorbance and bandgap analysis of Ag-rGO photocatalyst were scrutinized through Uv-vis spectrograph ranging from 200-700 nm as shown in Fig. 4a. The Uv-vis spectrum of GO exhibit characteristics peak around 230 nm owing to $\pi-\pi^*$ transition of aromatic C-C bonds indicated restoring of an extensive conjugated framework of sp^2 carbon atoms. Another shoulder peak observed at 300 nm attributed to $n-\pi^*$ transitions of C=O bonds [19, 23, 31]. Conversely, these two peaks became weaker in case of Ag/rGO corresponding to $\pi-\pi^*$ transition of aromatic C-C bonding found to be red-shifted at 270 nm that confirms reduction of GO and indicate no restoring of electron conjugation of graphene [19, 23]. The absorption in visible region (~ 400 nm) owing to their surface

plasmonic resonance of Ag NPs, that is further evidence to as visible light active photocatalyst for removal of organic bodies [19, 23, 32]. Bandgap was calculated by Tauc equation; by plotting of $\alpha h\nu$ vs $h\nu$ by extrapolated of linear fits, band was calculated to be 4.10 eV for GO and 3.98 to 3.50 eV for Ag/rGO, bandgap gradually decreased with higher doping of Ag NPs clearly observed in Fig. 4b [33].

The morphological characteristics of GO and Ag-rGO samples elucidated through FESEM and HR-TEM showing in Fig. 5. GO Images (Fig. 5a) show few layers of microstructures with rich wrinkles and fluffy morphology resembling with thin curtain. Images of Ag@rGO (Fig. 5b-d) show partially folded and curling transparent nanosheets with small fluctuations which are essential to endure thermodynamic stability of graphene, owing to its 2D crystal structure. Nanosheets exhibit extremely clean, silky and wavy structures and this feature may be important to avoid aggregation of rGO sheets and maintain surface to facilitate attachment of Ag NPs on graphene sheets that can be visualized in HR-TEM images [31]. The corresponding HR-TEM images (Fig. 6a₁-d₁), GO exhibits lamellar and sheet-like structure with clean surface area (Fig. 6a₁), in Ag-rGO sample (Fig. 5b₁) few stacking folds owing to their distortions from high fraction of sp³ C–O bonds [23]. With increasing concentration of Ag NPs (Fig. 6c₁, d₁) images revealed a well-dispersed and homogeneous scattering of spherical shaped Ag NPs on the surface of rGO sheets with average particle size of 10-12 nm [19, 23]. In Fig. 6d₁ with a higher concentration (10%) of Ag, aggregation of particles increased which is evident to doped species.

The extremely high resolution images up to 5 and 10 nm d-spacing of Ag/rGO samples can be clearly observed in Fig. 6 (a-d). Circled areas indicate the presence of Ag NPs with lattice spacing of Ag nanocrystal being approximately 0.235 nm [19, 23].

Photoluminescence (PL) analysis was conducted to investigate lifetime, transfer and trapping of electron-hole pair and study of interaction between graphene nanostructures, its influence on photocatalytic response illustrated in Fig. 7a [34, 35]. Graphite exhibits no luminescence properties due to zero bandgaps. Nevertheless, upon decrease in size up to nano-scale, bandgap becomes wide caused by quantum confinement effect. In nanosheets of GO and rGO, oxides groups and carbon vacancies altered the graphene to form any carbon nano-cluster that demonstrates semiconductive behavior and luminescence phenomenon which can be influenced by size or fraction of chains and clusters [35, 36]. In PL spectra, luminescence peaks were located at ~ 330, 565 and 608 nm which is ascribed to electron-hole pair recombination in local state of sp² carbon clusters incorporated with sp³ matrix. Therefore, rGO luminescence is due to disappeared oxygen functional groups that facilitate percolation of pathways between sp² clusters [35]. Significant peak at ~565 nm sharply decreased in case of rGO with reduction of GO oxide functional groups that are decreased and sp² carbon cluster are expanded simultaneously [36].

Raman spectroscopy was deployed to probe electronic and structural properties of control sample and Ag@rGO for distinguishing ordered and disordered carbon structures as demonstrated in Fig. 7(b-c). In case of GO, two bands are located at ~1340 and ~1590 cm⁻¹ assigned as D and G band, respectively. The

D band is assigned to breathing mode of k-point phonons with A_{1g} symmetry and band from sp^3 carbon atoms; G band suggests a characteristic peak of sp^2 hybrid structure which reveals symmetry and crystallizability of carbon and introduces E_{2g} phonon scattering of carbon atoms. [26, 27, 31]. Moreover, D band is evident to surface defects and structural imperfections arise with attached hydroxyl and epoxide functions groups with carbon basal planes. [31]. The G band is only Raman mode in graphene originating from a conventional first-order Raman scattering process and corresponds to in-plane zone center, doubly degenerate phonon mode (transverse (TO) and longitudinal (LO) optical) with E_{2g} symmetry [37]. In case of Ag-rGO Raman spectrum observed at 1338 cm^{-1} (D band), 1583 cm^{-1} (G band) and 2682 cm^{-1} (2D band) there is an additional peak centered at 2900 cm^{-1} (D+G band) that represents disorder due to combination scattering in Fig. 7(b-c) [25, 30, 37-40]. The D and 2D modes originate from second-order double resonant process between non-equivalent K points in Brillouin zone (BZ) of graphene, as 2D band indicates second order of D band which alludes to overtone of D band with its existence owing two phonon lattice vibrational processes; nevertheless, it is not associated with defects like D band in Fig. 7c [30, 37]. The variations in relative intensities of G and D band in Raman spectra of GO during reduction are usually designated to a change in electronic conjugation state. This change suggests an increase in number of sp^2 atomic domains following reduction of GO [41]. The intensity ratio of D to G band defines disorder degree in graphite layers; $I_D/I_G = 0.87$ for doped free sample (GO), $I_D/I_G = 1.15$ for Ag-doped samples and increase in ratio indicates decrease in average size of sp^2 carbon domains after synthesis of Ag@rGO, while intensity ratio between 2D and G band (I_{2D}/I_G) which is 1.69, have been used to probe electrons concentration in rGO [25, 26, 30, 42].

The photocatalytic activity of GO and Ag/rGO nanosheets occurred due to their high surface area, and low band-gap energy. Thus Ag/rGO exhibits substantial improvement in photo-degradation of MB and the dye degrades completely (Fig. 8b) in 120 min. The pseudo-first-order equation can be employed to elaborate on photocatalytic efficiency (Fig. 8a) of GO and Ag/rGO samples explicitly, using following expression.

$$-\ln(C_t/C_o) = kt$$

where C_o is initial concentration of dye and C_t is concentration at time, k is apparent rate constant of degradation process that shows in absorbance plot (Fig. 8a) i.e., value of k for GO is about 0.1300 min^{-1} and k extraordinarily increases in case of Ag/rGO (0.1300 min^{-1} to 0.7459 min^{-1}). Fig. 8c reveals compression of % degradation with time, GO shows 65% efficiency and a gradual increase with doping concentration. Ag/rGO (0.10:1) shows maximum %degradation up to 100% which is likely due to synergetic effects of Ag NPs [43, 44]. Finally, on the basis of these findings in the present study, it can be suggested that Ag/rGO is an excellent product that can be used for purification of water from organic dyes.

4. Conclusion

GO was successfully obtained through Modified hummers method and rGO was synthesized from thermal treatment during insertion of Ag (2.5, 5, 7.5 and 10 wt.%) via Hydrothermal route. According to XRD pattern, peak shift and decrease in d-spacing (0.34 to .023 nm) point toward redox reaction of GO upon Ag-doping with hexagonal crystal structure; Average crystallite size increase (4.85 to 15.6 nm) with substitution of Ag is observed. FTIR spectra confirmed transmittance peak around 650 cm^{-1} which is a fingerprint region of hybridized sp^2 carbon bonding allotted as C-H bending vibration and reveals information about other attached functional groups. The characteristic peak attributed to $\pi-\pi^*$ and $n-\pi^*$ bonding and redshift in peaks. It endorses the presence of Ag as elucidated with UV-vis spectroscopy, an obvious decrease in bandgap energy (4.10 to 3.50 eV) with increased doping ratio that was calculated with the help of Tauc equation. Morphological features show stacking layers of GO and Ag/rGO with a lattice spacing of $\sim 0.235\text{ nm}$, spherical shape and size (10–12 nm) of Ag NPs visualized through HR-TEM. The carbon atoms of local state sp^2 clusters incorporated with sp^3 matrix, significant peak decrease in case of rGO and expanded sp^2 carbon cluster upon doping was confirmed with PL spectra. A_{1g} symmetry in sp^3 carbons atoms at D band, sp^2 hybrid structure that reveals symmetry and crystallizability of carbon and introduces E2g phonon scattering of a carbon atom and surface defects were calculated through Raman spectra. Photocatalytic activity responds to Ag/rGO (0.10:1) and degrades 100% of MB concentration. These findings suggest that prepared nanocatalyst shows no hazards behavior in water treatment and is an excellent nanocatalyst for elimination of organic pollutants from wastewater.

Abbreviations

Ultra-violet visible spectroscopy (UV-Vis), X-ray diffraction (XRD), Fourier transform infrared spectroscopy (FTIR), Energy dispersive x-ray spectroscopy (EDS), Scanning electron microscopy (SEM) and transmission electron microscopy (TEM). JCPDS: Joint committee on powder diffraction standards.

Declarations

ACKNOWLEDGMENT: Authors are grateful to higher education commission (HEC), Pakistan for financial support through start research group (SRGP) project number 21-1669. Support provided by the Research Institute, King Fahd University of Petroleum & Minerals in transmission electron microscopy is appreciated.

AUTHORS' CONTRIBUTIONS

MI and AR performed the whole experiments and wrote the manuscript. MI provided the novel idea to carry out the experiment. M Imran participated in the data analysis of the results and discussion portion. AUH reviewed the manuscript and corrected the English and facilitated in FESEM and HRTEM. All authors read and approved the final manuscript.

Availability of Data and Materials

All data are fully available without restriction.

Competing Interests

The authors declare that they have no competing interests.

Author details

^aSolar Cell Applications Research Lab, Department of Physics, Government College University Lahore, 54000, Punjab, Paksitan

^bDepartment of Physics, Riphah Institute of Computing and Applied Sciences (RICAS), Riphah International University, 14 Ali Road, Lahore, Pakistan

^cState key Laboratory of Chemical Resource Engineering, Beijing Advanced Innovation Centre for Soft Matter Science and Engineering, Beijing Engineering Center for Hierarchical Catalysts, Beijing University of Chemical Technology, Beijing 100029, China

^dCenter for Engineering Research, Research Institute, King Fahd University of Petroleum & Minerals, Dhahran 31261, Saudi Arabia.

References

- [1] Z. Wang, A. Wu, L. Colombi Ciacchi, and G. Wei, "Recent Advances in Nanoporous Membranes for Water Purification," *Nanomaterials*, vol. 8, no. 2, p. 65, Jan. 2018, doi: [10.3390/nano8020065](https://doi.org/10.3390/nano8020065).
- [2] S. Dervin, D. D. Dionysiou, and S. C. Pillai, "2D nanostructures for water purification: graphene and beyond," *Nanoscale*, vol. 8, no. 33, pp. 15115–15131, 2016, doi: [10.1039/C6NR04508A](https://doi.org/10.1039/C6NR04508A).
- [3] J. Moma and J. Baloyi, "Modified Titanium Dioxide for Photocatalytic Applications," in *Photocatalysts - Applications and Attributes*, S. Bahadar Khan and K. Akhtar, Eds. IntechOpen, 2019.
- [4] M. Sharma, K. Behl, S. Nigam, and M. Joshi, "TiO₂-GO nanocomposite for photocatalysis and environmental applications: A green synthesis approach," *Vacuum*, vol. 156, pp. 434–439, Oct. 2018, doi: [10.1016/j.vacuum.2018.08.009](https://doi.org/10.1016/j.vacuum.2018.08.009).
- [5] M. Junaid *et al.*, "The study of Fe-doped CdS nanoparticle-assisted photocatalytic degradation of organic dye in wastewater," *Appl Nanosci*, vol. 9, no. 8, pp. 1593–1602, Nov. 2019, doi: [10.1007/s13204-018-0933-3](https://doi.org/10.1007/s13204-018-0933-3).
- [6] S. O.-B. Oppong, F. Opoku, W. W. Anku, E. M. Kiarii, and P. P. Govender, "Experimental and Computational Design of Highly Active Ce–ZrO₂–GO Photocatalyst for Eosin Yellow Dye Degradation: The Role of Interface and Ce³⁺ Ion," *Catal Lett*, vol. 149, no. 6, pp. 1633–1650, Jun. 2019, doi: [10.1007/s10562-019-02729-3](https://doi.org/10.1007/s10562-019-02729-3).

- [7] K. R. Kunduru, "2 - Nanotechnology for water purification: applications of nanotechnology methods in wastewater treatment," p. 42.
- [8] A. Rafiq *et al.*, "Photocatalytic and catalytic degradation of organic dye by uncapped and capped ZnS quantum dots," *Mater. Res. Express*, vol. 6, no. 5, p. 055801, Feb. 2019, doi: [10.1088/2053-1591/aaff8e](https://doi.org/10.1088/2053-1591/aaff8e).
- [9] F. Khurshid, M. Jeyavelan, M. S. L. Hudson, and S. Nagarajan, "Ag-doped ZnO nanorods embedded reduced graphene oxide nanocomposite for photo-electrochemical applications," *R. Soc. open sci.*, vol. 6, no. 2, p. 181764, Feb. 2019, doi: [10.1098/rsos.181764](https://doi.org/10.1098/rsos.181764).
- [10] M. Aqeel *et al.*, "TiO₂ @ RGO (reduced graphene oxide) doped nanoparticles demonstrated improved photocatalytic activity," *Mater. Res. Express*, vol. 6, no. 8, p. 086215, May 2019, doi: [10.1088/2053-1591/ab244a](https://doi.org/10.1088/2053-1591/ab244a).
- [11] A. Raza *et al.*, "Enhanced industrial dye degradation using Co doped in chemically exfoliated MoS₂ nanosheets," *Appl Nanosci*, Dec. 2019, doi: [10.1007/s13204-019-01239-3](https://doi.org/10.1007/s13204-019-01239-3).
- [12] S. Kumar, C. Terashima, A. Fujishima, V. Krishnan, and S. Pitchaimuthu, "Photocatalytic Degradation of Organic Pollutants in Water Using Graphene Oxide Composite," in *A New Generation Material Graphene: Applications in Water Technology*, Mu. Naushad, Ed. Cham: Springer International Publishing, 2019, pp. 413–438.
- [13] J. Di, J. Xia, H. Li, and Z. Liu, "Freestanding atomically-thin two-dimensional materials beyond graphene meeting photocatalysis: Opportunities and challenges," *Nano Energy*, vol. 35, pp. 79–91, May 2017, doi: [10.1016/j.nanoen.2017.03.030](https://doi.org/10.1016/j.nanoen.2017.03.030).
- [14] Y. Li, C. Gao, R. Long, and Y. Xiong, "Photocatalyst design based on two-dimensional materials," *Materials Today Chemistry*, vol. 11, pp. 197–216, Mar. 2019, doi: [10.1016/j.mtchem.2018.11.002](https://doi.org/10.1016/j.mtchem.2018.11.002).
- [15] M. Mitra *et al.*, "Polyaniline/Reduced Graphene Oxide Composite-Enhanced Visible-Light-Driven Photocatalytic Activity for the Degradation of Organic Dyes," *ACS Omega*, vol. 4, no. 1, pp. 1623–1635, Jan. 2019, doi: [10.1021/acsomega.8b02941](https://doi.org/10.1021/acsomega.8b02941).
- [16] P. Raizada, A. Sudhaik, and P. Singh, "Photocatalytic water decontamination using graphene and ZnO coupled photocatalysts: A review," *Materials Science for Energy Technologies*, vol. 2, no. 3, pp. 509–525, Dec. 2019, doi: [10.1016/j.mset.2019.04.007](https://doi.org/10.1016/j.mset.2019.04.007).
- [17] W. Vallejo, A. Rueda, C. Díaz-Urbe, C. Grande, and P. Quintana, "Photocatalytic activity of graphene oxide–TiO₂ thin films sensitized by natural dyes extracted from *Bactris guineensis*," *R. Soc. open sci.*, vol. 6, no. 3, p. 181824, Mar. 2019, doi: [10.1098/rsos.181824](https://doi.org/10.1098/rsos.181824).
- [18] E. Dadvar, R. R. Kalantary, H. Ahmad Panahi, and M. Peyravi, "Efficiency of Polymeric Membrane Graphene Oxide-TiO₂ for Removal of Azo Dye," *Journal of Chemistry*, vol. 2017, pp. 1–13, 2017, doi:

[10.1155/2017/6217987](https://doi.org/10.1155/2017/6217987).

- [19] A. Kumar, A. M. Sadanandhan, and S. L. Jain, "Silver doped reduced graphene oxide as a promising plasmonic photocatalyst for oxidative coupling of benzylamines under visible light irradiation," *New J. Chem.*, vol. 43, no. 23, pp. 9116–9122, 2019, doi: [10.1039/C9NJ00852G](https://doi.org/10.1039/C9NJ00852G).
- [20] J. Song, X. Wang, and C.-T. Chang, "Preparation and Characterization of Graphene Oxide," *Journal of Nanomaterials*, vol. 2014, pp. 1–6, 2014, doi: [10.1155/2014/276143](https://doi.org/10.1155/2014/276143).
- [21] S. N. Alam, N. Sharma, and L. Kumar, "Synthesis of Graphene Oxide (GO) by Modified Hummers Method and Its Thermal Reduction to Obtain Reduced Graphene Oxide (rGO)*," *Graphene*, vol. 06, no. 01, pp. 1–18, 2017, doi: [10.4236/graphene.2017.61001](https://doi.org/10.4236/graphene.2017.61001).
- [22] A. Gnanaprakasam, V. M. Sivakumar, and M. Thirumarimurugan, "Influencing Parameters in the Photocatalytic Degradation of Organic Effluent via Nanometal Oxide Catalyst: A Review," *Indian Journal of Materials Science*, vol. 2015, pp. 1–16, 2015, doi: [10.1155/2015/601827](https://doi.org/10.1155/2015/601827).
- [23] B. Fan *et al.*, "Facile One-Pot Preparation of Silver/Reduced Graphene Oxide Nanocomposite for Cancer Photodynamic and Photothermal Therapy," *J. nanosci nanotechnol*, vol. 16, no. 7, pp. 7049–7054, Jul. 2016, doi: [10.1166/jnn.2016.11327](https://doi.org/10.1166/jnn.2016.11327).
- [24] S. Some *et al.*, "High-Quality Reduced Graphene Oxide by a Dual-Function Chemical Reduction and Healing Process," *Sci Rep*, vol. 3, no. 1, p. 1929, Dec. 2013, doi: [10.1038/srep01929](https://doi.org/10.1038/srep01929).
- [25] A. Shaikh, S. Parida, and S. Böhm, "One step eco-friendly synthesis of Ag–reduced graphene oxide nanocomposite by phyto-reduction for sensitive nitrite determination," *RSC Adv.*, vol. 6, no. 102, pp. 100383–100391, 2016, doi: [10.1039/C6RA23655C](https://doi.org/10.1039/C6RA23655C).
- [26] I. M. Walton, J. M. Cox, C. A. Benson, D. (Dan) G. Patel, Y.-S. Chen, and J. B. Benedict, "The role of atropisomers on the photo-reactivity and fatigue of diarylethene-based metal–organic frameworks," *New J. Chem.*, vol. 40, no. 1, pp. 101–106, 2016, doi: [10.1039/C5NJ01718A](https://doi.org/10.1039/C5NJ01718A).
- [27] Y. Gong, D. Li, Q. Fu, and C. Pan, "Influence of graphene microstructures on electrochemical performance for supercapacitors," *Progress in Natural Science: Materials International*, vol. 25, no. 5, pp. 379–385, Oct. 2015, doi: [10.1016/j.pnsc.2015.10.004](https://doi.org/10.1016/j.pnsc.2015.10.004).
- [28] L. Dong *et al.*, "Hydrothermal synthesis of mixed crystal phases TiO₂ –reduced graphene oxide nanocomposites with small particle size for lithium ion batteries," *International Journal of Hydrogen Energy*, vol. 39, no. 28, pp. 16116–16122, Sep. 2014, doi: [10.1016/j.ijhydene.2014.01.029](https://doi.org/10.1016/j.ijhydene.2014.01.029).
- [29] R. B. Church, K. Hu, G. Magnacca, and M. Cerruti, "Intercalated Species in Multilayer Graphene Oxide: Insights Gained from In Situ FTIR Spectroscopy with Probe Molecule Delivery," *J. Phys. Chem. C*, vol. 120, no. 40, pp. 23207–23211, Oct. 2016, doi: [10.1021/acs.jpcc.6b05953](https://doi.org/10.1021/acs.jpcc.6b05953)

- [30] N. P. D. Ngidi, M. A. Ollengo, and V. O. Nyamori, "Effect of Doping Temperatures and Nitrogen Precursors on the Physicochemical, Optical, and Electrical Conductivity Properties of Nitrogen-Doped Reduced Graphene Oxide," *Materials*, vol. 12, no. 20, p. 3376, Oct. 2019, doi: [10.3390/ma12203376](https://doi.org/10.3390/ma12203376).
- [31] S. Gurunathan *et al.*, "Reduced graphene oxide–silver nanoparticle nanocomposite: a potential anticancer nanotherapy," *IJN*, p. 6257, Oct. 2015, doi: [10.2147/IJN.S92449](https://doi.org/10.2147/IJN.S92449).
- [32] Y. Haldorai, B.-K. Kim, Y.-L. Jo, and J.-J. Shim, "Ag@graphene oxide nanocomposite as an efficient visible-light plasmonic photocatalyst for the degradation of organic pollutants: A facile green synthetic approach," *Materials Chemistry and Physics*, vol. 143, no. 3, pp. 1452–1461, Feb. 2014, doi: [10.1016/j.matchemphys.2013.11.065](https://doi.org/10.1016/j.matchemphys.2013.11.065).
- [33] J. Mangalam, M. Kumar, M. Sharma, and M. Joshi, "High adsorptivity and visible light assisted photocatalytic activity of silver/reduced graphene oxide (Ag/rGO) nanocomposite for wastewater treatment," *Nano-Structures & Nano-Objects*, vol. 17, pp. 58–66, Feb. 2019, doi: [10.1016/j.nanoso.2018.11.003](https://doi.org/10.1016/j.nanoso.2018.11.003).
- [34] M. Aleksandrzak, W. Kukulka, and E. Mijowska, "Graphitic carbon nitride/graphene oxide/reduced graphene oxide nanocomposites for photoluminescence and photocatalysis," *Applied Surface Science*, vol. 398, pp. 56–62, Mar. 2017, doi: [10.1016/j.apsusc.2016.12.023](https://doi.org/10.1016/j.apsusc.2016.12.023).
- [35] N. Bano, I. Hussain, A. M. EL-Naggar, and A. A. Albassam, "Reduced graphene oxide nanocomposites for optoelectronics applications," *Appl. Phys. A*, vol. 125, no. 3, p. 215, Mar. 2019, doi: [10.1007/s00339-019-2518-8](https://doi.org/10.1007/s00339-019-2518-8).
- [36] J. J. Ding, H. X. Chen, D. Q. Feng, and H. W. Fu, "Investigation on photoluminescence emission of (reduced) graphene oxide paper," *IOP Conf. Ser.: Mater. Sci. Eng.*, vol. 292, p. 012097, Jan. 2018, doi: [10.1088/1757-899X/292/1/012097](https://doi.org/10.1088/1757-899X/292/1/012097).
- [37] O. Frank *et al.*, "Raman 2D-Band Splitting in Graphene: Theory and Experiment," *ACS Nano*, vol. 5, no. 3, pp. 2231–2239, Mar. 2011, doi: [10.1021/nn103493g](https://doi.org/10.1021/nn103493g).
- [38] S. Kr. Tiwari, G. Hatui, R. Oraon, A. De Adhikari, and G. C. Nayak, "Mixing sequence driven controlled dispersion of graphene oxide in PC/PMMA blend nanocomposite and its effect on thermo-mechanical properties," *Current Applied Physics*, vol. 17, no. 9, pp. 1158–1168, Sep. 2017, doi: [10.1016/j.cap.2017.05.007](https://doi.org/10.1016/j.cap.2017.05.007).
- [39] A. Kaniyoor and S. Ramaprabhu, "A Raman spectroscopic investigation of graphite oxide derived graphene," *AIP Advances*, vol. 2, no. 3, p. 032183, Sep. 2012, doi: [10.1063/1.4756995](https://doi.org/10.1063/1.4756995).
- [40] S. Jaworski *et al.*, "Graphene Oxide-Based Nanocomposites Decorated with Silver Nanoparticles as an Antibacterial Agent," *Nanoscale Res Lett*, vol. 13, no. 1, p. 116, Dec. 2018, doi: [10.1186/s11671-018-2533-2](https://doi.org/10.1186/s11671-018-2533-2).

- [41] S. Gurunathan, J. W. Han, J. H. Park, V. Eppakayala, and J.-H. Kim, "Ginkgo biloba: a natural reducing agent for the synthesis of cytocompatible graphene," *IJN*, p. 363, Jan. 2014, doi: [10.2147/IJN.S53538](https://doi.org/10.2147/IJN.S53538).
- [42] G. Yasin *et al.*, "Exploring the Nickel-Graphene Nanocomposite Coatings for Superior Corrosion Resistance: Manipulating the Effect of Deposition Current Density on its Morphology, Mechanical Properties, and Erosion-Corrosion Performance," *Adv. Eng. Mater.*, vol. 20, no. 7, p. 1701166, Jul. 2018, doi: [10.1002/adem.201701166](https://doi.org/10.1002/adem.201701166).
- [43] G. Zeng *et al.*, "Rapid synthesis of MoS₂-PDA-Ag nanocomposites as heterogeneous catalysts and antimicrobial agents via microwave irradiation," *Applied Surface Science*, vol. 459, pp. 588–595, Nov. 2018, doi: [10.1016/j.apsusc.2018.07.144](https://doi.org/10.1016/j.apsusc.2018.07.144).
- [44] A. Arshad *et al.*, "Solar light triggered catalytic performance of graphene-CuO nanocomposite for waste water treatment," *Ceramics International*, vol. 43, no. 14, pp. 10654–10660, Oct. 2017, doi: [10.1016/j.ceramint.2017.03.165](https://doi.org/10.1016/j.ceramint.2017.03.165).

Figures

Figure 1

Synthesis process for GO and AG doped rGO

Figure 2

Photocatalytic mechanism for dye degradation in the presence of Ag/rGO

Figure 3

(a) XRD pattern (b-c) SAED rings of as-prepared and Ag-doped RGO (b) 0:1 (c) 0.010:1 (d) FTIR Spectra(a) XRD pattern (b-c) SAED rings of as-prepared and Ag-doped RGO (b) 0:1 (c) 0.010:1 (d) FTIR Spectra

Figure 4

(a) UV-vis. spectra of GO and Ag-rGO (b) Bandgap comparison

Figure 5

(a-d, a1-d1) FESEM and HR-TEM images of GO and Ag/rGO (a, a1) GO (b, b1) 0.050:1 (c, c1) 0.075:1 and (d, d1) 0.10:1

Figure 6

(a-d) d-spacing from HR-TEM images of Ag-rGO (a) 0.025:1 (b) 0.050:1 (c) 0.075:1 (d) 0.10:1

Figure 7

(a) PL spectra (b) Raman spectra of prepared samples (c) Zoom area of Raman spectra

Figure 8

(a) Plot of $-\ln(C_t/C_0)$ versus time spectra for dye reduction (b) Plot of concentration ratio (C/C_0) versus time (c) degradation (%) comparison of all samples