

Application of the critical incident technique in refining an initial programme theory

Una Cunningham (✉ ucunningham@mater.ie; una.cunningham@ucd.connect.ie)

Mater Misericordiae University Hospital and School of Health systems UCD <https://orcid.org/0000-0001-8855-2560>

Aoife De Brún

UCD School of Nursing, Midwifery and Health Systems

Eilish McAuliffe

University College Dublin, School of Nursing, Midwifery and Health Systems

Research article

Keywords: Critical Incident Interview, Realist, Programme Theory, Team, Intervention, Hospital, Methods

Posted Date: June 21st, 2019

DOI: <https://doi.org/10.21203/rs.2.10540/v1>

License:   This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at BMC Medical Research Methodology on May 26th, 2020. See the published version at <https://doi.org/10.1186/s12874-020-01016-9>.

Abstract

Abstract Introduction As realist methodology is still evolving, there is a paucity of guidance on how to conduct theory driven interviews. Novice realist researchers can therefore struggle to collect interview data that can make a meaningful contribution to refining their initial programme theory (IPT). In addition, researchers often face challenges when trying to conduct interviews with healthcare staff due to their busy work schedules. In this case study of team interventions in acute hospital contexts, we explore the benefits of using the Critical Incident Technique (CIT) in order to build and refine an IPT. **Methods** The five steps of the CIT were mapped against realist methods guidance and adapted into an interview framework. Specifications to identify an incident as “critical” were agreed. We embedded probes in the interview framework to confirm, refine and/or refute previous theories synthesised from the literature and to extrapolate new theories. Seventeen key informants were interviewed and recordings were transcribed and imported for analysis into NVivo software. Using RAMESES guidelines, Context-Mechanism-Outcomes configurations were extrapolated from a total of 31 incidents. **Results** We found that the CIT facilitated construction of an interview format that allowed KIs to reflect on specific positive or negative team interventions. We demonstrate how the CIT strengthened initial programme theory development as it facilitated the reporting of the specifics of team interventions and the contexts and mechanisms characteristic of those experiences. As new data emerged, it was possible to evolve previous theories synthesised from the literature as well as to explore new theories. **Conclusions** Utilising a CIT framework paid significant dividends in terms of the relevance and usefulness of the data for refining the IPT. Adapting the CIT questioning technique helped to focus the KIs on the specifics relating to an incident allowing the interviewers to concentrate on probes to explore theories during the interview process. The CIT interview format therefore achieved its purpose and the interview framework developed can be adapted for other research topics for use within realist methodology **Key words:** Critical Incident Interview, Realist, Programme Theory, Team, Intervention, Hospital, Methods

Background

Realist methods are theory driven and in keeping with an iterative and interpretative process. They allow for a more rounded comprehensive approach, taking into account a broad range of perspectives and seek to deepen understanding of ‘what works, for whom, in what conditions, why, to what extent and how?’ (1). Realist methods have therefore been increasingly commissioned by health policy makers to inform complex health interventions (2–4).

See Table 1 for a glossary of definitions.

As realist evaluation is still evolving, there is a paucity of guidance to support the appropriate use and selection of methods within a realist approach. Whilst researchers are encouraged to use an open, flexible and iterative approach to programme theory development and refinement (5), there is little published on the specifics of *how to do this*.

The aim of the realist researcher is to explore theories or hypotheses with regard to *how and why* programmes or interventions work or do not work by engaging in a narrative about the theory with those who have specialist knowledge and are therefore considered Key Informants (KIs). This construction of a narrative is usually achieved via an interview process which is designed around the KIs' experience and reasoning with regard to the programme or intervention being evaluated (6). In order to "theorise the interview", Pawson advocates for use of Teacher-Learner style interviews where the realist interviewer is urged to take an active role in directing the line of questioning whilst ensuring that the subject matter under evaluation - the programme theory - remains the focus of the interview (7). For the novice realist researcher, this can be a demanding task and there is limited guidance in the literature. Manzano's methods (8) of theory gleaning, refining and consolidation have important application to theory testing in realist *evaluation*, however collecting data for the purpose of building and refining an IPT, is less well explored.

Case study

We employ a case study for the purposes of illustrating how the critical incident technique may be applied in realist methods. This study examines the contextual conditions for team interventions in acute hospital contexts and more specifically, the enablers and barriers to team intervention success. It builds on previous work which involved a systematic search of the literature using realist synthesis (9).

For the purpose of this research, a multi -disciplinary team intervention is defined as:

An intervention where a team of two or more disciplines is trying to improve how the team delivers patient care- for example: quality improvement, service improvement or change initiatives; process re-design or team training events.

These interventions are considered as complex social interventions (1) and realist evaluation was therefore considered an appropriate methodology having already been used in similar studies (10–12). The process commenced with a systematic search of the literature which was driven by the researcher's own experiential knowledge and assumptions (9). Five plausible hypotheses were extrapolated using realist synthesis and are presented in the form of Context, Mechanism, and Outcome Configurations (CMOCs). Please refer to Table 2 (9).

Using these hypotheses as a foundation for the programme theory, during interviews with hospital staff who had been involved in team interventions (KIs), the authors sought to explore the conditions in which these interventions were introduced (Contexts- C); how the resources on offer in these particular contexts permeated into the reasoning of KIs involved in the team intervention (Mechanisms-M) and the intended and un-intended consequences of the intervention (Outcomes- O).

Please refer to Fig 1 for an overview of the IPT development process.

Difficulties for the realist researcher in conducting research have already been cited (10). In this case study, the busyness of the acute hospital had potential to further impact the fieldwork process.

Scheduling interviews during daily routines meant KIs would have to consciously shift their mind-set from clinical or operational activity to the more reflective mode required for research interviews. Semi-structured interviews were first conducted; however, this approach did not extract the necessary detail to meaningfully contribute to programme theory development.

KI experiences before, during, and after a team intervention/programme is implemented are particularly relevant in order to explore contextual conditions for programme theory building (13). In order to increase the quality and value of KI data, the authors therefore considered use of Flanagan's Critical Incident Technique (CIT) (14). This technique has already been adapted to explore contextual detail in incidents deemed of critical importance to individuals (15,16). As Creswell had already placed CIT in a qualitative framework (17), it had potential to extend its application to realist methods. Indeed, Woolsey (18) had previously recognised its usefulness in the early stages of research as a foundational exploratory tool and for its role in building theories. We hypothesised therefore that this method could also have potential in this case study if an intervention was deemed of *critical importance* to a KI. As the CIT allows for in-depth exploration of the antecedents and consequences to a specific incident, it should align closely to the configuration of context, mechanism and outcomes within the realist evaluation framework.

Flanagan describes CIT as "a flexible set of principles that must be modified and adapted to meet the specific situation at hand" (14) p. 335. Specifically,

"CIT research takes place in a natural setting; the researcher is the key instrument of data collection; data are collected as words through interviewing, participant observation, and/or qualitative open-ended questions; data analysis is done inductively; and the focus is on participants' perspectives" (19) p 16.

CIT includes five steps in the form of procedures: determination of the general aim of the activity; development of plans and specifications for collecting factual incidents regarding the activity; collection of the data; analysis of the data and interpretation and reporting of the statement of the requirements of the activity. It is apparent from its use in other healthcare studies that these steps can be tailored to specific situations (11,20). We sought to explore however whether it was possible to maintain its procedural integrity within the more flexible, open and iterative processes required for realist methods.

1. Explores use of CIT within a realist methods framework
2. Determines if CIT has potential to be used in refining an IPT
3. Demonstrates application of the CIT via this case study of *team interventions in acute hospital contexts*.

Methods

Prior to consideration of the CIT, trial interviews using a semi-structured interview (SSI) format had been piloted with two purposively sampled staff members -one female Operations Manager and one female Therapist both of whom had led on team interventions. These SSIs included open ended questions for example:

“Tell me about an intervention that you have been involved in” and “How did the team operate?”

The research team reviewed the data that emerged from these interviews and agreed that significant portions of the narrative consisted of tangential generalities about teams rather than specific information related to the intervention. Data were therefore not relevant to programme theory development (i.e., insufficient data relevant to context and mechanisms) and a different format was required. The CIT was subsequently considered. In order to ensure rigour, the authors mapped and compared the five CIT procedures against the characteristics and features of realist methods (Table 3).

CIT Procedure 1- Development of plans and specifications

The research team clarified the purpose of the critical incident interview technique (as relevant to the case study described) and how to unpick the relevance of the team intervention that the key informant was describing. The objective of the CIT interviews was to obtain information relevant to: team descriptors; contextual conditions (C); the objective of the intervention; outcomes (O) and would also include probes with regard to how and why an intervention worked in order to elicit the mechanisms enacted (M). The interview guide would be designed to give specific attention to the five CMOCs already synthesised from the literature whilst also allowing other contextual enablers and barriers to emerge and the subsequent mechanisms and outcomes generated by those conditions.

CIT procedure 2-Determination of the general aim of the activity

Incidents described would be considered “critical” if KIs deemed them to be significant in terms of their experience and if they could be relied on as relatively accurate accounts of specific events. A “critical incident” for the purpose of this study was defined as:

*“a team intervention recalled by the KI as either a significant positive or negative experience that meets research criteria in terms of **multi-disciplinary team** and **team intervention** and therefore **has potential to contribute to building the IPT**”.*

As per the CIT, interviews would commence with an introductory statement to advise KIs of the purpose of the exercise (Please refer to Appendix 1. p.1 for complete protocol). Following some background questions regarding professional roles and experience, KIs would then be asked to recall a critical incident as follows:

1. Can you think of a significant event/situation/time that you were particularly proud of working on a team intervention or initiative to improve patient care?
2. In a few words can you tell me what was the primary aim of the initiative was?

If recalled incidents were not deemed to meet the research criteria, KIs would be re-directed for the purpose of the exercise, for example:

“That’s a really nice example of an intervention introduced with your own professional colleagues, I am going to ask you to think again....this time if you can think of an intervention where there were a number of disciplines involved, that would be great.”

Following an initial question as to why they selected this experience, they would then be asked a series of questions with probes embedded to elicit more factual data specific to the intervention experience. This process was followed in asking participants to recall a significant event /situation/time that they were particularly proud of, and subsequently, one they were not so proud of (*See Appendix 1 Interview*).

CIT procedure 3 -Collecting the data

Pilot tests

The CIT interview format was piloted on two KIs by the primary researcher (UC) and minor changes were made for example interviewers were reminded where to probe for detail with regard to the existing CMOCs by including triggers for these in a different colour. As per the CIT, it was agreed that interviewer remarks should be *neutral and permissive* (23) and should demonstrate that the interviewee was the expert. However, if specifics were not emerging, clarifications would be sought for example:

“So what you are saying is....?” or “Can you give me more detail on that?”

Similarly, if information was ambiguous, interviewers might say...

“I am not sure I understood that point, am I correct in saying....?”

Following the pilot tests, probes for data to confirm, refute or refine theories that had worked well were discussed by all authors and agreement was reached on the final format for the interview.

Interviews

Fifteen KIs who had been involved in team interventions were purposively sampled by either the Chief Operating Officer or General Manager of each participating organisation to reflect a range of disciplines; gender balance and healthcare experience across 4 acute hospitals in one Irish Hospital Group. Demographics information of participants is presented in Table 4.

KIs were invited to participate in the process by e-mail correspondence one week in advance of the interviews. The e-mail correspondence included an information sheet (*See Appendix 2*) and consent form. Participants were advised that participation was voluntary and that their responses would be confidential. Interviews were conducted over a period from May-September, 2018 by two members of the research team (UC & ADB). Interviews were audio-recorded with the KIs’ consent and transcribed verbatim. One interviewee did not consent to audio recording and therefore notes were taken by the interviewer during the interview process.

CIT Procedure 4 Analysing the data

Fifteen interviews (N= 29 incidents, as one KI could not recall a negative experience and 2 interviews took place at a later stage) were transcribed, anonymised and imported into NViVO software (23) in order to manage the analysis. This was conducted in three phases and included deductive, inductive and retroductive approaches to data analysis.

See Table 5 *Summary of data analysis*

Data were analysed against the five existing theories (CMOCs) that had been extrapolated from the literature in the form of plausible hypotheses. *Deductive logic* was employed to test these 5 CMOCs in order to see whether associations matched the expectations.

Using *inductive logic*, narratives were also reviewed to extrapolate evidence that suggested the emergence of new theories. As programme theory development is an iterative process, the co-authors and the realist researcher methodology support group* were consulted to provide advice and feedback at each phase of the evaluation process.

Please refer to Table 6 for overview of consultation sessions.

** An interdisciplinary group of researchers and academics with a specific interest in, and experience in applying, in realist methods*

Phase 1 data analysis: Scanning transcripts- Induction and Deduction

Using the 5 CMOCs that had emerged from the literature as parent nodes, phase 1 analysis involved an initial scanning of the transcripts. Pieces of narrative were coded according to parent nodes “team descriptors”; “CMOCs 1-5” or if there was the possibility of “a new CMOC” emerging.

Please refer to Table 7 –Phase 1 NViVo coding

A piece of narrative was annotated if it was judged to be a relevant observation relating to the theory; for example, if it demonstrated a moderating function or appeared to refute, support or confirm prior findings. Where there was evidence of a new contextual enabler or barrier emerging, a memo was written to document how and why it was perceived to be and how and why that judgment call was being made.

In parallel to the coding process in NViVO, a programme theory template was also developed with each phase of the analysis colour coded to demonstrate the evolving theories and /or new emerging theories. *(Available on request from primary author UC).*

Phase 2 Data Analysis: Building and refining theories- Retroduction

Data that were coded under the 5 original CMOCs were re-analysed and re-coded against 3 child nodes: support/ refute/ refine to allow for transparency of the process. Please refer to Table 8 *-Phase 2a NViVO coding.*

Narratives coded under “New CMOC” in Phase 1 were re-analysed under 8 *emerging* theories. *How and why* they resulted in an intended or un-intended outcome was queried. During this process, evidence to support, refute or refine the enabling condition was first extrapolated. For transparency of the process, each of the 8 emerging CMOCs were used as parent nodes and narrative was coded if there was evidence specific to Context, Mechanism and Outcome.

Please refer to Table 9- Phase 2b NVivo coding

Phase 3 analysis

As part of the iterative process of data analysis, additional notes were made if there was evidence of moderating influences, rival mechanisms and inter-dependencies. Where refinement of the theory appeared to be indicated, a note was made as to *how and why* the judgment for same was made. Where a judgment call could not be made by the primary researcher, a note was written for discussion with co-authors and the realist support group.

Both groups suggested further exploration specific to one possible theory - “in the moment learning”. Two additional interviews were therefore undertaken in December 2018 with purposively sampled interviewees who had specific expertise in delivering team interventions using simulation. Two additional positive experiences of team interventions (N= 2 incidents) were analysed following the same three phase analysis (Total N= 31 incidents). Following this iterative process of data analysis, co-authors agreed and finalised the IPT.

CIT procedure 5- Interpreting and reporting the data.

As per the CIT, it is “imperative” that interpretation and reporting of data “is objective”(23). For this purpose, Realist and Meta-narrative, Evidence Synthesis, Evolving Standards (RAMESES) for realist evaluation were followed (24). In addition, the consolidated criteria for reporting qualitative studies (COREQ): 32-item checklist was adhered to (25) . In order to understand and agree the underpinning cause of the outcomes observed, data were presented to co-authors and the realist support group on two separate occasions so that the chains of inferences (CMOCs) made by the primary researcher could be challenged. This helped to maintain objectivity and rigour in the process of developing insights.

Results

Semi-Structured Interviews

During trials of semi-structured interviews, KIs found it difficult to construe the intervention, speaking about the team in an abstract and sometimes detached way, as evidenced in one response:

“I am not even sure of who was involved in that one...some members were only pulled in when they were needed to solve that piece of the puzzle...” [SSI 2]

KIs demonstrated poor recall of specifics about the team or the context in which they were operating focussing instead on the process, problem or issue for which the intervention was designed. In addition, significant tangential information was collected relating to individual work patterns, relationships and practices which had limited relevance for programme theory refinement:

“Some days are cruel, you know, especially when I am in two different places...I came in this morning at half seven and I haven’t had my lunch yet...I’ve a clinic after this I need to get to, if [Name] is on, I am snookered ...” [SSI 1]

The five procedures of CIT were therefore considered as a different approach was warranted.

Exploration of CIT within a realist methods framework

CIT procedures 1 and 2 helped to focus the researchers on the purpose of the interview and that questions must relate to teamwork and building of programme theory (See Appendix 1 p1).

[KI 2] Pointing to chairs around the room

“The facilities manager would have been involved in it at the time, the healthcare records manager would have been involved in it at the time, I would have been involved in it from a quality and patient safety point of view, the divisional nurse manager was involved...I suppose in this room where we’re sitting now most of the meetings took place”.

In addition, drawing on specific interventions appeared to facilitate an emotional connection with the incident. KIs frequently re-constructed scenarios:

[KI 5] “Because we stood up in front of them and presented that we had taken 1600 patients off their waiting lists and of those 1600 patients we had asked them to see I think 112 so we were able to say look of these 1600 patients that were on your waiting lists, That’s what this programme does for your service....and that was the sea change point because the data was so strong and the relationship changed, literally changed almost overnight”.

KIs often unconsciously referred to *how and why* things happened the way they did, linking context and outcomes unpacking the mechanisms that were enacted as illustrated below (emphasis and (M) mechanism indication added):

*[KI 4] “It is important that they are aware of why we want to do something ... and they feel when you engage with them as well that you are appreciating that you know that the importance of their role in the hospital and **it gives them a sense I suppose of value (M)** that they are valuable resource but that they are key, they’re key support in the hospital in terms of patient care”.*

If detail was unclear or did not emerge, interviewers were instructed to seek clarifications and or to elicit detail regarding team behaviours, actions and observations using specific questions:

[Q9] *Has anything changed as a result of this initiative? If so, how? Probe: What was the outcome for patient care in this event....The outcome for the team in this event...? How did you react to this? How did you feel as a result? How did the team react to this? / How did the team feel as a result?*

And these often stimulated considered responses:

[KI 15] “Well I suppose we would have had that level of trust beforehand and it was just a reinforcement of that level of trust (C) ..., I think if we hadn't had that level of trust beforehand and mutual respect beforehand it wouldn't have happened in [Name of hospital] in the first place (O)... but it obviously makes you feel more valued in terms of as a peer (M) in terms of your skill levels but that's something that you build up over time”

In this way, KIs were led by the interviewer via open questions as per below.

Q 7 How did the team operate?

Embedded triggers then suggested interviewers might have the opportunity to explore two plausible hypotheses depending on how the KI responded to this question. This helped to ensure the interviewer did not control KI content.

Q 7 *Probe for PH 1 (Inter-disciplinary approach and flattened hierarchy) and PH2 (Effective communication)*

These triggers helped to marry the purpose of the interview which was to refine the initial programme theory (*realist methods*) with KI responses relating to events and facts, i.e., team behaviours and actions associated with the events (*CIT*).

Potential of CIT in refining the IPT

This technique was successfully used to refine the IPT. Seven patterns of occurrence of CMOCs were elicited from KI narratives. Two consequential CMOCs in the form of “ripple theories” (ie where the outcome of one CMOC became a contextual condition to generate a subsequent CMOC) also occurred with regularity. These chains of inference are presented in the form of nine “If-then” statements below – See Table 10 below

New enabling or disabling conditions were also considered during the first phase of data analysis (*CIT Procedure 4*) and coded as “possible” theories relating to: competing demands; supportive function of the team; *in the moment* learning or source of drive for the intervention. However, authors did not find a regular pattern of occurrence across the KI narratives to support these chains of inference. During the iterative processes of programme theory development in Phase 2 and 3 (*CIT Procedure 4*), these contextual variables were either discounted; judged to be intrinsic to another CMOC or judged to be a moderating function to one of the 7 confirmed theories or 2 ripple theories. KIs did not refute any theories synthesised from the literature thus perhaps strengthening them further.

How CIT benefitted IPT refinement in the study of *team interventions in acute hospital contexts*.

New information that had not been synthesised from the literature emerged from KI narratives. By specifically focussing on the antecedents to interventions and seeking the detail on *how and why* they impacted outcomes, *prior working relationships* (CMOC 6) emerged as a key contextual enabler across 6 incidents. By specifically asking for examples of negative experiences *Inter-professional tensions* emerged as a barrier to intervention success across seven incidents (CMOC 7). For some KIs, this was conceptualised as specific individuals having the power to de-rail an intervention process (K5, K7, K11). On more objective analysis however (CIT procedure 5) and discussion of the detail of narratives with the realist support group, it was agreed that the barrier was more likely to result from the broader issue of inter-professional tensions and rivalries and thus CMOC 7 and CMOC 7a chains of inference were made.

The flexibility of the CIT meant that interviewers could explore existing theories in more detail thus allowing refinement of theory to occur. For example, in Question 5 relating to the structure and function of the team, interviewers were encouraged to probe in relation to *physician engagement PH 5*. From this, a pattern emerged across 6 narratives relating to the mechanism enacted. PH 5 therefore required refinement. For KIs it was the enactment of a perception of power and influence by physician engagement that results in legitimacy of the intervention and yielded the better outcome for the intervention.

[KI 4]: Well I mean as I say when you look at the patient pathways to see that there's senior clinicians involved (C) in the process means that you know that the rest of the team see that it's taken seriously (M) I think you know what I mean. That it's given that level of importance and that they know that by having these people engaging they're listening and they will address the issues for them and working with the patient and for the patient's journey as well it will improve by having those (O).

Where inter-dependencies between theories seemed to be suggested, the flexibility of the CIT allowed interviewers to explore *how and why* in subsequent interviews. For example, use of effective communication and SMART goals (CMOC 3); and physician engagement and broad team composition (CMOC 5) both appear to give a sense of credibility and are thus related to CMOC 4. Upon detailed exploration with KIs, these conditions appeared to be associated with a better chance of success of the intervention and it is, this **association with success** that causes high self and team satisfaction; increased team skills, increased team efficacy leading to a successful outcome and positive team reputation and this has a further escalating effect:

... empowering motivating and incentivising staff resulting in externally perceived credibility in the intervention and subsequent *buy in* with increased likelihood of further engagement and spread of the intervention and/or future team interventions *Ripple CMOC 4*.

In the absence of the specific detail that CIT encourages, this important information might not have emerged.

Discussion

Engaging in a social construction of a narrative about team interventions in acute hospital contexts is challenging and the importance of both the interview process and the interviewer as the 'prime research instrument' cannot be under-estimated (7,13). As opposed to a positivist approach, where the assumption is that "the researcher is independent of and neither affects nor is affected by the subject of the research" (26) p33, during the realist interview process, the interviewer is considered integral in the development of the theory (5,8). In the early stages of programme theory development, the realist interviewer needs to be mindful however that they do not lead the KIs who are considered the experts in the subject matter and striking this balance can be a challenge.

For this case study, busy hospital workers were required to detach themselves from their daily operational routine in order to get into the reflective mode of the interview and this proved difficult. During the semi-structured interviews, the KIs required repeated re-direction to the topic by the interviewer (*SSI 1 & SSI2*). Qu (27) demonstrates how this can jostle with the interviewees thoughts:

"the flow of the interviewee's story can be inadvertently disrupted by the interviewer, such as by redirecting the narrative or interrupting it..." p.248

In comparison, during the CIs, the interviewer guided KIs towards one positive and one negative experience of a team intervention at a time. Rather than general impressions and trying to access their memory of the event, KIs focussed on the specifics of that particular incident. In this way, use of CIT allowed the interviewee to focus their attention on telling their experiences of the positive or a negative incident, allowing detail to emerge organically whilst enabling the interviewer to probe for data that would support, refute or refine theories and/ or probe for new theories. This contributed to the quality, richness and usefulness of the data for refining the IPT.

Little has been published on the efficiency of interviewing and the importance of this for healthcare workers in busy acute hospital contexts. Using the CIT, we found that as interviewers we could help the KIs access their memories of contextual conditions and outcomes in an efficient manner helping memories to re-surface by stimulating a "*deep dive*" on their thoughts as to how and why these things happened. Stimulating recall of specific incidents created an efficiency in the process. The average interview lasted forty-five minutes as opposed to over an hour for SSIs. In contrast to the SSIs, the majority of data retrieved had relevance for IPT building, giving a concomitant efficiency when it came to the analysis phase for the researcher.

CIT literature (26) has demonstrated its evolving application "to focus more on thoughts, feelings, and why participants behaved as they did... in order to build on the practice of focusing on what a person did, why he/she did it, the outcome" p490. In this study, authors sought to understand the subjective reality of KIs involved in team interventions in acute hospital contexts in order to gain insights into their motives, actions and intentions in a way that is meaningful. The CI format allowed interviewers to make connections between contexts (antecedents) and outcomes (consequences) of team interventions.

Sometimes these emerged organically and on occasions through carefully embedded probes. Causal explanations of how and why team members choose as individuals and as a collective to behave the way they do under different contextual conditions could therefore be inferred. Realist researchers are often challenged trying to find mechanisms to connect contexts and outcomes. From the CIs, insights into generative causations were reasonably easy to develop. KIs on occasions un-consciously linked the contexts to outcomes and identified the mechanisms enacted themselves in these situations.

CIT therefore aligns well to Pawson's theory driven Teacher- Learner style interviews (7) and complements Manzano's (8) interview methods which are more directive and tailored towards theory evaluation or testing. The advantage of CIT has previously been cited (28) as "its capacity to explore differences or turning points; its utility as both a foundational/exploratory tool in the early stages of research and its role in building theories or models" p480. CIT is particularly "suited to the exploration of dilemmas or looking at two sides of behaviour—good and bad; effective and ineffective; avoidable and unavoidable ..." (11) p102. During CIs, interviewers extracted information from KIs without judgment. By inviting KIs to focus on both negative and positive experiences of team interventions, CIT allowed a balanced approach to data collection. Researchers rarely publish detail of failed interventions and this may account for why barriers to team interventions had not previously been extrapolated from the literature. By drawing on negative experiences, a pattern of evidence emerged to support a theory relating to *Inter-professional tensions* and how and why they might impact on the success of team interventions. (CMOC 7).

Strengths

For KIs in busy acute hospital contexts, variables pertaining to team interventions for example the composition of the team completing the intervention, team dynamics, team communication or organisational supports are rarely considered. This study demonstrates how use of CIT within realist methods allowed KIs to consider these themes by channelling their recall towards specific incidents and the antecedents and consequences of those incidents, thus contributing to building an IPT. The successful application and feasibility of the use of CIT for this purpose and in this setting is an important finding.

Manzano (8) encourages researchers to develop and share knowledge pertaining to the craft of interviewing. The results of this study demonstrate that CIT can effectively be applied within a realist methods framework. Authors have tried to demonstrate how they have respected the procedural integrity of CIT while embracing its inherent flexibility (22). By sharing our experience of the use of CIT in developing an initial programme theory and developing a guide for the novice realist researcher, (*Please refer to Appendix 3*, we hope this provides some practical advice and guidance for researchers who may face similar challenges.

Limitations

In this case study, CIT was used to interview a purposively sampled group of hospital workers. The characteristics of this homogenous group from one hospital group in Ireland which had recently engaged

in improvement work may have influenced their propensity to recall relevant material. Future research might therefore explore the application of CIT in realist methods in other healthcare contexts or with healthcare staff not involved in improvement work.

Conclusions

It was possible to adapt Flanagan's five CIT procedures as a technique to help refine an IPT. In particular, the CIT helped to stimulate clearer memories with regard to antecedents and consequences of specific team interventions and enabled data to be collected in a time efficient manner. CIT offered a balanced method of eliciting data from KIs, allowing detail to emerge organically whilst still allowing flexibility for interviewers to probe for data relating to previous theories extrapolated from the literature. The CIT procedure should therefore be considered for use more widely within realist methodology and the authors have developed a practical guide to support other researchers in application of this approach.

Contributions To The Literature

- For the novice realist researcher, there is a paucity of data on how to conduct interviews for the purpose of refining an initial programme theory.
- Although Flanagan's Critical Incident Technique has been adapted for use in several domains, to our knowledge, its application to realist methods has not been explored.
- Findings contribute to the literature by demonstrating that it is possible to maintain the integrity of the five procedures described in CIT whilst placing the technique into a realist framework. A practical guide on how to apply CIT in refining an IPT is presented.

Abbreviations

Abbreviation	Full text
IPT	Initial Programme Theory
PH	Plausible hypothesis
C	Context
M	Mechanism
O	Outcome
CMOC	Context Mechanism Outcome Configuration
CIT	Critical Incident Technique
KI	Key Informant
SSI	Semi- structured interview
CII	Critical incident interview

Declarations

Ethics approval and consent to participate: Favourable ethical opinion for the research has been obtained from the University College Dublin Research Ethics Committee (ref: HREC-LS-16-116397).

Consent for publication: Not applicable

Availability of data and material : All data generated or analysed during this study are included in this published article and/or previous article (9) and its supplementary information files. A file reflecting the iterative programme theory development process is available on request from the primary author at ucunningham@mater.ie.

Competing interests: The authors have no competing interests to declare.

Funding: This research is being funded by the Ireland East Hospital Group and the Mater Misericordiae University Hospital and is part of the Collective Leadership and Safety Cultures (Co-Lead) research programme which is being funded by the Health Research Board (RL-2015-1588) and the Health Service Executive.

Author's contribution: UC was the primary researcher and contributed to all stages of the study. UC and ADB conducted interviews with the KIs. All authors contributed to the iterative process of identification of CMOCs and read, edited and approved the final manuscript.

Acknowledgements: The authors would like to acknowledge the Dublin Realist Research Support Group, General Managers and/or Chief Operating Officers in participating hospitals and the Key Informants as well as members of the Co-Lead research team, UCD. The authors would like to thank Prof Bruno Marchal for his comments on the article.

Author's information: Una Cunningham, Mater Misericordiae University Hospital Dublin, ucunningham@mater.ie.

End notes: Not applicable

References

1. Hewitt G, Sims S, Harris R. Using realist synthesis to understand the mechanisms of interprofessional teamwork in health and social care. *J Interprof Care*. 2014;28(6):501–6.
2. Patterson SD. Putting on white coats: Professional socialization of medical students through narrative pedagogy in standardized patient labs [Internet]. 2013. Available from: <https://ucd.idm.oclc.org/login?url=http://search.proquest.com/docview/1433265386?accountid=14507>
3. Allan HT, Brearley S, Byng R, Christian S, Clayton J, Mackintosh M, et al. People and teams matter in organizational change: Professionals' and managers' experiences of changing governance and incentives in primary care. *Health Serv Res*. 2014 Feb;49(1):93–112.
4. Kirst M, Im J, Burns T, Baker GR, Goldhar J, O'Campo P, et al. What works in implementation of integrated care programs for older adults with complex needs? A realist review. *Int J Qual Health Care*. 2017 Oct 1;29(5):612–24.
5. Pawson R. Digging for nuggets: how 'bad' research can yield 'good' evidence. *Int J Soc Res Methodol* [Internet]. 2006;9. Available from: <https://doi.org/10.1080/13645570600595314>
6. Dalkin SM, Greenhalgh J, Jones D, Cunningham B, Lhussier M. What's in a mechanism? Development of a key concept in realist evaluation. *Implement Sci*. 2015 Apr 16;10(1):49.
7. Pawson R. Theorizing the Interview. *Br J Sociol*. 1996;47(2):295–314.
8. Manzano A. The craft of interviewing in realist evaluation. *Evaluation*. 2016 Jul;22(3):342–60.
9. Cunningham U, Ward ME, De Brún A, McAuliffe E. Team interventions in acute hospital contexts: a systematic search of the literature using realist synthesis. *BMC Health Serv Res*. 2018 Jul 11;18(1):536.
10. Marchal B, Belle S, Olmen J, Hoérée T, Kegels G. Is realist evaluation keeping its promise? A literature review of methodological practice in health systems research. *Evaluation* [Internet]. 2012;18. Available from: <https://doi.org/10.1177/1356389012442444>
11. Butterfoss FD, Kegler MC, Francisco VT. Mobilizing organizations for health promotion: Theories of organizational change. In: *Health behavior and health education: Theory, research, and practice*, 4th ed. San Francisco, CA, US: Jossey-Bass; 2008. p. 335–61.

12. Butterfoss FD. Coalitions and partnerships in community health. San Francisco: Jossey-Bass; 2007.
13. Manzano A. The craft of interviewing in realist evaluation. *Evaluation*. 2016;22(3):342–360.
14. Flanagan JC. Flanagan JC. The critical incident technique. *Psychological bulletin*. 1954 Jul;51(4):327. :33.
15. Wodlinger MG. April: A Case Study in the Use of Guided Reflection. *Alta J Educ Res*. 1990;36(2):115–31.
16. Dworkin R. *The Theory and Practice of Equality*. :24.
17. Whittaker E. The Political in Qualitative Methods (Creswell’s Qualitative Inquiry and Research Design). *Curr Anthropol*. 2000 Dec 1;41(5):883–4.
18. Woolsey LK. The critical incident technique: An innovative qualitative method of research. *Can J Couns*. 1986;20(4):242–54.
19. Whittaker. The Political in Qualitative Methods. *Curr Anthropol*. 2000;41(5):883.
20. FitzGerald K, Dent B, Kerins CA. The Critical Incident Technique: A Useful Tool for Conducting Qualitative Research. *J Dent Educ*. 2008;72(3):6.
21. Bhaskar R. *A realist theory of science*. Brighton: Harvester Press; 1978.
22. Chell E, Pittaway L. A study of entrepreneurship in the restaurant and café industry: exploratory work using the critical incident technique as a methodology. *Int J Hosp Manag*. 1998 Mar;17(1):23–32.
23. Flanagan JC. THE CRITICAL INCIDENT TECHNIQUE. :33.
24. Greenhalgh T, Wong G, Westhorp G, Pawson R. Protocol - realist and meta-narrative evidence synthesis: Evolving Standards (RAMESES). *BMC Med Res Methodol*. 2011 Aug 16;11(1):115.
25. Tong A, Sainsbury P, Craig J. Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups. *Int J Qual Health Care*. 2007 Dec 1;19(6):349–57.
26. Remenyi D, Williams B, Money A, Swartz E. *Doing research in business and management: an introduction to process and method*. Sage; 1998.
27. Butterfield LD, Borgen WA, Amundson NE, Maglio A-ST. Fifty years of the critical incident technique: 1954-2004 and beyond. *Qual Res*. 2005 Nov;5(4):475–97.
28. Butterfield LD. A critical incident study of individual clients’ outplacement counselling experiences [Internet]. University of British Columbia; 2001 [cited 2019 Feb 2]. Available from: <https://open.library.ubc.ca/ciRcle/collections/ubctheses/831/items/1.0089975>
29. Bradley CP. Turning Anecdotes into Data—The Critical Incident Technique. *Fam Pract*. 1992;9(1):98–103.

Tables

Table 1 Definitions: Context, Mechanism, Outcome Configuration (CMOC)

Context (C)	The conditions in which the programme/intervention is introduced - the enablers/ facilitators/ detractors of team interventions
Mechanism (M)	The process of how the participant interprets and acts upon the intervention stratagem. How any one of the components of team intervention brings about change. How the resources on offer permeate into the reasoning of team participants.
Outcome (O)	The intended and un-intended consequences of team interventions. Because of the variation in context and mechanisms, there are likely to be different outcomes from teamwork.
Configuration (CMOC)	The patterns and variations in patterns of teamwork.

Table 2 Plausible Hypotheses

	Context	Mechanism	Outcome
	<i>If there is:</i>	<i>this enacts :</i>	<i>and results in:</i>
<i>PH1</i>	Inter-disciplinary focus and Flattened hierarchy	Understanding of roles & Mutual respect, support and value Shared decision making and common purpose; self and team efficacy	Increased job satisfaction, higher performance, higher levels of competence, better teamwork and lower feelings of emotional exhaustion. Breaking down of inter-professional silos; more integrated patient care; connectivity of the team and camaraderie.
<i>PH2</i>	Effective Communication: <i>Opportunities for communication;</i> <i>Communication skills;</i> <i>Communication systems</i>	Shared mental models; Clarity of role; Clarity of purpose	Situational awareness; More integrated care; Better intervention outcomes;
<i>PH3</i>	Leadership Support & Alignment of team goals with organisational goals	Motivates, empowers and engages staff, creating a sense of team efficacy and a shared sense of responsibility and accountability	Team pride; Camaraderie; Connectedness with broader system; Implementation of Intervention; Sustainability of intervention
<i>PH4</i>	Credibility of intervention <i>provided by experienced trainers who team members can relate to and is perceived to be comprehensive (right amount of core topics) with application to the healthcare context in which the team works,</i>	A sense of confidence and engages and motivates team members with the intervention	High satisfaction; Increased skills, Increased self and team efficacy, Increased role in safety and translation to practice.
<i>PH5</i>	Team composition & Physician involvement - consists of appropriately skilled members including a physician, shares a similar foundational knowledge prior to the intervention and participates in a shared learning experience	Shared understanding of the intervention and feel knowledgeable, competent and confident resulting in	Credibility of the intervention, translation to practice and sustainability.

Table 3 Mapping Critical Incident Technique against Realist Methodology

Critical incident technique	Adapting for building IPT as part of Realist Evaluation process
<p>Incident- any human observable activity that is sufficiently complete in itself to permit inferences and predictions to be made about the persons performing the act.</p>	<p>Incident- team intervention recalled by KI as either a positive or negative experience that meets the criteria in terms of MDT team and intervention descriptors and as specified in the research therefore has potential to contribute to building the IPT</p>
<p>CIT- A set of procedures for collecting direct observations of human behaviour- to facilitate their usefulness in solving practical problems and developing broad psychological principles.</p>	<p>CIT applied-A set of questions in interview format to elicit factual data to answer my question, what works for whom, in what conditions, why, to what extent and how? Deemed to be useful as it will help identify patterns of regularity in the form of CMOCs</p>
<p>Critical incidents obtained from interviews can be relied on to provide a relatively accurate account of job performance.</p>	<p>Specific accounts of positive and negative experiences of team interventions obtained from interviews and can be relied on to provide a relatively accurate account of team interventions.</p>
<p>A set of procedures for analysing and synthesising into a number of relationships that can be tested in more controlled conditions.</p>	<p>A set of procedures for analysing and synthesising into a number of chains of inferences (CMOCs) that can be tested- the IPT will form the basis for further testing</p>
<p>Obtains a record of specific behaviours.</p>	<p>Obtains a record of contexts, mechanisms and outcomes relating to the team intervention.</p>
<p>From those in the best position to make the necessary observations and evaluations</p>	<p>From Key informants- healthcare workers working in multi-disciplinary teams with experience of team interventions in the acute hospital context.</p>
<p>Incident deemed to be critical- where the purpose or intent of the act seems to be fairly clear to the observer and where consequences are sufficiently definite to leave little doubt concerning its effects.</p>	<p><i>Incident deemed to be critical-A team intervention recalled by the KI as either a significant positive or negative experience that meets research criteria in terms of multi-disciplinary team and team intervention and therefore has potential to contribute to building the IPT</i></p>
<p>Recall of factual incidents</p>	<p>Recall of factual incidents</p>
<p>Principal objective of job</p>	<p>Principal objective of the analysis procedures in this instance</p>

analysis procedures should be the determination of critical requirements i.e. those that have made the difference between success and failure in carrying out an important part of the job	will be the determination of critical enablers and barriers for team interventions
Essentially a procedure for gathering certain important facts concerning behaviour in defined situations	Essentially a procedure for gathering certain important facts concerning behaviour in defined situations.
Certain more difficult judgments are required regarding the relevance of various conditions and actions on the observed success in attaining the defined purpose of the activity.	Certain more difficult judgments will be required and Co-lead research team, Co-lead advisory team, and realist support group will be “used” to help in the judgment process of relevance of various conditions on enactment of mechanisms and outcomes
The incidents must be studied in the light of relevant established principles of human behaviour and of the known facts regarding background factors and conditions operating in the specific situation. From this total picture, the total hypotheses are formulated.	The incidents must be studied in the light of relevant established principles of human behaviour and of the known facts regarding background factors and conditions operating in the specific situation. The interaction of the key informants with the resources on offer by the various contextual conditions impacts their reasoning and mechanisms enacted and subsequent outcomes- From this total picture, CMOCs are extrapolated and can be interpreted as plausible hypotheses/theories
<p>Establishing the general aim of the activity</p> <p>Introductory statement explaining the purpose of the study.</p> <p>Request for general aim What would you say is the primary purpose?</p> <p>Request for summary In a few words, how would you summarise the general aim of a specific activity</p>	<p>Establishing the general aim of the activity</p> <p>“We are making a study of multi-disciplinary team interventions to improve patient care in acute hospital contexts”.</p> <p>“The primary purpose is to help understand enablers and barriers to success of these interventions”</p> <p>In a few words, how would you summarise the general aim of the team intervention?</p> <p>What were the objectives?</p>
<p>Purpose and specifications</p> <p>Situation</p>	<p>Purpose and Specifications</p> <p>What was the structure of the team</p> <p>Tell me about what happened and please be as detailed with the facts as possible?</p>

<p>Relevance to aim</p> <p>Persons to collect the data need to be familiar with activity.</p>	<p>Keep in mind the relevance of the team intervention described by the key informant to building programme theory. How data being collected could relate and contribute to programme theory development</p> <p>UC is the primary researcher. Co-author – A De B who is familiar with the research question and purpose of the research will be the second interviewer.</p>
<p>Collecting the data Specifications regarding observations Knowledge concerning the activity</p> <p>Relation to those observed</p> <p>Training requirements</p>	<p>Collecting the data <i>Specifications as follows:</i> UC will train A De B with regard to the purpose of the critical incident technique and how to unpick the relevance of the team intervention that the key informant is describing to the purpose of the study. A De B is an experienced psychologist and researcher and is aware of the purpose of the research as co-author. UC will draft the interview and it will be reviewed by A De B and EMcA. Both are already familiar with UCs foundational programme theory synthesised from the literature. UC will complete two trial interviews and send the audio-files for review by A De B and E Mc A</p>
<p>Groups to be observed: Location Persons Times Conditions</p>	<p>Key Informants to be interviewed Location Persons Times Conditions</p>
<p>Behaviours to be observed</p>	<p>Detail to be extrapolated Information relating to contextual conditions and outcomes of the team intervention and <i>how and why</i> KIs as individuals and as a collective in the team behaved the way they did in these circumstances. Sample questions as follows;</p>
<p>Rationale for asking for</p>	<p>Key informants extremely busy and the idea of observing in live</p>

<p>incidents to be recalled as opposed to direct observation- if suitable precautions are taken, recalled incidents can be relied upon to provide adequate data for a fairly satisfactory for a first approximation to a statement of requirements for the activity.</p> <p>Direct observations are to be preferred but the efficiency, immediacy and minimum demands on co-operating personnel which are achieved by using recalled incident data frequently make their use the more practical procedure.</p>	<p>conditions over the prolonged period of a team intervention will not be practical...a lot of observation could be wasted time as there may be only a couple of critical incidents during a long period of time relating to the research question...this way the KIs can be asked for detail of the intervention it relates to the research question and building of programme theory-</p>
<p>Someone known and respected by the observer has suggested the interview</p>	<p>Purposeful sampling by CEO/ General Managers in 4 hospitals They will select candidates that they think will be able to contribute to the research question ie those who had some experience of team interventions either leading or being involved in the team intervention process.</p>
<p>Questions should be trialled</p>	<p>Questions to be trialled.</p>
<p>Interviewer remarks should be neutral and permissive and should demonstrate that he accepts the observer as the expert. Important to get unbiased events</p>	<p>Interviewer remarks should be neutral and permissive and should demonstrate that he accepts the observer as the expert. Important to get unbiased incidents</p>
<p>If only giving part of story he should be encouraged by restating the essence of his remarks. This will encourage and help him to bring out many of the details of the incident that the interviewer did not know details of the situation to ask for</p>	<p>During interviews UC and A DeB will recall their understanding of what KIs said where necessary requesting clarification or expansion or a response in the form of more detail for example</p> <p><i>Probe</i> <i>What was the outcome for patient care in this event..... The outcome for the team in this event..... How did you react to this? How did you feel as a result? How did the team react to this? / how did the team feel as a result?</i></p>
<p>Recorded electrically and transcribed</p>	<p>Recorded electronically, transcribed and imported into NVivo software</p>
<p>Behaviour reports observed by</p>	<p>Behaviour reports observed by the reporter</p>

<p>the reporter Were all relevant factors in the situation given? Has the observer made a definite critical judgment about the relevance of the incident? Has the observer made it clear just why he believes the behaviour was critical?</p>	<p>Were all relevant factors in the situation given? Has the interviewer made a definite critical judgment about the relevance of the incident? Has the interviewer made it clear how and why he/she believes the contextual conditions generated the outcome and what mechanisms were enacted in doing so.</p>
<p>Analysing the data and Interpreting and reporting the data. Imperative reporting is objective.</p>	<p>Analysing the data and Interpreting and reporting the data. RAMESES guidelines used- inductive, deductive and retroductive logic. Use of co-authors and realist support group to help make judgment calls and challenge thinking.</p>

Table 4 Key Informant Descriptors

KI code	Male/Female	Role	Healthcare experience
KI1	F	Healthcare Records Document Manager	18
KI2	F	Senior Social Worker Practitioner	12
KI3	M	General Services Manager	2
KI4	F	CNM2	12
KI5	M	ED Senior Registrar	5
KI6	F	CNM3	25
KI7	F	Administrator and Project lead	20
KI8	F	Operations Manager	25
KI9	F	Physio Operations Manager	14
KI10	M	Consultant & Clinical Director	24
KI11	F	Operations Manager	10
KI12	F	Dietitian Manager	20
KI13	F	Deputy Manager	35
KI14	M	Physiotherapy Manager	21
KI15	F	Staff Nurse	14
KI16	F	Clinical Nurse Specialist, Practice Tutor	14
KI17	M	ED Consultant	26

Table 5 summary of Data Analysis- Flow chart

Phase 1

1. 15 transcripts scanned (N= 29 incidents- 1 KI could not recall a negative incident)
2. Data relevant to CMOCs 1-5 or new CMOCs were extrapolated and coded against respective nodes

Phase 2

1. Under each CMOC, data were filtered to support, refute or refine the 5 original CMOCs
2. Contexts, mechanisms and outcomes were extrapolated for new CMOCs

Results: In addition to 5 existing theories, 8 possible "new" theories emerged

Phase 3

1. Data were re-analysed to explore any inter-dependencies, rival mechanisms or ripple theories.
2. Judgment calls were made to determine if the power of the data was strong enough to support demi-regularities
3. Findings were presented to co- authors and realist support groups separately

Results: 7 CMOCs and 2 Ripple CMOCs were agreed.

1. 2 additional interviews (N = 2 incidents) were undertaken to explore an emerging CMOC further

*In parallel
an iterative*

programme theory was documented- written notes were made on reflections and insights; why judgment calls were made when they were made in order to explain how theories had evolved and demonstrate transparency of the process. This was colour coded to reflect phases of analysis



Table 6 Overview of Consultation sessions

<p>Sub-group of Co-lead research team (Supervisors-Co-authors)</p>	<p>August 20th- met with Sub-group of Co Lead research team ie my supervisors and Co-authors to discuss Phase 1 analysis</p>
<p>2nd Author</p>	<p>August 24th- Consulted with A De B on Phase 1 of coding –agreed nodes in NViVo for analysis: Descriptors, Inductive, Deductive</p>
<p>Realist Research Support Group</p>	<p>Sept 12th Confirmed procedure for data analysis with Realist Support Group</p>
<p>2nd Author</p>	<p>Sept 13th- Consulted with A De B on Phase 2 of coding Agreed data extrapolation</p>
<p>Sub-group of Co-lead research team (Supervisors-Co-authors)</p>	<p>Oct 22nd Presented data analysis to date...confirmed methodology going according to plan. Challenged some of conclusions. Suggested further exploration where there was ambiguity over context and mechanisms.</p>
<p>Realist Support Group</p>	<p>Nov 6th Presented framework for methodology paper on building IPT and preliminary analysis of data.</p>

Table 7 Phase 1 NViVo coding

Parent node	Child Node
Descriptors	Current Role Years experience Aim of Intervention Driver for intervention Methodology Reason for recalling as positive/ negative Relevance Team descriptor
Deductive	CMOC 1 Inter-disciplinary team and Flattened hierarchy CMOC 2- Leadership Support and Alignment of Team goals with Organisational goals CMOC 3 Effective Communication CMOC 4 Aspects of intervention that give credibility CMOC 5 Physician Engagement and Appropriate Team Composition
Inductive	New CMOC Context Mechanism Outcome

Table 8 Phase 2a NVIVO coding

	Child Node
CMOC 1	Support Refute Refine
CMOC 2	Support Refute Refine
CMOC 3	Support Refute Refine
CMOC 4	Support Refute Refine
CMOC 5	Support Refute Refine

Table 9 NVIVO codes phase 2b

Parent Node	Child node
Personal Relationships / Prior working relationship	Context Mechanism Outcome
Individual as a barrier	Context Mechanism Outcome
Competing Demands	Context Mechanism Outcome
Simulation- In the moment learning	Context Mechanism Outcome
Supportive function of the team	Context Mechanism Outcome
Positive Data	Context Mechanism Outcome
SMART goals	Context Mechanism Outcome
Source of Drive	Context Mechanism Outcome

Table 10 Initial Programme Theory

CMOC	Context	+ Mechanism	= Outcome	Evidence
1 Inter-disciplinary team approach and Flattened hierarchy	<i>If</i> Each team member's voice is heard and considered of equal value	<i>Then this enacts:</i> Understanding of roles, mutual respect, support and value Self & team efficacy Perception of shared decision making Common purpose	<i>resulting in:</i> Increased job satisfaction Higher levels of competence Better teamwork Lower feelings of emotional exhaustion Breaking down of inter-professional silos More integrated care Connectivity of the team and Camaraderie and More efficient use of time	[3,4, 5, 6, 9,11, 13,14, 15,17]
2 Effective Communication and Shared Understanding of Goals	<i>If</i> There is clear, simple, open, honest and timely communication in an appropriate and inclusive environment with SMART goal setting	<i>Then this enacts:</i> Shared understanding and clarity of role and purpose; Self- worth and value; Perceptions of confidence and trust in the Intervention	<i>resulting in:</i> Positive engagement of the team Situational awareness More integrated planning More efficient use of time and Better chance of success	[1,3,4,5, 6, 9,10,11,12, 13,14,16,17]
3 Leadership support and alignment of team goals with organisational goals	<i>If</i> There is genuine leadership support in the form of tangible resources and positive acknowledgement of staff and alignment of team goals with organisational goals through effective engagement and dialogue	<i>Then this:</i> Motivates, empowers and engages staff, Enacts a sense of team efficacy; a perception of sense making and a shared sense of responsibility and accountability	<i>resulting in:</i> Team pride and camaraderie; Connectedness and confidence in the broader system; Easier implementation and sustainability of the intervention	[1, 3, 4, 5, 6,7, 9, 10,11,12,13, 14,15]

<p>4 Characteristics of intervention that give credibility</p>	<p><i>If</i> The intervention is facilitated/ driven by experienced facilitators who staff can relate to and trust With appropriate clinician involvement where relevant And has perceived relevance to practice with clearly defined goals/outcomes</p>	<p><i>Then this enacts:</i> Team pride and camaraderie; Connectedness and confidence in the broader system; Easier implementation and sustainability of the intervention</p>	<p><i>resulting in:</i> Team pride and camaraderie; Connectedness and confidence in the broader system; Easier implementation and sustainability of the intervention</p>	<p>[3,4,5,7, ,9,11, 12,13,14,16,17]</p>
<p>4a Evidence , recognition and celebration of success</p>	<p><i>If</i> there is evidence of a positive outcome and When there is recognition and acknowledgement that an intervention is successful</p>	<p><i>Then this:</i> Empowers motivates and incentivises staff</p>	<p><i>resulting in:</i> Externally perceived credibility in the intervention and subsequent <i>buy in</i> With increased likelihood of further engagement and spread of the intervention and/or future team interventions</p>	<p>[3, 8,14]</p>
<p>5 Appropriate Team composition and Physician engagement • and support</p>	<p><i>If</i> there is broad and purposeful selection of team composition <i>with</i> Physician engagement and support if intervention has a clinical focus</p>	<p><i>Then this enacts:</i> Feelings of knowledge confidence and competency Psychological safety and Perception of power and influence</p>	<p><i>resulting in:</i> Legitimacy of the Intervention Better and more timely “buy in” Staff satisfaction Translation of intervention outcomes to practice and better chance of sustainability</p>	<p>[1,2,3,4,5,6,7,8,9, 10,11,12,13,14,15, 16,17]</p>
<p>6 Personal Relationships</p>	<p><i>If</i> team members have positive personal relationships or prior</p>	<p><i>Then this enacts:</i> Perceptions of Trust</p>	<p><i>resulting in:</i> Better engagement in intervention and</p>	<p>[1,2,3,4,5,6, 7,9,11,13,14]</p>

	experience of a positive working relationship and/or an established social network	Perceptions of Psychological Safety Shared understanding of experiential knowledge of team: ways of working, skill-sets likes and dislikes	Easier implementation Ability to progress intervention issues informally Distribution of work according to skill-sets More honest and open communication More integrated planning Quicker recovery from conflicts	
7 Inter-professional tensions	<i>If</i> there are inter-professional tensions, rivalry and mis-trust	<i>Then this enacts:</i> Feelings of frustration; lack of respect; dis-empowerment, perceptions of lack of psychological safety and cynicism	<i>resulting in:</i> Failure to progress the intervention, lack of support for the intervention and/or withdrawal from the process	[1,5,6,7,8,10,11,12]
7a Escalating mechanisms	<i>If</i> There is failure to progress an intervention, lack of support for the intervention and/or withdrawal from the process because of inter-professional tensions	<i>Then this enacts:</i> further escalating mechanisms of dis-satisfaction, depletion of energy and resilience and perception of powerlessness	<i>resulting in:</i> Greater silo mentality among professions	[5,7,14]

Figures




Figure 1

Overview of IPT development process

Supplementary Files

This is a list of supplementary files associated with this preprint. Click to download.

- [supplement1.docx](#)
- [supplement1.docx](#)
- [supplement3.docx](#)