

Midwives' experiences of implementing respectful maternity care knowledge in daily maternity care practices after participating in a four-day RMC training

Veronica Millicent Dzomeku (✉ vydzomeku@gmail.com)

Kwame Nkrumah University of Science and Technology <https://orcid.org/0000-0003-0568-5910>

Boamah Mensah Adwoa Bemah

Kwame Nkrumah University of Science and Technology

Nakua Kweku Emmanuel

Kwame Nkrumah University of Science and Technology

Agbadi Pascal

Kwame Nkrumah University of Science and Technology

Lori R. Jody

University of Michigan

Donkor Peter

Kwame Nkrumah University of Science and Technology

Research article

Keywords: respectful maternity care training, midwives, Ghana

Posted Date: March 17th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-17494/v1>

License:  This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published on March 10th, 2021. See the published version at <https://doi.org/10.1186/s12912-021-00559-6>.

Abstract

Background: In Ghana, studies documenting the effectiveness of evidence-based specialized training programs to promote respectful maternity care (RMC) practices in healthcare facilities are few. Thus, we designed a four-day RMC training workshop and piloted it with selected midwives of a tertiary healthcare facility in Kumasi, Ghana. The present paper evaluated the impact of the training by exploring midwives' experiences of implementing RMC knowledge in their daily maternity care practices four months after the training workshop.

Methods: Through a descriptive qualitative research design, we followed-up and conducted 14 in-depth interviews with participants of the RMC training, exploring their experiences of applying the acquired RMC knowledge in their daily maternity care practices. Data were managed and analysed using NVivo 12.

Results: The findings have been broadly categorized into three themes: experiences of practising RMC in daily maternity care, health facility barriers to practising RMC, and recommendations for improving RMC practices. The midwives mentioned that applying the newly acquired RMC knowledge has positively improved their relationship with childbearing women, enhanced their thoughtfulness for clients' overall wellbeing, and position them to recognize and respect the autonomy of childbearing women. Despite the positive influence of the training on clinical practice, the midwives mentioned that the policy and the built environment in the hospital does not support the exploration of alternative birthing positions as well as the lack of the required logistics to simultaneously ensure privacy for multiple childbearing women in the open labour ward. In view of these, the trained midwives recommended that logistics for alternative birthing positions and for privacy in the ward should be provided as well as all midwives and staff of the hospital should be taken through the RMC training program to encourage good practice.

Conclusion: Despite the report of some RMC implementation challenges, the midwives noted that the 4-day RMC training has had a positive impact on their maternity caregiving practice in the hospital. Policies and programs aimed at addressing the issue of disrespect and abusive practices during maternity care should advocate and include the building of facilities that support alternative birthing positions and privacy of childbearing women during childbirth.

Introduction

The concerted efforts by international and local organizations to reduce maternal mortality is motivated by the belief that "no woman should die while giving life". Although the reduction in obstetric related deaths in the past three decades is worth celebrating [1], the fact that many childbearing women still die as a result of childbirth in many lower-and-middle-income countries (LMICs) call for drastic measures that promote safe pregnancy and childbirth devoid of the loss of any life. Several policies, programs, and interventions were pursued to end obstetric related deaths in sub-Saharan African countries and other developing countries [2, 3]. These countries vigorously embarked on programs that encouraged childbearing women to deliver in healthcare facilities[4, 5]. Despite its positive impact, facility-based

deliveries have become a source of worry to many women due to frequent reports and experiences of obstetric violence and abuse in the hands of maternity care providers [1, 6]. These type of violence and abuses are partly responsible for the death and disability of many women during pregnancy and childbirth [1].

Research shows that obstetric violence and abuse is common in many healthcare facilities in sub-Saharan Africa, which has led many women's and children's health researchers, advocates, and policymakers to begin several initiatives to promote respectful and non-abusive maternity care during pregnancy, childbirth, and in the time after birth. The truss of these respectful maternity care efforts is the deep recognition that childbearing women have inalienable rights to quality care and a zero-tolerance for violence and abuse [7, 8]. Respectful maternity care is defined as the “care organized for and provided to all women in a manner that maintains their dignity, privacy and confidentiality, ensures freedom from harm and mistreatment, and enables informed choice and continuous support during labour and childbirth” [8].

A growing body of evidence shows that the implementation of specialized respectful maternity care programs and interventions that positively influence the attitude and response of maternity care providers are generally effective in reducing the rate of mistreatment of childbearing women during intrapartum care services in developing countries [9–15]. Some of these programs and interventions include theatre-based training interventions to reduce obstetric violence [14], monitoring of midwives during practice [9], improvement in working conditions of healthcare providers [11], equipping midwives with the ability to identify and manage obstetric and neonatal emergencies [16], and the training of midwives to effectively communicate with clients [10, 17].

In Ghana, studies documenting the effectiveness of evidence-based specialized training programs and interventions to promote respectful maternity care practices in healthcare facilities are dearth [16]. Thus, we designed a four-day respectful maternity care training workshop and piloted it with selected midwives of a tertiary healthcare facility in Kumasi, Ghana. The training modules equipped the trainees in the best practices that promote quality intrapartum care devoid of violence and abuse through the implementation of effective, alternative birthing positions, focused antenatal care, empathetic and ethical communication with childbearing women, and demonstrating respect and dignity during intrapartum care provision. The aim of the present paper is to evaluate the impact of the training by exploring midwives' experiences of applying RMC knowledge in their daily maternity care practices four months after the training workshop.

Methods

Design

We adopted a qualitative descriptive design. This research design was suitable because of our study objective. Our choice of this method further echoed our need to simply describe how trained midwives are providing intrapartum care in a respectful and dignified manner after having participated in a training that equips them with special knowledge and skills in the provision of respectful maternity care. Qualitative

descriptive design is useful in situations where researchers are interested in obtaining broad insights and rich information about a phenomenon to develop and refine interventions [18].

Study setting

Our study is situated in a tertiary health facility in Kumasi, located in the Ashanti region of Ghana. This facility provides healthcare services to patients across the country and has a bed capacity of about 1200 and a staff strength of about 3000. It is the main referral hospital for the Ashanti, Brong Ahafo, Western, the three northern regions (Northern, Upper East, And Upper West), and neighbouring countries. It has thirteen (13) clinical directorates (departments) one of which is the Obstetrics and Gynaecology (O &G) directorate, which has four labour wards. In 2018, the hospital recorded an estimated 4792 Spontaneous vaginal deliveries, an estimated 123 maternal deaths, and 61 neonatal deaths [KATH O & G Records, 2019].

Participant recruitment and data collection

Fifteen midwives who participated in our four-day Respectful Maternity Care-Module (RMC-M) training program were approached for this study. Fourteen of them responded and consented to be interviewed. Thus, we conducted 14 in-depth interviews with the recruited participants. One participant was on study leave at the time of the study. The interviews were guided by a semi-structured protocol in line with the study's objective. We conducted the interviews between June and July 2019. ABBM, the second author, conducted the interviews. She has vast clinical and academic experiences in nursing practice, women's health, with specializations in women health and cancers. Also, she's fluent in both "Twi" and the English language, which were both acceptable mediums for conducting the interviews because they were the predominant languages spoken in the study setting. The interviews were conducted inside an office in the study setting at the request of the participants to make it flexible and convenient for them because of their work. Each interview lasted approximately an hour, and at the written consent of the participants, the session was audio-recorded and transcribed.

Data management and analysis

The second author transcribed the recorded interviews verbatim. The third (NKE) and fourth (AP) authors proofread the transcribed interviews alongside listening to the audio files to ensure that participants' views were accurately captured. NKE and AP have academic and research expertise in biostatistics, public health, and research methods. Two independent translators fluent in both the Twi and English languages then translated the 14 anonymized "Twi" transcripts using the process of back-back translation while maintaining confidentiality. The first and fourth authors analyzed the data independently. DMV is equally an experienced nurse-midwife and academic in the field of general women's health with specialization in respectful maternity. The transcripts for all the 14 participants were independently read repeatedly by the first author (DMV) and the fourth author (AP) to make sense of the participants' experiences of implementing respectful maternity care knowledge in their daily maternity care practices. Data were managed and analysed in NVivo-12. Insights from the transcripts were broadly

presented in line with the main questions in the semi-structured guide. The findings were validated by the first, second, and third authors and through member checking as well.

Rigour and trustworthiness

We are aware of the principles of confirmability, transferability, and authenticity as cardinal strategies in qualitative research. Thus, we achieved them through the following activities. The results, as already mentioned, was reviewed and validated by the one who conducted the interviews, the project lead, and NEK to authenticate the results. Also, to ensure that we are not misrepresenting the views of participants, we have discussed the results following our analysis with four of the participants so they can judge whether we have understood them and accurately presented their views. To aid potential transferability and replicability, we have adequately described our research objective, the research design, data collection method, analysis, as well as provided information on the study setting and the participants.

Demographic characteristics of participants

The midwives were on average 33 years old, with a range of 31-48 years. They had engaged in professional practice for an average of eight years.

Results

This section is organized around themes that were derived from the main research objective. The main themes structuring the findings are the implementation of RMC in daily clinical practice, health facility barriers to practising RMC, and recommendations for improving RMC practices.

Implementation of RMC in daily intrapartum care practices

We explored midwives' experiences of their daily implementation of RMC in daily intrapartum care. Midwives cited examples of the RMC caregiving practices they have implemented as a result of their participation in the RMC training program as well as indicated the changes they have observed in how they related with childbearing women who were in the healthcare facility for intrapartum care services. We broadly categorized their perceived improvement in their caregiving practices under these subthemes: perceived positive midwife-patient relationship, perceived improvement in midwife's concern for clients' overall wellbeing, and recognizing and respecting the autonomy of childbearing women.

Perceived positive midwife-patient relationship

The quotes below are a synopsis of midwives' accounts of the impact of the RMC training on their practice.

After getting the knowledge, I realized most of the patients, when they come, they already have the misconception 'nurses are like this, are like that'. But because I had that at the back of my mind, anytime

they come, even if they misbehave I talk nicely to them, at the end of the day, we end up creating a very good and cordial relationship. Midwife 006

The training has helped me in managing my clients very well. Now, I do respect their views. Then, any questions they ask, I give them answers. Not like how I used to be before the workshop. I do give them answers and then a hearing ear to their concerns. So it has changed me a lot...Now, I address each patient by her name. Also, I do provide privacy when providing for them, and I don't use abusive words at them...There were things I was doing before the workshop, now I don't do (them) anymore. Now, I am cool and calm with the patient and if a patient is trying to provoke me, I will just keep quiet and walk away. Not like at first if you provoke me, I might also say something to you, but now, it has changed. I wouldn't do that anymore. Midwife 009

Perceived improvement in midwife's concern for clients' overall wellbeing

The RMC training has had a positive impact on how midwives communicated and treated the childbearing women in the hospital. The midwives share the following as their experiences with the childbearing women.

Because, like at first, they [the childbearing women] just come, I am only doing my nursing skills, I don't care about what, at times the patient will go like, the baby is at MBU, so when they come and you ask them 'how is the baby doing?' And you want to know more but at first, I will, well, your baby is there and you've gone to look for the baby. So I don't care. You just come, you greet and you go back to your cubicle. I wouldn't ask further 'how is the baby', I wouldn't; I'll just sit down. But right now, when they come, I ask them 'how is the baby?' and if there is anything, I just reassure them but at first I wasn't doing that unless maybe the patient opens up. Midwife 003

Right now, we are trying to impact what we learnt at the workshop at the workplace, so we are doing our best to do that. Sometimes too, because you are trying to do that, the patient is able to open up to us, and we are happy after their deliveries; they are free with us because we tried to respect their concerns and all that. So that's what we've been doing...when they come for admission, right from the start, we start the respectful care. We sometimes, ask about their concerns, we try to allay their fears and we address their fears, maybe their misconceptions about this place; some people have some tag about the staff in this hospital, that we are rude and all that, so we try our best to discard all those misconceptions. Yeah. So, we give them respectful care from admission, from the first stage to the second stage, we continue to the third stage until they leave the ward to the post-natal ward. Midwife 010

Recognizing and respecting the autonomy of childbearing women

Some of the midwives mentioned how their participation in the training has helped them to involve childbearing women in caregiving decisions and recognized and respected their views and rights to consent and also to show empathy during care provision. The following quotes elucidate the forgoing point:

...we are supposed to be checking the FH (fundal height) every fifteen (15) minutes, but because of pain, they won't allow you. But after the training, you have to be by the patient's side. If I put my hands there (during examination) and she says 'No', that 'I am in pain' I have to understand..., manage the pain and leave her till when she is ready and decides to be examined, but I explain every procedure to them. But if it was at first, I would have forced the patient. Midwife 003

The trained midwives also report how they involve their client in their care:

Now, we involve them [the women] in the care, and we ask them what they want. You know, sometimes when you are going to give infusion, you tell them we are going to cynto you (to give a Synticinom infusion). Ideally, you have to tell them what to expect when the infusion is on. That the contraction is going to increase and all that. So, you psych their mind before you set up the infusion. Sometimes the patient will tell you 'me, I don't want the infusion' but you just have to try to tell her maybe the importance of that drug that you are going to give her but if she insists that she doesn't want it, it is her right. So right now, we are trying to involve them in the care that we are giving to them. We don't want to impose on them and sometimes too, these days, when they get to the second stage, some people will try to just deliver on the floor, deliver at the first stage room. At first, we were insistent that you have to come to the second stage room, you have to do this, you have to lie like this but...after the workshop, we are respecting and accepting their views and choice. We try to make them feel comfortable. Midwife 010

Health facility barriers to practising RMC

We asked the midwives to tell us the conditions acting as barriers to fully implementing RMC practices in their place of work. Their reports on the implementation challenges are organized under these two subthemes: policy and logistic constraint on alternative birthing positions and logistic constraints on ensuring privacy.

Policy and logistic constraints on alternative birthing positions

All the midwives mentioned that the policy and the built environment in the hospital does not support the exploration of alternative birthing positions, and this has made it impossible for the midwives to assist the childbearing women to assume their preferred birthing position.

The alternative birthing positions. It seems because we haven't gotten the necessary equipment, all our patients have to take the lithotomy position. But when it comes to a patient wanting to step down and walk about a little, it's been going on well, especially when a patient has no contra-indications of maybe, a rupture, or cord prolapse we allow the patient to walk around. Midwife 005

We use the lithotomy position. The other positions...cannot be used on our wards. When we went for the training, they showed us the beds that they use and other things. And we realized that even if we want to do that 'we don't have that kind of bed; the stirrups to support the knee. Midwife 011

Logistic constraints on ensuring privacy

The midwives also mentioned that they lack the logistics to ensure privacy for childbearing women in the open labour ward. They mentioned that the facility has only two screens [...], and it makes it difficult to provide intrapartum care for more than two women at a time.

The privacy screens [curtains]...for now, we have two (2) of them outside for patients so sometimes, if you have maybe three (3) labour cases, it means two will be provided with privacy and the others not. Midwife 002

With the ward, providing privacy is one of our biggest challenges...we have fewer screens here. Our screens are not many. You may be using a screen for a patient, the other one too may need a screen but they both can't have it at the same time so one has to be exposed whilst the other one is screened. So, if the screens are many, and I think each cubicle should have the screen so that the patient will have their privacy. Midwife 009

Midwives' recommendations for improving RMC practice

From the perspective of the midwives, we sought to understand what they consider to be critical recommendations to promote RMC practices in their place of work. They recommended that logistics for alternative birthing positions and for privacy in the ward should be provided and all midwives and staff of the hospital should be taken through the RMC training program to encourage good practice. The voices of the midwives are captured under each of the subthemes as follows:

Logistics for alternative birthing positions

The recommendations I can make, or we need, are the positions kits required to enable us to implement the other positions we know. Because, just as we've been talking about, suppose we get these kits, we may not even revert to the lithotomy position anymore. As far as I am concerned, that is the most important challenge. Midwife 005

Logistics for privacy in the ward

The management should provide, maybe curtains like these (indicating) for all the patients, because when they are lying down, just walking around, others will not see their nakedness and all. I don't know what they (the administration) are doing about it, but if they are able to provide those curtains, the shower curtain that we can just remove it and wash when there are some stains. Midwife 010

They should provide us with the logistics, and if curtains and other things can be provided...so, now that we have a new facility and there are cubicles, they can provide curtains...for us to ensure a little privacy... Midwife 012

Training for all staff

Yes, add other people to it. So, if maybe, I am suggesting maybe we the participants would be given the opportunity to also, maybe organize workshops for the others and then get them on board. Midwife 001

The management should organize workshops for the whole department so that all our colleagues would be able to get the privilege to go to the workshop because it is very helpful. Midwife 010

All staff from other facilities in the hospital too should have the training. And then, if it becomes very effective, which I know it will be because I have seen the effects, the positive effects myself, then maybe we can forward it to the training schools so that they are also be taught when they are in school. By the time they come out, they have what it takes to give the best of care to their patients. So that will be, and then on the hospital, I think the administration must also be involved. During the training, I didn't see our director around. But I don't know whether the next training she can be around or somebody, a representative of the administration, so that they know the importance of what we are learning. Then they can also come out with a policy or something to guide the whole program. It will help with the implementation. Midwife 011

Discussion

We explored midwives' experiences of applying RMC knowledge in their professional practice after participating in a four-day RMC training program.

Our study revealed that refresher training course that seeks to inculcate in healthcare providers attitude, knowledge, and best practices of providing respectful maternity care to childbearing women have the potential for positive impact. From the perspective of the midwives, the training has positively contributed to their relationship with childbearing women, made them sensitive to clients' overall wellbeing as well as recognize and respect the autonomy of childbearing women. Having experienced the positive impact of the training on their practice, the midwives who participated in the training proposed both professional and peer-led RMC for all their colleague healthcare providers at the hospital. Our results support a growing body of evidence that show that RMC short-course training programs can positively transform midwives to provide optimal maternity care in healthcare facilities without disrespecting and abusing childbearing women [9, 16, 17].

The findings revealed that, though the training has had a positive influence on maternity care practices of the midwives, conditions such as lack of hospital policy and inadequate support for alternative birthing positions and limited resources to ensure privacy for childbearing women act as barriers to the full application of RMC knowledge in the hospital. We have observed that the existing policy and infrastructure in the study setting and other healthcare facilities across the country support only the dorsal, supine, or lithotomy positions for non-instrumental vaginal deliveries. Although midwives have adequately been trained during the four-day workshop to assist childbearing women to deliver in alternative positions, they are faced with a health system challenges they have no control over. This situation suggests that the training interventions need to be complemented with a review of existing policies in line with current maternity care practices and infrastructure enhancement to fully promote RMC in the hospital and other healthcare facilities with similar conditions in Ghana.

Conclusion

The aim of the study was to explore midwives' experiences of applying RMC knowledge in their professional practice after participating in a four-day RMC training program. Despite the report of some RMC implementation challenges, the midwives generally noted that the 4-day RMC training has had a positive impact on their maternity caregiving practice in the hospital. We, therefore, recommend that policies and programs aimed at addressing the issue of disrespect and abusive practices during maternity care should advocate and include the building of facilities that support alternative birthing positions and privacy of childbearing women during childbirth.

Abbreviations

Respectful Maternity Care-Module (RMC-M); RMC: Respectful Maternity Care; Low and Middle-Income Countries (LMICs)

Declarations

Ethics approval and consent to participate

We sought and obtained ethical clearance from the Committee on Human Research, Publication, and Ethics (CHRPE) at the Kwame Nkrumah University of Science and Technology (KNUST) (reference number: CHRPE/AP/181/18) and the Komfo Anokye Teaching Hospital Institutional Review Board (reference number: RD/CR17/289). We anonymised information that may reveal details of the participants to third parties. As already described, we obtained written consent from participants for both the interviewing and the recording of the sessions. Participants were informed about their right of voluntary participation and under conditions comfortable to their wellbeing. After debriefing each participant, each of them requested that the place of the interview should be near their place of work, which we acquiesced to.

Consent for publication

Not applicable

Availability of data and materials

The interview transcripts used for the analyses in this study are available from the corresponding author on reasonable request.

Funding

The research reported in this publication was supported by a grant awarded by National Institutes of Health through the Fogarty International Center under Award Number K43TW011022 to VMD. The content is solely the responsibility of the authors and does not represent the official view of the funder. The

fundere had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Competing Interests

The authors have declared that no competing interests exist.

Authors' contributions

DVM, DP, and LRJ are the project leads, and they contributed to the conceptualization, data curation, formal analyses, writing of the original manuscript, as well as editing and review of the final manuscript. ABBM and NKE contributed to the data curation, formal analyses, writing of the original manuscript, editing, and review of the final manuscript. AP contributed to formal analyses, writing of the original manuscript, editing, and review of the final manuscript. All authors have read and approved the manuscript.

Acknowledgement

We acknowledge the midwives who participated and shared their experiences of applying RMC knowledge in their professional practice after participating in a four-day RMC training program.

References

1. Moyer, C.A., P. Dako-Gyeke, and R.M. Adanu, *Facility-based delivery and maternal and early neonatal mortality in sub-Saharan Africa: a regional review of the literature*. African Journal of Reproductive Health, 2013. **17**(3): p. 30-43.
2. Campbell, O.M., W.J. Graham, and L.M.S.S.s. group, *Strategies for reducing maternal mortality: getting on with what works*. The lancet, 2006. **368**(9543): p. 1284-1299.
3. Graham, W.J., J.S. Bell, and C.H. Bullough, *Can skilled attendance at delivery reduce maternal mortality in developing countries? Safe motherhood strategies: a review of the evidence*, 2001.
4. Doctor, H.V., S. Nkhana-Salimu, and M. Abdulsalam-Anibilowo, *Health facility delivery in sub-Saharan Africa: successes, challenges, and implications for the 2030 development agenda*. BMC public health, 2018. **18**(1): p. 765.
5. Montagu, D., et al., *Where women go to deliver: understanding the changing landscape of childbirth in Africa and Asia*. Health policy and planning, 2017. **32**(8): p. 1146-1152.
6. Afulani, P.A., L. Kirumbi, and A. Lyndon, *What makes or mars the facility-based childbirth experience: thematic analysis of women's childbirth experiences in western Kenya*. Reproductive health, 2017. **14**(1): p. 180.
7. WHO, *The prevention and elimination of disrespect and abuse during facility-based childbirth*. 2015, Department of Reproductive Health and Research, World Health Organization: Switzerland.

8. WHO. *WHO recommendation on respectful maternity care during labour and childbirth*. 2018 May 14, 2019]; Available from: <https://extranet.who.int/rhl/topics/preconception-pregnancy-childbirth-and-postpartum-care/care-during-childbirth/who-recommendation-respectful-maternity-care-during-labour-and-childbirth>.
9. Abuya, T., et al., *The effect of a multi-component intervention on disrespect and abuse during childbirth in Kenya*. BMC pregnancy and childbirth, 2015. **15**(1): p. 224.
10. Ismail, S. and S. MM, *Impact of Health Care Provider's Training on Patients' Communication During Labor at Omdurman Maternity Hospital, Sudan 2011*. Sudan Journal of Medical Sciences, 2014. **9**(4).
11. Kujawski, S.A., et al., *Community and health system intervention to reduce disrespect and abuse during childbirth in Tanga region, Tanzania: a comparative before-and-after study*. PLoS medicine, 2017. **14**(7): p. e1002341.
12. Ratcliffe, H.L., et al., *Mitigating disrespect and abuse during childbirth in Tanzania: an exploratory study of the effects of two facility-based interventions in a large public hospital*. Reproductive health, 2016. **13**(1): p. 79.
13. Ratcliffe, H.L., et al., *Applying a participatory approach to the promotion of a culture of respect during childbirth*. Reproductive health, 2016. **13**(1): p. 80.
14. Swahnberg, K., et al., *Can forum play contribute to counteracting abuse in health care? A pilot intervention study in Sri Lanka*. International journal of environmental research and public health, 2019. **16**(9): p. 1616.
15. Downe, S., et al., *Effectiveness of respectful care policies for women using routine intrapartum services: a systematic review*. Reproductive health, 2018. **15**(1): p. 23.
16. Afulani, P.A., et al., *Can an integrated obstetric emergency simulation training improve respectful maternity care? Results from a pilot study in Ghana*. Birth, 2019. **46**(3): p. 523-532.
17. Umbeli, T., et al., *Impact of Health Care Provider's Training on Patients' Communication During Labor at Omdurman Maternity Hospital, Sudan 2011*. Sudan Journal of Medical Sciences, 2014. **9**(4): p. 211-216.
18. Kim, H., J.S. Sefcik, and C. Bradway, *Characteristics of qualitative descriptive studies: A systematic review*. Research in nursing & health, 2017. **40**(1): p. 23-42.