The primary total knee arthroplasty: a global analysis

Jiaxiang Gao

Peking University People's Hospital

Dan Xing

Peking University People's Hospital

Shengjie Dong

Yantaishan Hospital

Jianhao Lin (✉ linjianhao@pkuph.edu.cn)

Peking University People's Hospital <https://orcid.org/0000-0003-1830-9244>

Research article

Keywords: Total Knee Arthroplasty, Bibliometrics, Visualized study

Posted Date: April 16th, 2020

DOI: <https://doi.org/10.21203/rs.3.rs-22046/v1>

License: © ⓘ This work is licensed under a Creative Commons Attribution 4.0 International License.

[Read Full License](#)

Version of Record: A version of this preprint was published at Journal of Orthopaedic Surgery and Research on May 26th, 2020. See the published version at <https://doi.org/10.1186/s13018-020-01707-5>.

Abstract

Background The use of total knee arthroplasty (TKA) in treatment of chronic degenerative pathologies of the knee has boasted of an experience of 50 years. The aim of this bibliometric and visualized study is to comprehensively examine the current status and global trends of TKA research. **Methods** Publications related to TKA research from 2010 to 2019 were retrieved from Web of Science database, and then analyzed through bibliometric methodology. As for the visualized study, the software VOS viewer was utilized for bibliographic coupling, coauthorship, cocitation, and co-occurrence analysis, along with further simulation of publication trends in this field. **Results** A total of 8631 publications were eventually included. The number of publications tends to increased annually over the worldwide. The United States was the pioneer which has made tremendous contribution, with the most publications and citations, as well as the highest H-index. The JOURNAL OF ARTHROPLASTY has published most papers, while CLINICAL ORTHOPAEDICS AND RELATED RESEARCH has the highest citation frequency. Hospital for Special Surgery have made the greatest contribution when total publication number and coauthorship were taken together. Studies could be divided into five clusters: “alignment study”, “revision TKA study”, “complication study”, “rehabilitation study”, and “perioperative management study”, which have a trend of balanced development in this field. **Conclusions** There will be an increasing number of publications on TKA research according to the current global trends, and the United States maintained the leadership in this area. Additionally, a trend of balanced development may exist in the field of TKA research, accompanied with inherent changes of hotspots in each cluster.

Background

Contemporary TKA has evolved over the past 50 years since it was first designed at the Hospital for Special Surgery in the early 1970s[1]. As the most common treatment for end-stage knee osteoarthritis (OA), TKA played an important part in improving patient-reported outcomes with respect to pain relief, functional restoration, and higher quality of life. Apart from primary OA, some other diagnoses are also the potential underlying indications of TKA, including inflammatory arthritis, fracture (post-traumatic OA and/or deformity), dysplasia, and malignancy[2, 3]. Nowadays, the global demand for TKA is increasing at a dramatic rate due to the growing prevalence of knee arthritis. The number of primary TKA procedures is projected to grow 85% (1.26 million procedures) by 2030[4].

In recent years, TKA is experiencing unprecedented development. The collaboration between surgeons and engineers produced many developments in the design of the prosthesis, from the traditional resurfacing prostheses to the constrained prostheses and meniscal bearing prostheses[5]. Furthermore, various new technology-based assistive techniques (such as the robots, patient specific cutting guides, preoperative software and computer-assisted navigation system) were introduced several years ago in orthopedic surgery, which have significantly improved the accuracy and reproducibility in maintaining bone resection and ligament balance[6]. In addition, other problems derived from TKA, such as prosthesis survivorship and revision surgery, as well as the management of postoperative complications and rehabilitation, are also significant topics worthy further attention. To our best knowledge, the global

research trend in TKA has not been well studied yet. Therefore, it's necessary to investigate the global status of TKA.

Publications are critical indicators of research trend which can represent for the importance of certain field. Bibliometric analysis is a feasible method to predict the developing trends of the research qualitatively and quantitatively, by comparing the studies of main authors, journals, institutes, and nations[7]. Besides, it also makes great contributions to clinical policy making and guidelines regulation[8]. In addition, bibliometric analysis made it more transparent for scientific researching in different areas[9]. The aim of this study was to comprehensively examine the current status and global trends of TKA studies in different clinical areas.

Methods

1. Data source

Although a large number of databases could meet the requirement for evaluation research at global level[10-12], we selected the Web of Science (WoS) and Science Citation Index-Expanded (SCIE) for this analysis, which cover more than 12000 scientific international journals of the highest impact and quality, providing comprehensive data of publications[13].

2. Search strategy

In order to search for the studies on TKA, the exclusion criteria should cover the most common terms related to the arthroplasty on other joints (such as hip, ankle, and shoulder joints), and other types of knee surgery (such as osteotomy and arthroscopic surgery). The search strategy was as follows: (theme=total knee arthroplasty Not theme=hip Not theme=ankle Not theme=shoulder Not theme=lumbar Not theme== Osteotomy Not theme= arthroscop* Not theme==unicompartment*). The time period of publications was focused on the latest 10 years from 2010 to 2019, and the document types only contained reviews and articles. Retrieval work was performed in the same day (on February 5th, 2020) to avoid the variations due to daily updates. Informed consent was not required because the data is all second without any personal information.

3. Data collection

The information of all identified publications, including title, author, year of publication, nationalities, affiliations, journal, keywords and abstract, was downloaded from the WoS database and then opened by Excel 2016 (Redmond, WA). Two authors (JX Gao and D Xing) independently browsed and extracted data from the eligible publications, and further analyzed the data with GraphPad Prism5 separately.

4. Bibiometric analysis

The basic characteristics of publications were retrieved through the intrinsic function of WoS. The H-index is defined as the value based on a scholar or scientist who has published H papers, each of which

has been cited by other papers for at least H times[14]. Therefore, the H-index can reflect the number of both publications themselves and their relevant citations, and evaluate the productivity and impact of the published scientific research[15]. The relative research interest (RRI) is the number of publications in a certain field divided by all-field publications per year[16]. R software (version 3.1.3) was used to analyze the time trend of the publications. Moreover, the cumulative volume of documentation was simulated by using the logistic regression model: $f(x) = c / [1 + a \times \exp(-b \times (x-1994))]$. In this formula, the symbol x refers to the year, and f(x) represents the cumulative amount of papers. The time when the growth rate of publications changed from positive to negative was defined as the inflection point, which was generated using the formula $T = \ln a/b + 1994$.

5. Visualized analysis

VOS viewer (Leiden University, Leiden, The Netherlands) is a software tool for constructing and visualizing bibliometric networks[17]. In this research, VOS viewer was used for bibliographic coupling, coauthorship, cocitation, and co-occurrence analysis. In the network map created by VOS viewer, different nodes represented various elements such as author, country, institution, and keyword, while the size of the nodes reflected the number of the publications or frequency[18]. The links between nodes represented the relationships such as cocitation, coauthorship, or co-occurrence[19, 20]. Furthermore, the color of the node/lines reflected different clusters or years[21].

Results

1. Global publication trends

Number of global publications

A total of 8631 publications eventually were collected after applying the search criteria. Over the past decade, the number of publications has steadily increased year by year, from 483 (2010) to 1083 (2019). In addition, most of the researches were published in 2019 (1083, 12.5%) (Figure 1A).

Contributions of country and regions

Moreover, a total of 86 country and regions have published related articles/review, and the countries which had made the greatest contributions in TKA research were presented in Figure 1B and C. Among them, the United States contributed to the most publications (2835, 32.8%), followed by China (835, 9.7%), Japan (657, 7.6%), and the United Kingdom (652, 7.6%).

Global trends of publications

In order to predict the future, the time curve of the all-year publication numbers was created by using the logistic regression model, and the model fitting curves of the growth trend was shown in Figure 1D. Furthermore, with the help of this time curve, it's estimated that the number of the publications in this domain would grow by nearly 3.5 times from 483 in 2010 to approximately 1700 by 2030.

2. Quality of the publications of each country/region

Total citation frequency

The USA had the highest number of total citations (42,461) among all the included publications, while the UK ranked the second (9487), then followed by Canada (8541), China (7199), and Germany (5715) (Figure 2A).

Average citation frequency

Publications from Denmark had the most average number of citations (22.39), then followed by Canada (20.73), Belgium (18.02), Netherlands (16.91), and the UK (15.18) (Figure 2B).

H-index

As shown in Figure 2C, the USA outranked other countries and regions with the most top H-index of 74, followed by Canada (43), the UK (43), China (35), and Germany (33).

3. Analysis of global publication

Journals

JOURNAL OF ARTHROPLASTY published 1486 articles/reviews, outranking other journals with the most publications. KNEE SURGERY SPORTS TRAUMATOLOGY ARTHROSCOPY ranked the second, with 762 publications. Moreover, there were 494 articles/reviews in KNEE, 285 in JOURNAL OF KNEE SURGERY, and 258 in INTERNATIONAL ORTHOPAEDICS on the TKA field. The top 20 journals with most publications were presented in Figure 3A.

Research orientation

The top 20 research orientations relevant to TKA were shown in Figure B. The most prevalent areas of research were orthopedics (6013 papers), surgery (2675 papers), sport science (1586 papers), engineering (432 papers), and general internal medicine (418 papers) respectively.

Authors

The top 20 authors with the greatest number of related publications were shown in Figure 3C, who have published a total of 1151 articles/reviews during the last decade, accounting for 13.3% of all literature in this field. Mont MA outranked other authors with a publications of 169 papers, followed by Matsumoto T with 64 papers, and Yeo SJ with 63 papers. It's noteworthy that we included all the authors for analysis in this study, regardless of the authors' relative contribution towards one single research.

Institution output

Hospital special surgery had the greatest number of publications with 234 papers, followed by Mayo clinic (210 papers), and then University of California system (201 papers). Figure 3D presented the top 20 institutions with most publications.

4. Bibliographic coupling analysis

As a well-established method of citation analysis, bibliographic coupling helps create a similarity relationship between documents on the basis of the number of references they share. When two works refer to a common third one in their bibliographies, bibliographic coupling occurs as an indication of sharing a related subject matter for these two works[22]. The VOS viewer was used to analyze the journal names of all publications.

Journals

As illustrated in Figure 4A, a total of 172 journals appeared (the minimum number of publications of each journal was over five) in terms of total link strength (TLS). The top five journals with the largest TLS were shown as follows: JOURNAL OF ARTHROPLASTY (TLS=1158621 times), KNEE SURGERY SPORTS TRAUMATOLOGY ARTHROSCOPY (TLS=777852 times), KNEE (TLS=458865 times), CLINICAL ORTHOPAEDICS AND RELATED RESEARCH (TLS=281285 times), INTERNATIONAL ORTHOPAEDICS (TLS=271771 times).

Institutions

Papers originating from 750 institutions were analyzed via VOS viewer, and the minimum number of publications from each institution was over five in the bibliometric map (Figure 4B). The top five institutions with the greatest TLS were as follows: Mayo clinic (TLS=287724 times), Hospital for Special Surgery (TLS=242212 times), Singapore general hospital (TLS=181272 times), Seoul national university (TLS=145571 times), and University Colorado (TLS=139958 times).

Country and regions

There were 57 country and regions included (the minimum number of publications from each country or region was over five) and all the publications were analyzed by VOS viewer (Figure 4C). The top five country and regions with largest TLS were presented as follows: the USA (TLS=1933073 times), Germany (TLS=680506 times), Japan (TLS=632174 times), South Korea (TLS=631428 times), and China (TLS=609660 times).

5. Coauthorship analysis

Coauthorship analysis illustrates the relationship among items based on the number of the coauthored documents, which was a powerful tool to assess collaboration trends and to identify leading scientists, countries, and organizations[23].

Authors

As presented in Figure 5A, a total of 1584 authors with a minimum limitation of more than 5 publications were identified and analyzed via VOS viewer. The top five authors with greatest TLS were shown as follows: Mont MA (TLS=768 times), Matsumoto T (TLS=414 times), Kuroda R (TLS=400 times), Kurosaka M (TLS=340 times), and Ishida K (TLS=325 times).

Country and regions

A total of 56 country and regions with a minimum limitation of more than 5 publications were identified and analyzed by using VOS viewer (Figure 5B). The top five country and regions with largest TLS were presented as follows: the USA (TLS=677 times), the UK (TLS=318 times), Germany (TLS=258 times), Canada (TLS=219 times), and Australia (TLS=204 times).

Institutions

In total, papers were produced and extracted from 712 institutions with a minimum limitation of more than 5 publications, which were analyzed by VOS viewer (Figure 5C). The top five institutions with greatest TLS were as follows: Hospital for Special Surgery (TLS=224 times), Cleveland clinic (TLS=191 times), University Colorado (TLS=154 times), Mayo clinic (TLS=142 times), and University Tennessee (TLS=128 times).

6. Cocitation analysis

Cocitation analysis establishes the relationship of items on the basis of how many times they are cited together, and is demonstrated as a way to help identify key literature for cross-disciplinary ideas[24].

Publications

A total of 2141 publications were included (the minimum number of citations for one reference was over 20 times) and analyzed via VOS viewer (Figure 5D). The top five publications with largest TLS were presented as follows: Insall et.al[25] (TSL=13413 times), Kurtz et.al[26] (TSL=8451 times), Ewald et.al[27] (TSL=7568 times), Bourne et.al[28] (TSL=6666 times), and Berger et.al[29] (TSL=6571 times).

Journals

The journal was included if the minimum number of citations from one source was over 20 times. In total, there were 902 journals which met the aforementioned criteria (Figure 5E). The top five journals with greatest TLS were illustrated as follows: CLINICAL ORTHOPAEDICS AND RELATED RESEARCH (TLS=941132 times), JOURNAL OF ARTHROPLASTY (TLS=900527 times), JOURNAL OF BONE AND JOINT SURGERY AMERICAN VOLUME (TLS=643757 times), JOURNAL OF BONE AND JOINT SURGERY BRITISH VOLUME (TLS=398451 times), and KNEE SURGERY SPORTS TRAUMATOLOGY ARTHROSCOPY (TLS=310785 times).

7. Co-occurrence analysis

Co-occurrence analysis illustrates the relationship of items based on the number of publications where they occur together[30]. Not only the popular areas and research directions could be identified through co-occurrence analysis, but also it turns out to be an important indicator to monitor developments in scientific areas and other disciplines. The keywords, which were used over five times among included publications, were identified and analyzed via VOS viewer. As presented in Figure 6A, the 2225 included keywords could be divided into approximately 5 clusters: “alignment study”, “revision TKA study”, “complication study”, “rehabilitation study”, and “perioperative management study” (Figure 6A). The most prominent topics about TKA research were shown as follows. In the cluster of “alignment study”, the main keywords were alignment, kinematics, flexion, and system. As for the “revision TKA study” cluster, the primary keywords were follow-up, prosthesis, revision, and fixation. In the “complication study” cluster, the most used keywords were surgery, meta-analysis, management, and complications. As for the “rehabilitation study” cluster, the prominent keywords were osteoarthritis, pain, rehabilitation, and quadriceps strength. In the cluster of “perioperative management study”, the frequently used keywords were efficacy, post-operative pain, double-blind, and femoral nerve block.

In Figure 6B, different colors were applied by VOS viewer for each keyword, based on the mean times they appeared in the all included publications. The color blue indicated the keywords appeared earlier, whereas the color red stood for the later occurrence. As illustrated in Figure 6B, a trend of balanced development existed in all the five clusters respectively during the past decade. By comparison, more studies focused on the cluster of "revision TKA" after 2014. However, recent trends indicated that the other four clusters were also undergoing different degrees of changes on the research hotspot, which meant a diversified developing trend.

Discussion

1. Global trends in TKA research

Bibliometric and visualized analysis are considered as valid tools for describing the current status and predicting the future development trends about the research of interest. Therefore, the aim of our study was to evaluate TKA research through bibliometric and visualized analysis, and further illustrate the global trends of publications, contributing countries, institutions and the research orientations in the future. In the past decades, great development happened in the evolving field of TKA research. As shown in this study, the number of publications has steadily increased year by year. In addition, the RRI of publications had also risen dramatically in the meantime. A total of 86 country and regions have published papers in this domain, which indicated a potential increase of studies which focus on TKA research and offer in-depth knowledge in the next few years.

2. Quality and status of global publications

The total number of citations and the H-index reflect the quality of the publications and academic impact of one country[31]. According to our study, the USA outranked the other countries in terms of the total

number of publications and citations, as well as H-index, making the largest contribution to global TKA research. The UK and Canada also contributed a lot with a considerable total citation frequency and H-index, especially for Canada, which ranked second in the average citation frequency. Nevertheless, some countries such as Denmark, Canada, and Belgium have also played an important role when considering their high average citation frequencies.

As for journals, JOURNAL OF ARTHROPLASTY, KNEE SURGERY SPORTS TRAUMATOLOGY ARTHROSCOPY, and JOURNAL OF KNEE SURGERY made great contributions which published the most studies on TKA. According to this trend, the listed journals in Figure 4A may continue the “main channel” for future findings in this field.

Almost all of the top 20 institutions were from the top five countries with the largest publication numbers, and more than half of them were located in the USA, once again reflecting the great academic impact of the USA in this area. This indicated the significant role of these first-class institutions in improving the academic level of a country. Mont MA, Matsumoto T, and Yeo SJ were the top three authors with most publications in TKA. The top 20 authors listed in Figure 3C represented the research pioneers who may substantially influence the direction of future studies. Therefore, in order to grasp the latest advancements in this field, more attention should be paid on their work with a relatively high priority.

In this study, bibliographic coupling analysis was used to illustrate the similarity relationship between the identified publications from the aspects of journal, institution, and country respectively. Bibliographic coupling occurs when two studies share with the common references in their bibliographies, so that it can provide a deep, direct insight on the links among these relevant literature and further interpreted how these links are built and used by the authors. According to our data, JOURNAL OF ARTHROPLASTY was the most closely related journal, and Hospital for Special Surgery published most relevant papers. As for the countries, the USA outshined the rest of the countries which maintained its leading position in the domain of TKA research. Coauthorship analysis was utilized to evaluate the collaboration between different authors, countries, and institutions. Research object (author/country/institution) with higher TLS was considered more likely to cooperative with others. In this study, the results of coauthorship analysis were Mont MA, the USA, and Hospital for Special Surgery, respectively. Cocitation analysis was conducted to illustrate the influence of studies, by counting how many times they were cited together. In our study, CLINICAL ORTHOPAEDICS AND RELATED RESEARCH was the journal with highest citation frequency, which could be considered as the landmark studies about the TKA research.

3. Research focus on TKA

Co-occurrence analysis was based on the number of publications with the common occurrence, so as to evaluate the relationship among identified items. Furthermore, it was considered as an efficient way to predict the future trends and hotspots in the research field of interest. In our study, we presented a network map of co-occurrence relationship by analyzing the keywords of all the included studies. Eventually, a total of five possible research orientations were summarized as follows: “alignment study”, “revision TKA study”, “complication study”, “rehabilitation study”, and “perioperative management study”

(Figure 6A). With the help of this network map, we have chances to further clarify the developing trends in the future. As shown in the co-occurrence map, such keywords as osteoarthritis, alignment, kinematics, follow-up, surgery, and management, were highlighted with bigger icons, which almost evenly distributed in the orientations of “alignment study”, “revision TKA study”, “complication study”, and “rehabilitation study”. Thus, the investment and requirement of high-quality studies are still necessary within the context of these five research directions, especially for the first four aforementioned orientations.

The overlay visualization map, with items which were noted with different color according to the average time when the keywords occurred[32], was kind of similar to the co-occurrence map. However, it could more directly monitor the progress of the research and predict the popular topics in the future. In this overlay visualization map (Figure 6B), different colors represented the relevant year of publication. From the results, “revision TKA” accounted for larger proportions for color yellow and red, which indicated more studies focused on the research of “revision TKA” after 2014. This is probably because of the inherent occurring order between primary TKA and revision TKA. Nevertheless, nodes of various colors (from blue to red) could all be found with considerable densities in the five clusters, which meant a trend of balanced development existed in these five research directions respectively during the past decade. Furthermore, each direction itself was also undergoing the changes of research hotspot, which indicated a diversified developing trend.

In the light of our findings in this study, the number of publications related to TKA research has been rapidly growing since 2010, which indicates that TKA, served as the effective surgical therapy for the end-term arthritis, continue to thrive and play an important part in managing severe knee arthritis. This blossoming results will in turn encourage more and more researchers devote into the future study. Through the bibliometric and visualized analysis, investigators could have a vivid overall impression of this field, including the leading countries, authors, and institutions, along with the partnership and academic impact of them. With this information, a transparent “main channel” has been created for the investigators, so that they could selectively obtain the advanced knowledge and valuable discoveries according to their own requirement. Furthermore, the co-occurrence analysis could depict the developing trends and research hotspots in this area, which may further provide the researchers with inspirations of topic selection and help the funding agencies make profit investment plans.

4. Strength and limitations

To the best of our knowledge, this is the first study which conducted bibliometric analysis on TKA research. To better comprehensively capture the current status and future trends of researches on TKA, bibliometric and visualized analysis were used to identify the hotspots, and collaborative relationship among different countries, authors and institutions. However, this study inevitably has some limitations. Firstly, although the included publications were adequate enough to reflect the current status, we only retrieved data from WoS database. Thus, we may omit some publications due to the database bias. Secondly, almost all of the identified publications were in English, some relevant articles may not have been included due to the language bias[33, 34]. Thirdly, there are intrinsic differences between the results

of bibliometric analysis and real-world study. For instance, some relatively new publications with high quality might not attract enough attention due to lower citation frequency. Last but not the least, bias may still exist when considering the same short name or various expressions of some authors and keywords.

Conclusions

In this study, the current status and global trends of TKA research were delineated through bibliometric analysis. The USA has made tremendous contribution to this area, establishing its leading position of the global research on TKA. It can be predicted that an increasing number of papers would be published in the next few years, which indicates an underlying vigorous development of TKA research. In particular, a trend of balanced development may exist in the field of TKA, accompanied with an inherent changes of hotspots in each sub-orientation.

Abbreviations

TKA: Total knee arthroplasty; OA: Osteoarthritis; WoS: Web of Science; SCIE: Science Citation Index-Expanded; RRI: Relative research interest.

Declarations

Ethics approval and consent to participate: Not applicable.

Consent for publication: Not applicable.

Availability of data and material: All data generated or analysed during this study are included in this published article (and its supplementary information files).

Competing interests: The authors declare that they have no conflict of interests.

Funding: This study was supported by grants from the National Natural Science Foundation of China (81973606, 81501919).

Author contributions

Study design: JX Gao and D Xing.

Data collection/validation: JX Gao and D Xing.

Data analysis: JX Gao and SJ Dong.

Result interpretation: JX Gao and D Xing.

Reporting & editing: JX Gao and JH Lin.

Final approval of the version to be submitted: JX Gao, D Xing, JH Lin.

Project guarantor: JH Lin.

Acknowledgement

The authors thank Liyi Zhang for statistical input into the database, and Hui Li for his great advice on methodology in modifying figures.

References

1. Insall JN, Binazzi R, Soudry M, Mestriner LA. Total knee arthroplasty. *Clin Orthop Relat Res*. 1985; (192): 13-22.
2. Ghosh A, Chatterji U. An evidence-based review of enhanced recovery after surgery in total knee replacement surgery. *J Perioper Pract*. 2019; 29 (9): 281-90. doi: 10.1177/1750458918791121.
3. Guo EW, Sayeed Z, Padela MT, Qazi M, Zekaj M, Schaefer P, Darwiche HF. Improving Total Joint Replacement with Continuous Quality Improvement Methods and Tools. *Orthop Clin North Am*. 2018; 49 (4): 397-403. doi: 10.1016/j.ocl.2018.05.002.
4. Sloan M, Premkumar A, Sheth NP. Projected Volume of Primary Total Joint Arthroplasty in the U.S., 2014 to 2030. *J Bone Joint Surg Am*. 2018; 100 (17): 1455-60. doi: 10.2106/JBJS.17.01617.
5. Dall'Oca C, Ricci M, Vecchini E, Giannini N, Lamberti D, Tromponi C, Magnan B. Evolution of TKA design. *Acta Biomed*. 2017; 88 (2s): 17-31. doi: 10.23750/abm.v88i2 -S.6508.
6. Jaffe WL, Dundon JM, Camus T. Alignment and Balance Methods in Total Knee Arthroplasty. *J Am Acad Orthop Surg*. 2018; 26 (20): 709-16. doi: 10.5435/jaaos-d-16-00428.
7. Pu QH, Lyu QJ, Su HY. Bibliometric analysis of scientific publications in transplantation journals from Mainland China, Japan, South Korea and Taiwan between 2006 and 2015. *BMJ Open*. 2016; 6 (8): e011623. doi: 10.1136/bmjopen-2016-011623.
8. Wang B, Xing D, Zhu Y, Dong S, Zhao B. The State of Exosomes Research: A Global Visualized Analysis. *Biomed Res Int*. 2019; 2019: 1495130. doi: 10.1155/2019/1495130.
9. Jia ZW, Wu YH, Li H, Li HF, Zhao XY, Tang Y, Yao CL, Zhao YC, Liu LG, Wang de L, He Q, Ruan DK. Growing trend of China's contribution to the field of spine: a 10-year survey of the literature. *Eur Spine J*. 2015; 24 (8): 1806-12. doi: 10.1007/s00586-015-4030-y.
10. Bakkalbasi N, Bauer K, Glover J, Wang L. Three options for citation tracking: Google Scholar, Scopus and Web of Science. *Biomed Digit Libr*. 2006; 3: 7. doi: 10.1186/1742-5581-3-7.
11. Falagas ME, Pitsouni EI, Malietzis GA, Pappas G. Comparison of PubMed, Scopus, Web of Science, and Google Scholar: strengths and weaknesses. *Faseb j*. 2008; 22 (2): 338-42. doi: 10.1096/fj.07-9492LSF.
12. Kulkarni AV, Aziz B, Shams I, Busse JW. Comparisons of citations in Web of Science, Scopus, and Google Scholar for articles published in general medical journals. *Jama*. 2009; 302 (10): 1092-6. doi:

- 10.1001/jama.2009.1307.
13. Aggarwal A, Lewison G, Idir S, Peters M, Aldige C, Boerckel W, Boyle P, Trimble EL, Roe P, Sethi T, Fox J, Sullivan R. The State of Lung Cancer Research: A Global Analysis. *J Thorac Oncol*. 2016; 11 (7): 1040-50. doi: 10.1016/j.jtho.2016.03.010.
 14. Bertoli-Barsotti L, Lando T. A theoretical model of the relationship between the h-index and other simple citation indicators. *Scientometrics*. 2017; 111 (3): 1415-48. doi: 10.1007/s11192-017-2351-9.
 15. Masic I, Begic E. Scientometric Dilemma: Is H-index Adequate for Scientific Validity of Academic's Work? *Acta Inform Med*. 2016; 24 (4): 228-32. doi: 10.5455/aim.2016.24.228-232.
 16. Xing D, Zhao Y, Dong S, Lin J. Global research trends in stem cells for osteoarthritis: a bibliometric and visualized study. *Int J Rheum Dis*. 2018; 21 (7): 1372-84. doi: 10.1111/1756-185x.13327.
 17. van Eck NJ, Waltman L. Software survey: VOSviewer, a computer program for bibliometric mapping. *Scientometrics*. 2010; 84 (2): 523-38. doi: 10.1007/s11192-009-0146-3.
 18. Liang C, Luo A, Zhong Z. Knowledge mapping of medication literacy study: A visualized analysis using CiteSpace. *SAGE Open Med*. 2018; 6: 2050312118800199. doi: 10.1177/2050312118800199.
 19. Chen C, Chen Y, Hou J, Liang Y. CiteSpace I : detecting and visualizing emerging trends and transient patterns in scientific literature. *Journal of the China Society for Scientific and Technical Information*. 2009; 28 (3): 401-21. doi: 10.3772/j.issn.1000-0135.2009.03.012.
 20. Xie P. Study of international anticancer research trends via co-word and document co-citation visualization analysis. *Scientometrics*. 2015; 105 (1): 611-22. doi: 10.1007/s11192-015-1689-0.
 21. Liang Y-D, Li Y, Zhao J, Wang X-Y, Zhu H-Z, Chen X-H. Study of acupuncture for low back pain in recent 20 years: a bibliometric analysis via CiteSpace. *Journal of Pain Research*. 2017; 10: 951-64. doi: 10.2147/jpr.S132808.
 22. Biscaro C, Giupponi C. Co-authorship and bibliographic coupling network effects on citations. *PLoS One*. 2014; 9 (6): e99502. doi: 10.1371/journal.pone.0099502.
 23. Fonseca Bde P, Sampaio RB, Fonseca MV, Zicker F. Co-authorship network analysis in health research: method and potential use. *Health Res Policy Syst*. 2016; 14 (1): 34. doi: 10.1186/s12961-016-0104-5.
 24. Trujillo CM, Long TM. Document co-citation analysis to enhance transdisciplinary research. *Sci Adv*. 2018; 4 (1): e1701130. doi: 10.1126/sciadv.1701130.
 25. Insall JN, Dorr LD, Scott RD, Scott WN. Rationale of the Knee Society clinical rating system. *Clin Orthop Relat Res*. 1989; (248): 13-4.
 26. Kurtz S, Ong K, Lau E, Mowat F, Halpern M. Projections of primary and revision hip and knee arthroplasty in the United States from 2005 to 2030. *J Bone Joint Surg Am*. 2007; 89 (4): 780-5. doi: 10.2106/jbjs.F.00222.
 27. Ewald FC. The Knee Society total knee arthroplasty roentgenographic evaluation and scoring system. *Clin Orthop Relat Res*. 1989; (248): 9-12.

28. Bourne RB, Chesworth BM, Davis AM, Mahomed NN, Charron KD. Patient satisfaction after total knee arthroplasty: who is satisfied and who is not? *Clin Orthop Relat Res.* 2010; 468 (1): 57-63. doi: 10.1007/s11999-009-1119-9.
29. Berger RA, Crossett LS, Jacobs JJ, Rubash HE. Malrotation causing patellofemoral complications after total knee arthroplasty. *Clin Orthop Relat Res.* 1998; (356): 144-53. doi: 10.1097/00003086-199811000-00021.
30. Pavlopoulos GA, Promponas VJ, Ouzounis CA, Iliopoulos I. Biological information extraction and co-occurrence analysis. *Methods Mol Biol.* 2014; 1159: 77-92. doi: 10.1007/978-1-4939-0709-0_5.
31. Bastian S, Ippolito JA, Lopez SA, Eloy JA, Beebe KS. The Use of the h-Index in Academic Orthopaedic Surgery. *J Bone Joint Surg Am.* 2017; 99 (4): e14. doi: 10.2106/jbjs.15.01354.
32. Hesketh KR, Law C, Bedford H, Hope S. Co-Occurrence of Health Conditions during Childhood: Longitudinal Findings from the UK Millennium Cohort Study (MCS). *PLoS One.* 2016; 11 (6): e0156868. doi: 10.1371/journal.pone.0156868.
33. Popkirov S, Jungilligens J, Schlegel U, Wellmer J. Research on dissociative seizures: A bibliometric analysis and visualization of the scientific landscape. *Epilepsy Behav.* 2018; 83: 162-67. doi: 10.1016/j.yebeh.2018.03.041.
34. Li L, Catala-Lopez F, Alonso-Arroyo A, Tian J, Aleixandre-Benavent R, Pieper D, Ge L, Yao L, Wang Q, Yang K. The Global Research Collaboration of Network Meta-Analysis: A Social Network Analysis. *PLoS One.* 2016; 11 (9): e0163239. doi: 10.1371/journal.pone.0163239.

Figures

Figure 1

A. The total number and RRI of publications related to TKA research. The blue bars indicate the number of publications per year, and the black curve means the RRI. B. The distribution world map of TKA research. C. The top 20 countries of total publications. D. Model fitting curves of global publication trends. Note: The designations employed and the presentation of the material on this map do not imply the expression of any opinion whatsoever on the part of Research Square concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. This map has been provided by the authors.

Figure 2

A. The top 20 countries of total citations. B. The top 20 countries of average citations for each article. C. The top 20 countries of the H-index.

Figure 3

A. The top 20 journals of publications related to TKA research. B. The top 20 research orientations and the number of publications in each orientation. C. The top 20 authors of publications. D. The top 20 institutions with highest impact and the number of publications for each institution.

Bibliographic coupling analysis of global research on TKA. A. Mapping on the 172 included journals in TKA area. B. Mapping on the 750 institutions on TKA research. C. Mapping on the 57 countries in this field. The line between two nodes indicates the similarity relationship between the corresponding journals/ institutions/ countries.

Figure 6

Co-occurrence analysis on TKA research. A. Mapping of keywords on TKA research; the size of nodes represents the frequency, while the lines between nodes reflect the co-occurrence relationship. A total of 2225 included keywords are divided into 5 clusters: alignment study (color green), revision TKA study (color blue), complication study (color red), rehabilitation study (color yellow), and perioperative management study (color purple). B. Distribution of keywords according to the frequency of appearance. The color blue indicates the keywords appear earlier, whereas the color red reflect the later occurrence.